



Thermaster four door Sandwich Bar - SLB240

Quick Overview

- 12 × 1/3 × 150 mm deep GN pans*
- Stainless Steel interior & exterior*
- Gross Volume: 525L
- Temperature Range: +2 to +5 ° C
- Cross-flow pan cooling
- "blown well"
- The fridge has one level of shelving plus a floor
- Comes with dividers
- Pan lid
- Secop compressors
- German EBM-Pabst fans
- Digital temp. control & read-out
- Rounded internal corners for hygiene & easy cleaning
- Working area 235 mm deep
- PE cutting board included
- Bench height 880 mm
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Castors

Description

Thermaster four-door Sandwich Bar - SLB240

Key Features

- 12 × 1/3 × 150 mm deep GN pans*
- Stainless Steel interior & exterior*
- Gross Volume: 525L
- Temperature Range: +2 to +5 ° C
- Cross-flow pan cooling
- "blown well"
- The fridge has one level of shelving plus a floor
- Comes with dividers
- Pan lid
- Secop compressors
- German EBM-Pabst fans
- Digital temp. control & read-out
- Rounded internal corners for hygiene & easy cleaning
- Working area 235 mm deep
- PE cutting board included
- Bench height 880 mm
- Fan-forced evaporator cooling
- Auto defrost

- Self-evaporating drainage
- Castors

*gal metal back

** pans not included

*** The pan lid must be used to ensure the correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Doors	4
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	525L
Temperature Range	+2 to +5 ° C
Net Weight (Kg)	175
Width (mm)	2400
Depth (mm)	750
Height (mm)	1090
Packing Width (mm)	870
Packing Depth (mm)	2520
Packing Height (mm)	1250
Power	240V; 525W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice