



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster LG-580BP Double Glass Door Upright Drink Fridge – 568 L, R290, 7-Star GEM

Model / SKU: LG-580BP

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/7823/store/7/



Thermaster Double Glass Door Colourbond Upright Drink Fridge - LG-580BP

Quick Overview

- Gross Volume: 568L
- Net Volume: 487L
- Max Ambient Temperature: 38°C, 65%RH
- Temperature Range: 2 to 8 ° C
- Refrigerant: R290 Natural Refrigerant
- GEMS Star Rating: 7

Description

Thermaster Double Glass Door Colourbond Upright Drink Fridge LG-580BP

Highlight your bestselling beverages with our Thermaster Beverage Display! Made up of LED lighting for advertising—they ' re sure to display your products well and showcase them to your buyers sleek, clean, and fresh.

Coming in an eye-catching and fashionable design, this beverage display fridge is built with LED lighting, high cooling efficiency, low energy consumption, heavy-duty castors, two-layered tempered glass with an illuminated canopy, and white powder-coated steel plates.

This visually striking and robust fridge is one to watch out for when you purchase your next fridge unit!

Key Features

- Fashionable design with LED Lighting
- CFC-free insulation & refrigerant
- Low-energy consumption
- High cooling efficiency
- Illuminated canopy
- Vertical fluorescent lamp
- Easy adjustable shelves
- Self-closing double-glazed doors with locks
- Black power-coated easy clean finish
- Automatic defrost and condensate evaporation
- Heavy-duty castors, 2 with brakes
- Easy-to-read digital temperature controller
- Illuminated light box with separate on/off switch

Additional Information

- Gross Volume: 568L
- Net Volume: 487L
- Max Ambient Temperature: 38°C, 65%RH
- Temperature Range: 2 to 8 ° C
- Refrigerant: R290 Natural Refrigerant
- GEMS Star Rating: 7

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Gross Volume	568L
Net Volume	487L
Max Ambient Temperature	38°C, 65%RH
Temperature Range	2 to 8 ° C
Total Energy Consumption	3.82 kWh/24h
Net Weight (Kg)	96.5
Width (mm)	880
Depth (mm)	610
Height (mm)	1973
Packing Width (mm)	1150
Packing Depth (mm)	655
Packing Height (mm)	1995
Power	240V; 349W; 10A
Warranty	2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration