



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

FED-X XGNS450S One Door Salad Prep Fridge – 109L, +2° to +8°C

Model / SKU: XGNS450S

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/7832/store/7/



FED-X One Door Salad Prep Fridge XGNS450S

Quick Overview

- Gross Volume: 109L
- Net Volume: 90L
- Max Ambient Temperature: 38°C, 60%RH
- Temperature Range: +2 to +8
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Stainless steel integrated lid
- 1 x GN1/1 shelf per door
- Replaceable magnetic door seals
- User-friendly Digital controls
- Integrated cutting board (S Series only)
- Heavy-duty castors
- Fan-assisted cooling
- Pans and pan covers must be used to ensure the correct operating temperature
- Pans not included

Description

FED-X One Door Salad Prep Fridge XGNS450S

Fan-assisted static cooling refrigerators offer a hybrid cooling approach, combining even air circulation via a fan with the humidity benefits of static cooling. This method ensures a more uniform temperature, quicker recovery after opening, and reduced, though normal, frost buildup on panels. While slightly noisier than purely static models, they maintain optimal humidity for fresh produce and are more energy-efficient than full frost-free units. This system strikes a balance between minimizing frost accumulation and preserving food quality, making it a cost-effective solution for those seeking the combined advantages of improved air distribution and natural humidity levels in their refrigeration.

Key Features

- Gross Volume: 109L
- Net Volume: 90L
- Max Ambient Temperature: 38°C, 60%RH
- Temperature Range: +2 to +8
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Stainless steel integrated lid
- 1 x GN1/1 shelf per door
- Replaceable magnetic door seals
- User-friendly Digital controls
- Integrated cutting board (S Series only)
- Heavy-duty castors
- Fan-assisted cooling
- Pans and pan covers must be used to ensure the correct operating temperature
- Pans not included

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice

Your Shipping Specifications

Product Condition	New
Doors	1
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	109L
Net Volume	90L
Max Ambient Temperature	38°C, 60%RH
Temperature Range	+2 to +8 ° C
Net Weight (Kg)	37
Width (mm)	435
Depth (mm)	700
Height (mm)	898
Packing Width (mm)	730
Packing Depth (mm)	465
Packing Height (mm)	1050
Power	240V, 120W/10A
Warranty	2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice