



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster LG-600BGBM Single Door Supermarket Fridge – 614L, Black Finish

Model / SKU: LG-600BGBM

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/4423/product/7835/>



GLASS DOOR UPRIGHT FRIDGES LG-BGM SERIES

LG-600BGBM/LG-1000BGBM/
LG-1500BGBM/LG-2200BGBM

LG-600GBM/LG-1000GBM/
LG-1500GBM/LG-2200GBM



ENERGY
RATING
THE MORE STARS
THE MORE SAVINGS



KEY FEATURES



HIGH VISIBILITY DISPLAY

Large glass doors and LED lighting create an attractive beverage display for retail environments.



ENERGY EFFICIENT SYSTEM

Uses natural, eco-friendly R290 refrigerant with CFC-free insulation to reduce power use and costs.



RELIABLE COMMERCIAL COOLING

Fan-forced evaporator cooling ensures consistent temperatures throughout the cabinet.



DESIGNED FOR BUSY VENUES

Self-closing doors, castors, and multiple shelving levels make the unit practical for everyday commercial use.



LG-600BGBM



LG-1000BGBM



LG-1500BGBM



LG-2200BGBM



LG-600GBM



LG-1000GBM



LG-1500GBM



LG-2200GBM



AUS Phone: 1300 659 409
Email: sales@foodequipment.com.au
www.foodequipment.com.au















NZ Phone: 09 415 6470
Email: sales@fedproducts.co.nz
www.fedproducts.co.nz



LG-GBM SERIES

Glass Door Upright Fridges



LG-600GBM
LG-600BGBM

LG-1000GBM
LG-1000BGBM

LG-1500GBM
LG-1500BGBM

LG-2200GBM
LG-2200BGBM

Code	Doors	GEMS Star Rating	Gross Capacity (L)	Net Capacity (L)	Dimensions (WxDxH mm)	Weight (kg)	Temp. Range °C	Ambient/ RH%	Voltage	Power (W/A)
White										
LG-600GBM	1	8	636	579	750x740x2039	130	+2 to +8	38°C/65	240	460/10
LG-1000GBM	2	8	1117	1013	1253x740x2039	179	+2 to +8	38°C/65	240	460/10
LG-1500GBM	3	6	1718	1552	1880x740x2039	207.5	+2 to +8	38°C/65	240	700/10
LG-2200GBM	4	6	2319	2092	2508x740x2039	360	+2 to +8	38°C/65	240	920/10
Black										
LG-600BGBM	1	8	636	579	750x740x2039	130	+2 to +8	38°C/65	240	460/10
LG-1000BGBM	2	8	1117	1013	1253x740x2039	179	+2 to +8	38°C/65	240	460/10
LG-1500BGBM	3	6	1718	1552	1880x740x2039	207.5	+2 to +8	38°C/65	240	700/10
LG-2200BGBM	4	6	2319	2092	2508x740x2039	360	+2 to +8	38°C/65	240	920/10

To ensure we continuously offer the best possible products, we reserve the right to modify specifications without any obligation for equipment previously or subsequently sold



AUS Phone: 1300 659 409
Email: sales@foodequipment.com.au
www.foodequipment.com.au



NZ Phone: 09 415 6470
Email: sales@fedproducts.co.nz
www.fedproducts.co.nz