



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Fagor Kore 900 Series Electric 4 Burner + Oven C-E941 | 22kW | 415V

Model / SKU: C-E941

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/2518/product/8163/>



Catalogue
FOOD SERVICE
Chapter
COOKING

Specific model
C-E941 400V 3N

19075509

11/11/2021

DENOMINATION:

Electric cooker with oven, 2 square plates, 900 range.

DESCRIPTION :

- Surface tops manufactured in 2 mm thick AISI-304 stainless steel, designed to prevent liquids spilt from the pans from penetrating into the cooker.
- Laser-cut joints, automatic welding and polishes. Screws hidden from view.
- Hot plates manufactured with 300 x 300 mm cast iron, with 4 kW of power, hermetically sealed into the funnelled surface top.
- Power regulation by 7 position selector.
- Safety thermostat for each plate.
- Interior fan to lower the temperature of the components.
- Funnelled surface with rounded corners for easy cleaning.
- High temperature enamelled cast iron flue protector.
- Access to the components from the front.
- Machines with IPX5 grade water protection.
- VOLTAGE: 400 V 3+N. Ask for other voltages
- "
- Electrical oven with GN 2/1 dimensions.
- User-friendly, with controls set on the upper panel for better ergonomics.
- Cooking chamber made entirely from stainless steel, making it easier to clean and ensuring a better level of hygiene.
- Tray inserted sideways, making it more user-friendly.
- Guide rails at three levels which offers different usage options.
- Guides rails with "U" shape to prevent the racks from tipping.
- Temperature controlled by thermostatic valve (125 – 310 °C).
- su durabilidad.
- Heating via stainless steel covered elements with selector switch to control the upper and/or lower zones.
- Oven floor made from 6 mm cast iron, which guarantees better performance and even heat distribution.
- Fibre glass closing seal that improves the thermal efficiency of the oven and guarantees durability.
- Detachable oven door which makes repairs easier."

POSSIBLE OPTIONS :

- 230 1N- Transformation A 230 V single phase
- 230 III - A 230 V three-phase transformation without neutral
- MARINE - Other machines - Ship transformation - 440 III


POSSIBLE ACCESSORIES :

- COOKER ACCESSORIES KORE
- KORE WHEELS



DIMENSIONS

X Width	800 mm	X Gross width	840 mm
Y Depth	930 mm	Y Gross depth	1022 mm
Z Height	850 mm	Z Gross height	1255 mm
Net Weight	150,0 kg	Gross Weight	172,0 kg
Net volume	0,630 m3	Gross volume	1,077 m3



ELECTRICITY TECHNICAL SPECIFICATIONS

Electric power	22,000 kW
Amperage (A)	40A
Heating power	22,00 kW
Voltage	400V - 3N
Electric frequency	50/60Hz

CONNECTIONS TECHNICAL SPECIFICATIONS

Three-phase +N 400V wiring	4X6MM2+T
----------------------------	----------

Catalogue
FOOD SERVICE

Capítulo
COOKING


Modelo
C-E941 400V 3N

19075509


11/11/2021

- TALL CHIMNEY KORE


C-E941



C-E961



C-E961 OP



- E. Conexión eléctrica
1. Mando placas M
2. Mando horno 1
3. Mando horno 2

- Electrical connection
M plates control
Oven control 1
Oven control 2



www.fagorprofessional.com