



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Fagor B-E705 KORE 700 Electric Chargrill – 400mm, 4.08kW

Model / SKU: B-E705

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/2578/product/8179/>



Catalogue
FOOD SERVICE
Chapter
COOKING

Model
B-E705 400V 3N

19074788

16/03/2020

ELECTRIC CHARCOAL, B-E705


- Countertop machines.
- Deep-drawn surface tops manufactured in 1.5 mm thick AISI-304 stainless steel.
- Laser-cut joints, automatic welding and polishing. Hidden screws.
- Fitted with an opening to collect cooking grease and a tray to store it.
- Machines are fitted with removable 130 mm high guards to prevent splashes, made of stainless steel.
- Stainless steel feet with adjustable height.
- Groups of stainless-steel heating elements upon which food is cooked directly (one group of three heating elements for halfmodule).
- Safety water tray. Moreover, it makes it possible to achieve the correct moisture for optimum cooking.
- The models with stainless steel grills are manufactured using "Z" shaped AISI-304 stainless steel slats to make cleaning easier.
- The grills are reversible with two different finishes on each side:
 - Tilted and grooved with ridges for meat.
 - Horizontal and flat for fish and vegetables.
- These grills reach a very high temperature (400 °C), meaning that the surface of the product is quickly sealed and inside it remains much juicier.
- A grid with dimensions of 515 x 344 mm each half module.

OPTIONAL ACCESSORIES

- Special scraper.
- "
- "

DIMENSIONS

X Width	400 mm	X Gross width	440 mm
Y Depth	730 mm	Y Gross depth	822 mm
Z Height	290 mm	Z Gross height	535 mm
Net Weight	30,0 kg	Gross Weight	43,0 kg
Net volume	0,080 m3	Gross volume	0,193 m3



ELECTRICITY TECHNICAL SPECIFICATIONS

Electric power	4,080 kW
Amperage (A)	5,9A
Heating power	4,08 kW
Voltage	400V - 3N
Electric frequency	50/60Hz

CONNECTIONS TECHNICAL SPECIFICATIONS


230 V three-phase wiring	3X1,5MM2+T
Single-phase 230V wiring	2X2,5MM2+T
Three-phase +N 400V wiring	3X1,5MM2+T+N



www.fagorindustrial.com



B-E705



1 - Mando eléctrico
2 - Conexión eléctrica

Electric control
Electrical connection