



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Woodson Starline Stainless Steel Trolley for W.CVP.C.24 Oven

Model / SKU: W.CVP.C.24


KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /home/sarah/kw_system/07_Content_Library/product_db/supplier raw data/stoddart_extracted/16_Woodson/Data Sheets/

w.cvp.c.24 e2 datasheet

SKU: W.CVP.C.24

Distributed by KW Commercial - kwcommercial.com.au

Manufacturer documentation - (c) Woodson

Retrieved: 2026-07-08

<https://www.kwcommercial.com.au/product/woodson-w-cvp-c-24l-conveyor-toaster-left-to-right-conveyor>

Product Information

- Wide conveyor for easy loading and high production
- Touchpad “set and forget” control system
- Temperature regulation via thermostat (50°C - 350°C)
- Independent top and bottom element and temperature control
- Variable speed belt control with automatic tensioning
- Integrated fan forced technology for efficient heat distribution and cooling of electrical components
- Fully insulated top and body for chamber heat retention and increased user safety
- Robust stainless steel construction
- Units configured for right to left conveyor operation as standard. Left to right operation is available upon request and can be selected at time of order by adding an “L” to end of the model number
- Supplied with 3 x 12” aluminized steel pans
- Additional accessories sold separately (see below)
- Optional factory fitted plug available (W.CVS.PL32)
- Optional stacking kit and trolley available
- 12-month onsite warranty






Specifications

Model	W.CVP.C.24
W x D x H (mm)	1500 x 765 x 434
Belt Width (mm)	610
Total Connected Load	14.4kW
Electrical Connection	3Ø + N + E 415VAC / 50Hz (Onsite Connection)

Accessories

W.CVS.PL32.3PH 3 round pin capture plug	Three phase 32A 5 round pin capture plug Factory fitted (must be selected at time of order & must be connected on site to a suitable industrial style outlet by a qualified electrician)
W.TRCV.C.24	Trolley to suit W.CVP.C.24
W.SKCV.C.24	Stacking kit to suit W.CVP.C.24
PZT.A.9	Pizza Pan - 9” aluminized steel round - Ø229mm
PZT.A.12	Pizza Pan - 12” aluminized steel round - Ø305mm
PZTM.S.12	Pizza Tray - 12” stainless steel mesh - Ø305mm



www.stoddart.com.au
www.stoddart.co.nz

Revision: E - 04/12/2024 - 02
Due to continuous product research and development,
the information contained herein is subject to change without notice.

