



Gasmax Stainless Steel Waterless Nature Gas Double Wok - WW-2N

Quick Overview

- Gas Approval Number: GMK10371
- Size: 1200mmW x 890D x 790H+470 back
- Unique air-gap design cooling system keeps the top clean, free from buckling & cool at all times without running water.
- One piece pressed all stainless steel Wok top will never crack or leak
- All high-quality Stainless Steel construction
- Comes standard with duck bill burners (optional chimney burner available for WW-2NC*)
- Has Front Gutter
- An extremely efficient filter system guarantees that no solids will enter the drains
- Light & smooth knee operatable Wok valves
- Master gas shut-off valve on the front panel
- Only the highest quality cast iron Wok rings are used
- The legs, back, and shelf are detachable, allowing easy access through any doorway
- No crevice construction is hygienic & very easy to clean
- Watermark certified product sticker
- 240 MJ/h

Description

Gasmax Stainless Steel Waterless Nature Gas Double Wok - WW-2N

Think of the huge savings in water costs and environmental impact!

Key Features

- Gas Approval Number: GMK10371
- Size: 1200mmW x 890D x 790H+470 back
- Unique air-gap design cooling system keeps the top clean, free from buckling & cool at all times without running water.
- One piece pressed all stainless steel Wok top will never crack or leak
- All high-quality Stainless Steel construction
- Comes standard with duck bill burners (optional chimney burner available for WW-2NC*)
- Has Front Gutter
- An extremely efficient filter system guarantees that no solids will enter the drains
- Light & smooth knee operatable Wok valves
- Master gas shut-off valve on the front panel
- Only the highest quality cast iron Wok rings are used
- The legs, back, and shelf are detachable, allowing easy access through any doorway
- No crevice construction is hygienic & very easy to clean
- Watermark certified product sticker

- 240 MJ/h
- Note:
- * LPG model or option kit not available in New Zealand
- * GN Pans not included. Pans and dividers must be fitted at all times.
- * Cold Tops are holding units; the product needs to be pre-chilled to less than 5 ° C before filling the top section.

Certified Product

1 Year Parts and Labour Warranty

Your Shipping Specifications

Product Condition	New
Connection Type	LPG
Knobs	2 knobs
Net Weight (Kg)	128
Width (mm)	1200
Depth (mm)	890
Height (mm)	1260
Packing Width (mm)	920
Packing Depth (mm)	1260
Packing Height (mm)	550
Power	240 MJ/h
Warranty	1 Year Parts and Labour