



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

American Range AAR.2B.24G 36" Oven Range – 2 Burner & Griddle

Model / SKU: AAR.2B.24G

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

aar.2b.24g datasheet

SKU: AAR.2B.24G

Distributed by KW Commercial - kwcommercial.com.au

Manufacturer documentation - (c) American Range

Retrieved: 2026-07-08

<https://www.kwcommercial.com.au/product/american-range-aar-2b-24g>



AAR.2B.24G
36" OVEN RANGE

PROJECT

ITEM

QUANTITY

DATE

The 36" Oven Range Series is designed for heavy duty use and performance. All the latest technology is incorporated to provide the best value for money.

Quality, dependability and customer satisfaction make American Range the ultimate choice.

FEATURES & BENEFITS:

- 303mm open burners / highly polished 16mm thick steel griddle plate over integrated static oven
- Cast iron trivet is reversible to accept flat pans or woks
- All stainless steel front, sides, rear flue
- Heavy gauge welded frame construction with heavy duty stainless steel landing ledge
- Chrome plated steel legs
- Removable stainless steel door for easy cleaning
- Oven thermostat controls temperature from 70°C - 260°C
- Two chrome plated oven racks in enamelled oven bottom, sides, back and door liner
- Two piece, lift-off easy clean burners
- Removable drip pan under open burners and grease drawer for griddles
- Open burner – Manually lit, No pilot, with flame failure. Simple - low maintenance
- Griddle burner – Piezo ignition with pilot
- Oven burner – Piezo ignition with pilot

OPTIONAL EXTRAS:


- Castor kits
- Additional chrome oven rack
- Innovection oven to substitute static oven

TECHNICAL DATA:


Dimensions (W x D x H):	914 x 828 x 1137	
Total Weight:	205 Kg	
Burners:	2 x 26MJ/Hr burners	
Griddle:	609mm wide, 16mm thick	
	42MJ/Hr Griddle plate	
Oven:	25MJ/Hr	
	667 x 572 x 337mm cavity	
GAS DETAILS		
	Natural Gas (NG)	Universal LP Gas (ULPG)
Minimum Supply Pressure	1.13 kPa	2.75 kPa
Operating Pressure	1.0 kPa	2.49 kPa
Total Gas Supply	119MJ/Hr	114MJ/Hr

3/4" BSP connection

NOTE: It is the responsibility of the installing gas plumber to ensure correct supply and connection sustaining appropriate pressure when all appliances are full on.



NOTE: Standard position of griddle in on the right hand side. Left hand side option available, please specify when ordering.



Due to continuous product research and development, the information contained herein is subject to change without notice.
Revision: 15/8/2019

www.stoddart.com.au
www.stoddart.co.nz

