



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bezzera VICTORIA Red 2-Group Professional Espresso Machine - BZVICTORIA2R

Model / SKU: BZVICTORIA2R

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/6472/store/7/



Bezzera VICTORIA Red 2-Group Professional Espresso Machine - BZVICTORIA2R

Quick Overview

- Multi-boiler system allows to program accurate temperature setting
- Independent boilers with dedicated on/off switch
- Each brew unit has its coffee boiler
- TFT Display programming
- Patented brewing profile system
- The double boiler hydraulic system is drawn by a Volumetric dosage
- Pressure profiles setting from 3 to 11 bar
- Automatic water regeneration
- Coffee temperature control by PID thermostat

Description

Bezzera VICTORIA Red 2-Group Professional Espresso Machine - BZVICTORIA2R

The Victoria coffee machine is a high-performance system tailored for the evolving global coffee industry. Featuring an advanced triple-boiler design, it ensures precise temperature and pressure control for optimal extraction of single-origin or blended coffees. Equipped with user-friendly color TFT touch displays, it offers customizable settings, including Bezzera's patented pressure profile technology for drip coffee and herbal infusions. Its automatic water regeneration maintains water quality, while PID thermostats enable precise temperature adjustments for enhanced coffee aroma and flavor. Built for versatility and excellence, it is a powerhouse for coffee connoisseurs. Key features

- Multi-boiler system allows to program accurate temperature setting
- Independent boilers with dedicated on/off switch
- Each brew unit has its coffee boiler
- TFT Display programming
- Patented brewing profile system
- The double boiler hydraulic system is drawn by a Volumetric dosage
- Pressure profiles setting from 3 to 11 bar
- Automatic water regeneration
- Coffee temperature control by PID thermostat

Additional Information

- Services Boiler: 12L
- Coffee Boiler : 2X1
- Colour: Black/White/Red

- Load connection: G 3/8"
- Drain connection: G 3/4"

1 Year Warranty Parts Only

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	100
Width (mm)	820
Depth (mm)	680
Height (mm)	560
Packing Width (mm)	750
Packing Depth (mm)	1000
Packing Height (mm)	900
Power	415V ; 7300W
Warranty	1 Year Parts Only