



2NDs: Pyralis Circle Digital Deck Rotating Stone Sole Pizza Oven PC147-VIC184

Quick Overview

Lot Number: VIC184

Class: 2

Conditions: Ex-showroom stock

Warranty: 90 Days

Description

2NDs: Pyralis Circle Digital Deck Rotating Stone Sole Pizza Oven PC147-VIC184

- Lot Number:
- VIC184
- Class:
- 2
- Conditions:
- Ex-showroom stock
- Warranty:
- 90 Days

These rotating pizza ovens are designed to save labour & are ideal for high volume as they have the output of a large conveyor oven & have a smaller working footprint. Pyralis Circle have lower running costs, patented Activestone® system and refractory stone soles for genuine "Italian style pizza"

ELECTRICAL COST IS ONLY 3 CENTS per PIZZA

Key Features

- Exterior: 1470mmW × 1450D × 610H; 290kg
- Interior: 1050mmW × 1050D × 150H
- Up to 140 × 30cm pizzas/h
- Digital temp. control & read-out to 450°C
- Programmable Start & End of bake cycle with two modes: Continuous/P2 or Non-Continuous/P1
- Electric control for plate rotation speed with a lever switch to stop & start the rotary plate
- Dual chamber lights
- Large door to enable easy cleaning
- Small door with window insert used when baking to reduce temperature loss

- Double rock wool insulation to maintain heat, minimise heat loss & ensure high energy performance
- In the event of some elements failing this oven will still bake successfully due to the rotating refractory stone sole & the Activestone® System

Performance Advantages of the Activestone® System

- Perfect heat distribution & shorter time to reach temperature
- Fast temperature rise
- Balanced loads
- Energy savings
- Even & widespread distribution of heat
- Uniform baking
- Simple to replace heating elements

Pyrallis Circle top heating is by exposed heating elements & refractory stone, the bottom heating elements which are under the rotating refractory stone sole use the Activestone® system

Your Shipping Specifications

Product Condition	2ND
Net Weight (Kg)	290
Width (mm)	1470
Depth (mm)	1450
Height (mm)	610
Packing Width (mm)	1470
Packing Depth (mm)	1500
Packing Height (mm)	750
Power	415V; 3-N; 13.17kW
Warranty	90 Days