



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Fagor Kore CP-E905 Electric Pasta Cooker | 40L | 415V | 12kW

Model / SKU: CP-E905

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/2554/product/8173/>



Catalogue
FOOD SERVICE
Chapter
COOKING

Specific model
CP-E905 400V 3N

19075581

24/04/2023

DENOMINATION:

Electric pasta cooker, 1 well of 40 L, 900 range.

DESCRIPTION :

- "- Surface tops manufactured in 2 mm thick AISI-304 stainless steel.
 - Laser-cut joints, automatic welding and polishes. Screws hidden from view.
 - Wells integrated into the surface top, manufactured in 1.5 mm thick AISI-316L stainless steel.
 - Wells with 1/1 dimensions, capacity 40 litres. Accommodate different configurations of different sized baskets
 - Well filling by means of entrance electrovalve with two position switch: medium filling speed and high speed.
 - Draining of well by means of hightemperature resistant mechanical ball valve with safety overflow.
 - Automatic safety system that breaks the circuit if the water runs out.
 - Drainer located at the front for the baskets to be rested on.
 - Controls with protective base and system against water infiltration.
- High temperature enamelled cast iron flue protector.
- Access to the components from the front.
 - Machines with IPX5 grade water protection."
- "- Electric models with AISI-304 stainless steel heating elements situated in the bottom of the well to heat the water directly.
- Heating controls by energy regulator."

POSSIBLE OPTIONS :

- 230 1N- Transformation A 230 V single phase
- 230 III - A 230 V three-phase transformation without neutral
- MARINE - Other machines - Ship transformation - 440 III

POSSIBLE ACCESSORIES :


- COOKING
- KORE WHEELS
- PASTA COOKER ACCESSORIES KORE
- TALL CHIMNEY KORE

SUPPLIED ACCESSORIES:

- 12008637 GN 1/3 cooking basket 3

DIMENSIONS

X Width	400 mm	X Gross width	440 mm
Y Depth	930 mm	Y Gross depth	1022 mm
Z Height	850 mm	Z Gross height	1255 mm
Net Weight	65,0 kg	Gross Weight	70,0 kg
Net volume	0,320 m3	Gross volume	0,564 m3



ELECTRICITY TECHNICAL SPECIFICATIONS

Electric power	12,000 kW
Amperage (A)	18A
Heating power	12,00 kW
Voltage	400V - 3N
Electric frequency	50/60Hz

WATER TECHNICAL SPECIFICATIONS

Pressure	H2O: 200-400kPa(2-4bar)
----------	-------------------------

CONNECTIONS TECHNICAL SPECIFICATIONS

Three-phase +N 400V wiring	4X2,5MM2+T
Water inlet diameter	3/4"
Drain 1 diameter	30X25



www.fagorprofessional.com




Catalogue
FOOD SERVICE
Chapter
COOKING

Specific model
CP-E905 400V 3N

19075581

24/04/2023

CP-E905



E – Conexión eléctrica
Q – Conexión equipotencial
D – Válvula de desagüe
1 – Mando termostato
2 – Piloto verde
3 – Piloto ambar
4 - Mando entrada agua

Electrical connection
Equipotential connection
Drain valve
Thermostat control
Green pilot
Ambar pilot
Water control