



Thermaster Promotion Showcase - PDK-1360

Quick Overview



- Ventilated cooling system
- Electric defrost prevents ice buildup for efficient performance.
- Digital controller for precise temperature regulation with easy operation.
- Energy-efficient LED lights for clear product display
- Embraco compressor provides reliable cooling power with optimal efficiency
- R290 Natural Refrigerant
- Copper finned evaporator & condenser enhances heat exchange and durability
- 4 Lockable castors for easy mobility with secure positioning
- Ideal for beverages, vegetables, bagged bread, etc., to be stored
- Glass display - stylish and functional for product visibility
- PDK-1360D single tempered glass sliding door design helps reduce cold air loss and lower energy consumption
- PDK-1360 open display design maximizes accessibility and product exposure
- Assembly design of stainless-steel circumferential anti-collision strips
- Design of ventilation holes around the fuselage optimizes airflow for better cooling.

Description

Thermaster Promotion Showcase- PDK-1360

Upgrade your refrigeration experience with the high-efficiency, eco-friendly, and reliable Promotion Showcase!

This product is designed for long-lasting reliability and is ideal for storing beverages, vegetables, bagged bread, and other food items. The Promotion Showcase offers two options: the PDK-1360D single tempered glass sliding door design or the PDK-1360 open display design, catering to different needs.

Key Features

- Ventilated cooling system
- Electric defrost prevents ice buildup for efficient performance.
- Digital controller for precise temperature regulation with easy operation.
- Energy-efficient LED lights for clear product display
- Embraco compressor provides reliable cooling power with optimal efficiency
- R290 Natural Refrigerant

- Copper finned evaporator & condenser enhances heat exchange and durability
- 4 Lockable castors for easy mobility with secure positioning
- Ideal for beverages, vegetables, bagged bread, etc., to be stored
- Glass display - stylish and functional for product visibility
- PDK-1360D single tempered glass sliding door design helps reduce cold air loss and lower energy consumption
- PDK-1360 open display design maximizes accessibility and product exposure
- Assembly design of stainless-steel circumferential anti-collision strips
- Design of ventilation holes around the fuselage optimizes airflow for better cooling.

Additional Information

- Dimension (WxDxH mm): 1360x1095x930
- Temperature Range: 1-10
- Ambient/RH%: 25°C/60%RH

1 Year Parts & Labour Plus 1 Year Parts Only Warranty When Products Registered Within 14D Of Invoice

Your Shipping Specifications

Product Condition	New
Body	Colorbond
Net Weight (Kg)	138
Width (mm)	1360
Depth (mm)	1095
Height (mm)	930
Packing Width (mm)	1160
Packing Depth (mm)	1450
Packing Height (mm)	1000
Power	240V, 1200/10A
Warranty	1 Year Parts & Labour Plus 1 Year Parts Only Warranty When Products Registered Within 14D Of Invoice