



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

## Scotsman HD 30 Ice Dispenser – 81kg Push Button Stainless

**Model / SKU: HD 30**

### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: [https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/HD\\_30\\_au.pdf](https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/HD_30_au.pdf)

## HD Series Dispensing Units

### HD 30




- 81kg storage bin capacity
- Two simple 'Push' ice chute activates ice dispensing mechanism
- Removable top panel allows easy access to bin for routine cleaning
- Improved drop tray depth to accommodate most size of hotel ice buckets
- Polyurethane insulation for improved preservation of ice supply for longer periods
- Stainless steel cabinet
- Equipped with 3 meter cordset supplied
- Suitable for NW 458, NW 608 and NW 1008 ice maker head units



## HD Series Dispensing Units

### HD 30



moffat.com.au

Australia  
Moffat Pty Limited  
Victoria/Tasmania  
740 Springvale Road  
Mulgrave, Victoria 3170  
Telephone 03-9518 3888  
Facsimile 03-9518 3833  
vsales@moffat.com.au

New South Wales  
Telephone 02-8833 4111  
nswsales@moffat.com.au

South Australia  
Telephone 03-9518 3888  
vsales@moffat.com.au

Queensland  
Telephone 07-3630 8600  
qldsales@moffat.com.au

Western Australia  
Telephone 08-9413 2400  
wasales@moffat.com.au

#### Dimensions

Width: 762mm  
Depth: 850mm  
Height: 1351mm  
Nett weight: 95kg  
Packed weight: 102kg

#### Electrical rating

230-240V, 1P+N+E, 50Hz, 10A cordset supplied  
No. Circuit wire: 3

#### Water connection requirements

Inlet connection: R 3/8"  
Cold water: 5-38°C  
Pressure: 100-500kPa  
Water outlet connection: Ø3/4"

Important Notice:  
Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.



© Copyright Moffat Ltd  
AU.SM.2201

an Ali Group Company



The Spirit of Excellence