



BONVUE Cake Display - SF860V

Quick Overview

- Fan forced cooling: Uniform frost-free performance, keeps the cake perfectly textured
- 360° Unobstructed Display: Showcase the vibrant colors and texture of Cake
- Tempered ITO heated glass: Prevents fogging for clear visibility
- Brilliant LED Lighting: Showcases items with several individual lights
- Adjustable Cake Displays: With three adjustable glass shelves
- Rodent Mesh: Enhances hygiene and food safety
- Auto Defrost Ensures uniform frost-free performance
- Easy Movement and Positioning: Equipped with adjustable feet for easy leveling and stable display
- 3 Tempered glass shelves with AISI304 triangular support
- Digital temperature display
- Filter can be opened at 45 degrees and replaced

Description

BONVUE Cake Display - SF860V

Bonvue refrigerated display cabinet is a product of strong practicality and superior quality, meticulously crafted and designed for the display of pastries, drinks, cakes, fruits, and dairy products. Bonvue stands as one of the leading brands in the multi-functional kitchen utensils and display stand sector. This refrigerated display unit, with its solid construction, is a practical choice for any cake shop or café.

Key Features

- Fan forced cooling: Uniform frost-free performance, keeps the cake perfectly textured
- 360° Unobstructed Display: Showcase the vibrant colors and texture of Cake
- Tempered ITO heated glass: Prevents fogging for clear visibility
- Brilliant LED Lighting: Showcases items with several individual lights
- Adjustable Cake Displays: With three adjustable glass shelves
- Rodent Mesh: Enhances hygiene and food safety
- Auto Defrost Ensures uniform frost-free performance
- Easy Movement and Positioning: Equipped with adjustable feet for easy leveling and stable display
- 3 Tempered glass shelves with AISI304 triangular support
- Digital temperature display
- Filter can be opened at 45 degrees and replaced

Additional Information

- Gross Volume: 1120L
- Temperature Range: +2 to +8 ° C
- Max Ambient Temperature: 32°C, 60%

- Total Energy Consumption: 26.1 kWh/24h
- Refrigerant: R290 (170g)
- Total Display Area: 3.9
- GEMS Star Rating: 4

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Body	Stainless Steel
Gross Volume	1120L
Max Ambient Temperature	32°C, 60%
Temperature Range	+2 to +8 ° C
Total Energy Consumption	26.1 kWh/24h
Net Weight (Kg)	256
Width (mm)	1800
Depth (mm)	740
Height (mm)	1350
Packing Width (mm)	1850
Packing Depth (mm)	790
Packing Height (mm)	1500
Power	1422W, 10A
Warranty	2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration