



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Airex AXR.PM.1740 Pizza Prep Bench – 2 Door, 1740mm

Model / SKU: AXR.PM.1740

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /home/sarah/kw_system/07_Content_Library/product_db/supplier raw data/stoddart_extracted/2_Airex/Data Sheets/axr

axr.pm.1740 c4 datasheet

SKU: AXR.PM.1740

Distributed by KW Commercial - kwcommercial.com.au

Manufacturer documentation - (c) Airex

Retrieved: 2026-07-08

<https://www.kwcommercial.com.au/product/airex-axr-pm-1740-prep-fridge>

Product Information


- Angled refrigerated GN 1/3 size service well with cold air blowing above and below ingredient pans. Includes under counter refrigerated storage below
- Insulated tilting stainless steel night lids - fully removable
- Designed to operate at ambient temperatures up to 40°C with lid on, 32°C with lid open
- Digital temperature display and control
- Designed to operate between 2°C – 5°C
- Full-length, back mounted, coated evaporator coil for uniformed cooling across the entire well
- Removable filter for easy cleaning
- Fully self-contained
- Supplied on standard and lockable castors for ease of cleaning
- Pizza racks with dropping tray and 9 x 1/3 GN pans (150mm deep) supplied as standard
- 3 door model also available



Designed & Engineered in Australia to meet Australian Standards
24 Months on-site parts and labour warranty

Specifications

Model	AXR.PM.1740
W x D x H (mm)	1740 x 893 x 1070
Weight	175kg
Packed Dimensions (mm)	1790 x 900 x 1150
Packed Weight	199kg
Capacity	9 x 1/3GN
Operation	2°C - 5°C
Refrigerant	R290
Max Ambient	40°C
Total Connected Load	0.60kW
Electrical Connection	10+N+E 230VAC / 50Hz 10A plug & lead



Legend

A Electrical Connection