



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

**Anets AGG14R Gas Tube Fryer – 18–21L, 397mm | KW Commercial Kitchen**

**Model / SKU: AGG14R**

#### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /home/sarah/kw\_system/07\_Content\_Library/product\_db/supplier raw data/stoddart\_extracted/4\_Anets/Data Sheets/agg

# agg14r b2 datasheet

SKU: AGG14R

Distributed by KW Commercial - [kwcommercial.com.au](http://kwcommercial.com.au)

Manufacturer documentation - (c) Anets

Retrieved: 2026-07-08

<https://www.kwcommercial.com.au/product/anets-agg14r-gas-tube-fryer-397mm>



The Anets Goldenfry range now includes a wide variety of tube fryers using the inverted burner design to deliver efficiency and fast recovery.

The Goldenfry gas tube fryer can be used with inbuilt filter drawer systems.

#### Product Information:

- 4 x 152mm deep tube burners
- Highly efficient "inverted" tube burners
- Tank - Stainless steel construction
- Cabinet - Stainless steel front, door & sides
- Battery spark ignitor operation
- Millivolt Thermostat
- High temperature safety limit switch
- Built in integrated flue deflector & gas regulator
- Cooking capacity of approximately 40kg of frozen 10mm fries / 50kg of frozen french cut fries per hour
- Supplied with 2 x 165mm wide nickle plated wire fryer baskets, removable stainless steel basket support, lid, drain pipe extension & clean out rod
- 10 year warranty on stainless steel frypot

#### OPTIONAL EXTRAS:

- Fish plate alternative
- Capping strips & Splashguards
- 229mm (9") fixed and swivel castors with brakes

#### TECHNICAL DATA:

|                           |                   |
|---------------------------|-------------------|
| Dimensions (W x D x H):   | 397 x 876 x 1172  |
| Total Weight:             | 95 Kg             |
| Cooking Area (W x D x H): | 356 x 127 x 356mm |
| Oil Capacity:             | 18-21 Litres      |

| GAS DETAILS             | Natural Gas (NG)    | Universal LP Gas (ULPG) |
|-------------------------|---------------------|-------------------------|
| Minimum Supply Pressure | 1.7 kPa             | 2.74 kPa                |
| Operating Pressure      | 1.0 kPa             | 2.5 kPa                 |
| Total Gas Supply        | 128MJ/Hr            | 128MJ/Hr                |
|                         | 3/4" BSP connection |                         |

#### Legend:

A Gas Connection

**NOTE:** It is the responsibility of the installing gas plumber to ensure correct supply and connection sustaining appropriate pressure when all appliances are full on.



Due to continuous product research and development, the information contained herein is subject to change without notice.

Revision: B - 2/8/2024 - 02

[www.stoddart.com.au](http://www.stoddart.com.au)

[www.stoddart.co.nz](http://www.stoddart.co.nz)

