



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Anets AEP14XC AEP14XD Electric Fryer – Platinum Series, 23L, Digital Control

Model / SKU: AEP14XC

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

aep14xc b2 datasheet

SKU: AEP14XC

Distributed by KW Commercial - kwcommercial.com.au

Manufacturer documentation - (c) Anets

Retrieved: 2026-07-08

<https://www.kwcommercial.com.au/product/aep14xc-aep14xc-b2-datasheet>



The Anets Platinum electric series offers variety of high performance fryers. Anets electric fryers are fitted with fast recovery fixed heating elements to ensure ongoing safety throughout operation.

Product Information:

- Tank - Stainless steel construction
- Cabinet - Stainless steel front, door & sides
- Fixed immersed heating element design
- Computer control with melt cycle and boil out modes. Complete with backup solidstate controller which can be switched on should the computer control fail.
- Cooking capacity of approximately 40kg of frozen 10mm fries / 48kg of frozen french cut fries per hour
- Supplied with 2 x 165mm wide nickle plated wire fryer baskets, removable stainless steel basket support, lid, drain pipe extension, clean out rod & brush
- 10 year warranty on stainless steel frypot

OPTIONAL EXTRAS:

- Fish plate alternative
- Capping strips & Splashguards
- 229mm (9") fixed and swivel castors with brakes
- Digital control to substitute computer control
- Basket lifters
- Heat tape

TECHNICAL DATA:

Dimensions (W x D x H):	397 x 876 x 1010
Total Weight:	91 Kg
Cooking Area (W x D x H):	356 x 102 x 356mm
Oil Capacity:	18-23 Litres

Electrical Connection	14kW
	3Ø + N + E

240 Volt 10Amp connection required to run control board.

Legend:

- A Electrical Connection
- B Basket Lifter (Optional)
- C Solid State Controls
- D Computer Control Panel
- E Digital Control Panel (Optional)

NOTE: It is the responsibility of the installing gas plumber to ensure correct supply and connection sustaining appropriate pressure when all appliances are full on.



Due to continuous product research and development, the information contained herein is subject to change without notice.

Revision: B - 2/8/2024 - 02

www.stoddart.com.au

www.stoddart.co.nz

