



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Electmax IWOK-2 Commercial Induction Double Wok – 30 kW

Model / SKU: IWOK-2

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/4076/product/9069/>

iWOK Induction Wok

IWOK-1 / IWOK-2



iWOK



Rapid Induction Heating

Powerful 15kW wok ring delivers instant heat for fast cooking while reducing energy use compared to gas.



Enhanced Safety

Flameless operation with auto shutdown after 4 hours, plus built-in overheating and overvoltage protection.



Integrated Water Tap & Easy Cleaning

Revolved tap and washable air filter simplify cleaning and maintenance.



Professional Build Quality

Heavy-duty 1.5mm stainless-steel deck with free-standing frame ensures strength and durability in commercial kitchens.



User-Friendly Controls

Digital LED display with 11-stage adjustable power settings for precision cooking results.



Flexible Kitchen Options

Available in single (IWOK-1) or double (IWOK-2) wok configurations, with 500mm induction-compatible wok supplied.

iWOK Induction Wok



Code	Dimensions (WxDxH mm)	Weight (kg)	Voltage (V)	Power (kW/A)
IWOK-1	600x850x1300	68.5	415	15/3~N
IWOK-2	1200x850x1300	124.5	415	30/3~N
IW-Wok50 (replacement wok)	500mm	2.5kg	–	–

Features and Benefits

- Free standing design with heavy duty 1.5mm thick stainless steel cooking deck
- Real time power control increased energy efficiency
- 15kw induction wok ring for rapid heating
- Higher thermal efficiency, less heat escaping from cooking area, compared to gas
- Commercial revolved water tap for easy, durable use
- Easy to clean and washable, with reuseable air filter element
- Enhanced safety, no flaming
- 500 mm induction compatible stainless steel wok pan accessory available
- Digital LED display and easy adjustment with control knob
- Auto-shutdown after 4 hours of inactivity
- 11-stage adjustable power settings
- Overheating and overvoltage protection
- Requires magnetic-based material pots for operation
- Wok included



AUS Phone: 1300 659 409
Email: sales@foodequipment.com.au
www.foodequipment.com.au



NZ Phone: 09 415 6470
Email: sales@fedproducts.co.nz
www.fedproducts.co.nz