



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Bonvue SGD-24B Gelato & Ice Cream Display Showcase – 24 Pans

Model / SKU: SGD-24B

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.foodequipment.com.au/amfile/file/download/file/4366/product/9110/>



GELATO / ICE CREAM DISPLAY SHOWCASE

SGD RANGE

The SGD Gelato / Ice Cream Display Showcase Range is designed to combine efficient performance with stunning presentation. With whisper-quiet operation, heated anti-fog glass, and bright LED lighting, every pan of gelato is displayed at its best. Dual vent cooling ensures consistent temperatures between -16°C and -18°C , while eco-friendly R290 refrigerant reduces environmental impact and energy costs.



Key Features



Premium Gelato Presentation

LED-lit display with anti-fog heated glass keeps gelato clearly visible and appealing.



Energy-Efficient Cooling

Dual vent cooling with R290 refrigerant ensures uniform performance and lower running costs.



Dual Vent Cooling System

Ensures uniform cooling



Heated Anti-Fog Glass

Keeps display clear in all conditions.



SGD-12B

1233x1095x1300mm



SGD-18B

1728x1095x1300mm



SGD-24B

2310x1095x1300mm



**GELATO-5L
(spare pans)**

360x165x120mm

FEATURES



AISI 304 Interior

Mirror finish interior for hygiene, durability, and easy cleaning.



Whisper-Quiet Operation

Efficient insulation and fan system deliver silent performance for front-of-house use.



Eco-Friendly Refrigerant

R290 refrigerant reduces energy use and impact.



Auto-Defrost System


Prevents ice build-up for smooth operation.




High-Efficiency Insulation

High-efficiency insulation maximises energy savings.



SGD-12B



SGD-18B



SGD-24B



Code	Pans	Dimensions (W x D x H mm)	Weight (kg)	Temperature Range (°C)	Ambient/ RH%	Power (W/A)
SGD-12B	12x5L	1233x1092x1300mm	290	-18 to -16	30°C 55%	1350/10
SGD-18B	18x5L	1728x1092x1300mm	455	-18 to -16	30°C 55%	1650/10
SGD-24B	24x5L	2310x1092x1300mm	580	-18 to -16	30°C 55%	2212/15

To ensure we continuously offer the best possible products, we reserve the right to modify specifications without any obligation for equipment previously or subsequently sold.