



Robochef Cooking Robot - MSS2KPRO

Quick Overview

- STANDARDISED OUTPUT: Dishes are 100% restored to the same flavor
- Coating-free advanced alloy cookware Cutting Edge Materials: High Temperature Resistant, Non-stick, Long Lifespan
- 360° full coverage for stir-frying Intelligent Cooking: Precise Temperature Control, Real-Time Control and Self-Adaptive
- 1:1 dishes, Precision Intelligent Feeding and Customised
- 10-inch touch screen: Intelligent, Efficient and Easy to Understand
- Over 300 worldwide dishes supported with customisable menus
- Cloud Management Backend: Mobile Remote Control, Data Synchronization and Recipe Management
- Automatic Pipe Cleaning and Pot cleaning, Residue collection tanks
- IPX5 Waterproof machine body
- Capacity (kg): 2 kg
- Temperature: Max 300 °C
- 12 Roads Liquid Seasoning (10 Sauce Nozzles); 3 Solids Trays and 2 Sticky Trays
- 4 Types INGREDIENT FEEDER BOXES

Description

Robochef Cooking Robot - MSS2KPRO

MSS2KPRO COOKING ROBOT UP TO 180 DISHES, UP TO 2000 GRAM DISH, AVG 3 MINS PER DISH

- STANDARDISED OUTPUT: Dishes are 100% restored to the same flavor
- Coating-free advanced alloy cookware Cutting Edge Materials: High Temperature Resistant, Non-stick, Long Lifespan
- 360° full coverage for stir-frying Intelligent Cooking: Precise Temperature Control, Real-Time Control and Self-Adaptive
- 1:1 dishes, Precision Intelligent Feeding and Customised
- 10-inch touch screen: Intelligent, Efficient and Easy to Understand
- Over 300 worldwide dishes supported with customisable menus
- Cloud Management Backend: Mobile Remote Control, Data Synchronization and Recipe Management
- Automatic Pipe Cleaning and Pot cleaning, Residue collection tanks
- IPX5 Waterproof machine body
- Capacity (kg): 2 kg
- Temperature: Max 300
- 12 Roads Liquid Seasoning (10 Sauce Nozzles); 3 Solids Trays and 2 Sticky Trays
- 4 Types INGREDIENT FEEDER BOXES

2 Years Parts and Labour Warranty

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	230
Width (mm)	804
Depth (mm)	960
Height (mm)	1572
Packing Width (mm)	1060
Packing Depth (mm)	960
Packing Height (mm)	1700
Power	415V, KW12/3
Warranty	2 Years Parts and Labour