



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Cobra C3D-W 305mm Two-Burner Wok-End Gas Cooktop – Bench Model

Model / SKU: C3D-W


KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/C3D-W_AN.pdf

C3D-W

305mm Two Burner Wok End Gas Cooktop



C3D-W

- 305mm wide
- 2 open burners
- 22MJ open burner rating
- Flame failure standard on open burners
- Optional pilot and flame failure on open burners
- Cast iron burners and vitreous enamel potstands
- Stainless steel finish
- Fully modular

Modular fitment to LH or RH ends of Cobra Wok Cookers



OVERALL CONSTRUCTION

- Cast iron open burner heads with vitreous enamelled cast iron caps
- Vitreous enamelled potstands
- Vitreous enamelled control panel
- Stainless steel front, sides and splashback
- Stainless steel spill tray

CLEANING AND SERVICING

- Easy clean stainless steel exterior
- Vitreous enamelled potstands and burner caps
- Lift off open burner caps and removable burners
- Removable spill tray
- Access to all parts from front of unit

CONTROLS

- Large easy use control knobs
- Variable high to low controls to open burners
- Flame failure standard on open burners
- Optional pilot and flame failure on open burners

Matching Products



CW2H



CSP6



CN4



CT9



CW3H



CW1H




CP4



CS9 / C900-S




C3D-W

305mm Two Burner Wok End Gas Cooktop



Cert. No. AGA 7225G

C3D-W shown on RH end of Cobra Series Wok Cookers. Dimensions apply from LH end when fitted to LH ends.



C3D-W

SPECIFICATIONS

Burners

Open Burners; 22MJ/hr, 5.5kW each

Gas power (gross); C3D-W 44MJ/hr, 11kW

Gas connection

R 3/4 (BSP) male;
130mm from RH side,
20mm from rear, and
340mm from floor

Dimensions

Width 305mm
Depth 800mm
Height 771mm
Incl. splashback 1280mm

Nett weight

32kg

Packing data

0.37m³, 60kg
Width 345mm
Depth 860mm
Height 1255mm

Gas types

Available in Natural gas and
LP gas, please specify when
ordering

Other gas types on request

moffat.com.au

moffat.co.nz

Australia

moffat.com.au

Moffat Pty Limited

Victoria/Tasmania

740 Springvale Road

Mulgrave, Victoria 3170

Telephone +613-9518 3888

Facsimile +613-9518 3833

vsales@moffat.com.au

New South Wales

Telephone +612-8833 4111

nswsales@moffat.com.au

South Australia

Telephone +613-9518 3888

vsales@moffat.com.au

Queensland

Telephone +617-3630 8600

qldsals@moffat.com.au

Western Australia

Telephone +618-9413 2400

wasales@moffat.com.au

New Zealand

moffat.co.nz

Moffat Limited

Rolleston

45 Illinois Drive

Izone Business Hub

Rolleston 7675

Telephone +64 3-983 6600

Facsimile +64 3-983 6660

sales@moffat.co.nz

Auckland

Telephone +64 9-574 3150

sales@moffat.co.nz



ISO9001
Quality
Management
Standard

Designed and manufactured by



ISO9001

All Cobra products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd
AN.C.S.01.20

an Ali Group Company



The Spirit of Excellence