



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Sammic M-5 Commercial Potato Peeler – 5kg Load, 300W

Model / SKU: M-5

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.sammic.com.au/wp-content/uploads/2025/specsheet/M-5.pdf>



POTATO PEELER M-5 230/50-60/1

5 kg / 11 lb load per cycle.



P/N 1000565



External dimensions (W x D x H)

- ✓ Width: 333 mm
- ✓ Depth: 367 mm
- ✓ Height: 490 mm

External dimensions with stand

- ✓ Width with stand: 425 mm
- ✓ Depth with stand: 555 mm
- ✓ Height with stand: 965 mm

Plate speed: 300 rpm

Net weight: 15.5 kg

Crated dimensions

570 x 420 x 420 mm

Gross weight: 18.5 kg

SALES DESCRIPTION

- ✓ Commercial stainless steel construction and BPA-free transparent lid.
- ✓ Suitable for reduced space areas.
- ✓ Also suitable to peel carrots and other similar products.
- ✓ Abrasive peeling. The abrasive is highly resistant and long lasting.
- ✓ Base Plate lined with highly resistant and long lasting abrasive.
- ✓ Stainless steel body.
- ✓ Ideal for placement near sink for drainage
- ✓ Very easy to install
- ✓ Water inlet system with non-return air break.
- ✓ Integral control panel complete with on/off push buttons and a 0-6 minute timer.
- ✓ Optional extra: A stainless steel stand complete with removable filter chamber.

OPTIONAL

- ☐ Stainless steel floor stand.
- ☐ Filter with no-foam feature.

ACCESSORIES

- ☐ Stands for potato peelers
- ☐ Filters for potato peelers M / PI / PES

SPECIFICATIONS

Hourly production: 80 kg / 100 kg
Capacity per load: 5 kg
Timer (min-max): 0' - 6'
Total loading: 350 W
Electrical supply: 230 V / 50-60 Hz / 1~ (2.2 A)
Plug: EU (SCHUKO 2P+G)



DYNAMIC PREPARATION
COMMERCIAL POTATO PEELERS

product sheet
updated 10/03/2025




POTATO PEELER M-5 230/50-60/1
5 kg / 11 lb load per cycle.



P/N 1000565

DYNAMIC PREPARATION
COMMERCIAL POTATO PEELERS



sammic | sammic.com
Food Service Equipment Manufacturer

Polígono Basarte, 1. phone +34 943 15 72 36
20720 Azkoitia, Spain sales@sammic.com



Project	Date
Item	Qty

Approved

product sheet
updated 10/03/2025