



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Sammic SmartVide 5 Commercial Sous Vide Machine – 1600W

Model / SKU: SMARTVIDE 5

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.sammic.com.au/wp-content/uploads/2025/specsheet/SMARTVIDE-5.pdf>



SMARTVIDE 5 230/50-60/1 AUS

Maximum capacity: 30 l / 8 gal.



P/N 1180102



optional bag allows easy transport - wherever the Chef goes.

- ✓ **HACCP-ready:** thanks to Bluetooth connectivity, it is possible to export or print cooking results at the end of each cycle.
- ✓ **Your appliance, always updated:** free firmware update, no matter where the appliance is.

OPTIONAL

- ☐ Transport bag.
- ☐ Insulated tank.
- ☐ Lid for insulated tank.
- ☐ Floating balls.
- ☐ Janby Track (available through <https://eu.janby.kitchen/es/home>)

ACCESSORIES

- ☐ Needle probe for sous-vide cookers
- ☐ Probe foam seal
- ☐ Insulated tank for SmartVide immersion circulator
- ☐ Lid for SmartVide tanks
- ☐ Floating balls for SmartVide cookers
- ☐ SmartVide transport bag
- ☐ Smooth bags for sous-vide cooking
- ☐ Tank dividers

SPECIFICATIONS

Temperature

Display precision: 0.01°C

Range: 5°C - 95°C

Permissible ambient temperature: 5°C - 40°C

Time

Resolution: 1'

Cycle duration: 1' - 99 h

General features

Maximum recipient capacity: 30 l

Total loading: 1600 W

Electrical supply: 230 V / 50-60 Hz / 1~

Plug: AU/NZ (AS 3112 10A / 2P+G)

Submersible part dimensions: 116 mm x 94 mm x 147 mm

External dimensions (W x D x H): 116 mm x 128 mm x 330 mm

Net weight: 3.1 kg

Crated dimensions

410 x 185 x 285 mm

Gross weight: 5 kg

SALES DESCRIPTION

Commercial high-precision sous-vide cooker. Reliable, user-friendly, portable. Interchangeable between °C and °F.

- ✓ Bluetooth connectivity.
- ✓ HACCP-ready.
- ✓ Optional core probe.
- ✓ Firmware update.

Sous-vide cooking, a technique with many advantages

- ✓ SmartVide guarantees cooking at a **precisely controlled temperature** while preserving the quality of the product, enhancing flavor and texture. Equipped with a highly precise temperature control system to obtain extremely consistent results.
- ✓ An **optional core probe** allows for even more precise control in recipe standardization.
- ✓ Allows cooking food in their own juice and using this juice immediately after cooking to **enhance flavors**.
- ✓ Marinates and macerates an ingredient in **half the time**.
- ✓ **Infuses and flavors** oil, fat or other products applying the controlled temperature technique.
- ✓ Increases **profits** due to lack of product shrink.

SmartVide 5: designed for chefs, developed with chefs

- ✓ The thick stainless steel, robust construction guarantees commercial performance. The front panel and the grip are made of fiber-glass-reinforced polyamide.
- ✓ Requires **very little hands-on time**, allowing the Chef to do other tasks while the product is being cooked. Just program temperature and time, SmartVide will do the rest.
- ✓ 4 buttons and a full-color TFT display that offers **all the information at a glance** makes operation a child's play. Moreover, thanks to Bluetooth connectivity, an exchange of important data is enabled to enhance the Chef's performance.
- ✓ SmartVide5 is **portable**: thanks to their ergonomic handle, SmartVide5 can be taken from a container to another easily. Additionally, the



product sheet
updated 27/02/2025

Copyright 2025 © Sammic S.L.




SMARTVIDE 5 230/50-60/1 AUS

Maximum capacity: 30 l / 8 gal.



P/N 1180102

FOOD PRESERVATION AND SOUS-VIDE
SMARTVIDE SOUS-VIDE COOKERS



sammic | www.sammic.com
Food Service Equipment Manufacturer

Polígono Basarte, 1.
20720 Azkoitia, Spain

phone +34 943 15 72 36
sales@sammic.com



Project	Date
Item	Qty
Approved	

product sheet
updated 27/02/2025