



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Sammic PP-6+ Commercial potato peeler – 400 W, aluminium

Model / SKU: PP-6+


KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.sammic.com.au/wp-content/uploads/2025/specsheet/PP-6.pdf>



POTATO PEELER PP-6+ 230/50/1 · 400 W

Output: 6 kg per cycle.



P/N 1000411



- ✓ Width with stand: 411 mm
 - ✓ Depth with stand: 700 mm
 - ✓ Height with stand: 1020 mm
- Net weight: 31 kg
- Crated dimensions
440 x 710 x 470 mm
- Gross weight: 33.5 kg

SALES DESCRIPTION

Aluminium made potato peeler.

Aluminium body potato peeler. Abrasive peeling. The abrasive is highly resistant and long lasting.

- ✓ Base Plate and chamber walls lined with abrasive.
- ✓ Aluminium body.
- ✓ Directable cylinder.
- ✓ Integral control panel complete with on/off push buttons and a 0-6 minute timer.

OPTIONAL

- ☐ Stainless steel floor stand.
- ☐ Filter with no-foam feature.

ACCESSORIES

- ☐ Stands for potato peelers PP / PPC
- ☐ Filters for potato peelers PP / PPC

SPECIFICATIONS

Hourly production: 120 kg / 150 kg
Capacity per load: 6 kg
Timer (min-max): 0' - 6'
Total loading: 400 W
Plate speed: 317 rpm
Electrical supply: 230 V / 50 Hz / 1~ (2.9 A)
Electrical connection: 2P+G

External dimensions (W x D x H)

- ✓ Width: 395 mm
- ✓ Depth: 700 mm
- ✓ Height: 447 mm

External dimensions with stand



DYNAMIC PREPARATION
COMMERCIAL POTATO PEELERS

product sheet
updated 13/12/2024




POTATO PEELER PP-6+ 230/50/1 · 400 W

Output: 6 kg per cycle.



P/N 1000411

DYNAMIC PREPARATION
COMMERCIAL POTATO PEELERS



 sammic www.sammic.com Food Service Equipment Manufacturer Polígono Basarte, 1. 20720 Azkoitia, Spain phone +34 943 15 72 36 sales@sammic.com 	Project	Date
	Item	Qty
	Approved	

product sheet
updated 13/12/2024