



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

## Sammic SU-810GP LL Vacuum Packing Machine – 2200 W

**Model / SKU: SU-810GP LL**

### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: <https://www.sammic.com.au/wp-content/uploads/2025/specsheet/SU-810GP-LL.pdf>



# VACUUM PACKING MACHINE SU-810GP LL 400/50-60/3N

Floorstanding unit. 100 m³/h . 848 + 848 mm.



P/N 1140961



## SALES DESCRIPTION

Two sealing bars 848 + 848 mm.  
100 m³/h Busch vacuum pump.  
Vacuum controlled by sensor.

- ✓ Powered by Busch.
- ✓ Vacuum controlled by sensor.
- ✓ Vacuum PLUS.
- ✓ LCD colour screen: all information at a glance.
- ✓ Backlit touch keyboard.
- ✓ Programmable: 99-programme memory. Blocking option.
- ✓ "Pause" button to marinate food.
- ✓ Phased vacuum programme.
- ✓ Detection of the evaporation of liquids.
- ✓ Double seal.
- ✓ Cordless sealing bar.
- ✓ Bag sealing program.
- ✓ Progressive decompression.
- ✓ Vac-Norm ready with automatic decompression.
- ✓ Stainless steel body and chamber.
- ✓ Damped transparent lid.
- ✓ Dry-oil programme for drying the pump.
- ✓ Working hours counter for oil changes.
- ✓ Safety system with protection against vacuum failure.
- ✓ NSF-listed model.

## INCLUDES

- ✓ Filling plate
- ✓ Bluetooth connectivity
- ✓ Inert gas flush (4+4 injectors).
- ✓ Printer connection

## OPTIONAL

- ☐ Printer
- ☐ Vacuum packing pouches
- ☐ Vac-Norm external vacuum kit, containers and accessories
- ☐ Bag cutting kit
- ☐ Support for liquids
- ☐ Additional filling plates

## ACCESSORIES

- ☐ Bag cutting kits
- ☐ Filling plates
- ☐ Liquid insert plates
- ☐ Vac-norm external vacuum kit
- ☐ Vac-norm containers
- ☐ Smooth bags for vacuum packing
- ☐ Thermal labels for CG2 / RB printer
- ☐ RB desktop printer for SU vacuum packing machines
- ☐ Thermal transfer labels for RB printer

## SPECIFICATIONS

Pump capacity: 100 m³/h  
Bar length: 848 mm + 848 mm  
Total loading: 2200 W  
Vacuum pressure (maximum): 0.5 mbar

Electrical supply: 400 V- / 50-60 Hz / 3N~ (8.7 A)  
Electrical connection: 3P+N+G

### Internal dimensions

- ✓ Width: 864 mm
- ✓ Depth: 603 mm
- ✓ Height: 215 mm

### External dimensions (W x D x H)

- ✓ Width: 960 mm
- ✓ Depth: 757 mm
- ✓ Height: 998 mm

Net weight: 251 kg  
Noise level (1m.): 75 dB(A)  
Background noise: 32 dB(A)

Crated dimensions  
840 x 1060 x 1200 mm  
Gross weight: 292 kg

FOOD PRESERVATION AND SOUS-VIDE  
COMMERCIAL VACUUM PACKING MACHINES

product sheet  
updated 28/10/2024



Copyright 2024 © Sammic S.L.




# VACUUM PACKING MACHINE SU-810GP LL 400/50-60/3N

Floorstanding unit. 100 m³/h . 848 + 848 mm.



P/N 1140961

FOOD PRESERVATION AND SOUS-VIDE  
COMMERCIAL VACUUM PACKING MACHINES



**sammic** | [www.sammic.com](http://www.sammic.com)  
Food Service Equipment Manufacturer  
Polígono Basarte, 1.  
20720 Azkoitia, Spain  
phone +34 943 15 72 36  
[sales@sammic.com](mailto:sales@sammic.com)



|          |      |
|----------|------|
| Project  | Date |
| Item     | Qty  |
| Approved |      |

product sheet  
updated 28/10/2024