



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Benchstar CS-MFS7B Commercial Milk Frother & Steamer – 7L Boiler

Model / SKU: CS-MFS7B

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/9284/store/7/



Benchstar Milk Frother & Steamer - CS-MFS7B

Quick Overview

- Four-hole steam nozzle
- Uniform air flow around
- Stable air flow output
- Efficient and fast heating
- High power and fast heating, 3000W high power, fast heating up
- One-click temperature setting and no on-call operation
- One machine, multiple uses
- Can set the temperature to produce hot water
- For heating a beverage, perform tea extraction and milk frothing work
- Precise temperature control
- Built-in temperature sensor
- LCD intuitively displays
- Achieve product standardisation
- Flexible timing control
- Can set daily working hours and a timer to switch on and off
- Flexible adjustment, energy saving
- AISI304 Large boiler capacity: 7L capacity for the water boiler and 3L capacity for the steam boiler
- Steam boiler output reference
- Hot Beverage Capacity: Exceeds 1,000 cups per day.
- Typical Beverage Heating Time (from ambient via steam):
- 400ml to 65°C: ~18 seconds
- 450ml to 50°C: ~16 seconds

Description

Benchstar Milk Frother & Steamer - CS-MFS7B

Milk frother steamer is equipped with a large-capacity boiler and a four-hole steam nozzle, which supports rapid heating and

provides an uninterrupted supply of boiling water and steam. It has a precise temperature control system, intuitively displays the

temperature, can be flexibly controlled at a fixed time, and saves energy and electricity. It can heat quickly and produce dense and uniform milk foam, improving the taste and quality of drinks.

Key Features

- Four-hole steam nozzle
- Uniform air flow around
- Stable air flow output
- Efficient and fast heating
- High power and fast heating, 3000W high power, fast heating up
- One-click temperature setting and no on-call operation
- One machine, multiple uses
- Can set the temperature to produce hot water
- For heating a beverage, perform tea extraction and milk frothing work
- Precise temperature control
- Built-in temperature sensor
- LCD intuitively displays
- Achieve product standardisation
- Flexible timing control
- Can set daily working hours and a timer to switch on and off
- Flexible adjustment, energy saving
- AISI304 Large boiler capacity: 7L capacity for the water boiler and 3L capacity for the steam boiler
- Steam boiler output reference
- Hot Beverage Capacity: Exceeds 1,000 cups per day.
- Typical Beverage Heating Time (from ambient via steam):
- 400ml to 65 ° C: ~18 seconds
- 450ml to 50 ° C: ~16 seconds

1 Year Parts & Labour Warranty

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	21
Width (mm)	258
Depth (mm)	548
Height (mm)	498
Packing Width (mm)	655
Packing Depth (mm)	365
Packing Height (mm)	700
Power	240V, 3.5kW/15A
Warranty	1 Year Parts & Labour