



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

## Airex AXR.UCGN.3G Undercounter Refrigerator – 3 Glass Door 1/1GN

**Model / SKU: AXR.UCGN.3G**

### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

# axr.ucgn.3g c2 datasheet

SKU: AXR.UCGN.3G

Distributed by KW Commercial - [kwcommercial.com.au](http://kwcommercial.com.au)

Manufacturer documentation - (c) Airex

Retrieved: 2026-07-08

<https://www.kwcommercial.com.au/product/airex-axr-ucgn-3g-triple-glass-undercounter-fridge-1-1gn>

### Product Information


- Monoblock refrigeration system, for improved performance and ease of servicing
- Adjustable digital temperature controller (0°C - 6°C)
- Unique fan forced ducted cooling for uniformed performance throughout the entire refrigerator
- Protective coating on refrigeration coil to help prevent corrosion
- Environmentally friendly R290 Hydrocarbon refrigerant
- Efficient LED lighting for increased product visibility
- Stainless Steel worktop as standard, 840mm finish height. (Optional 900mm working height model available)
- 1/1GN shelf configuration with adjustable runners (2 shelves per door)
- 60mm CFC free polyurethane insulation
- Efficient and hygienic cleaning made easy with an innovative internal design
- High quality components including highly efficient compressors and EC fans
- Double glazed heated glass door for exceptional display and minimal condensation. Self-closing, lockable doors
- Removable filter for easy cleaning
- Equipped standard with lockable castors designed for heavy-duty use
- 2 and 4 door models also available, with glass or solid doors



**Designed & Engineered in Australia to meet Australian Standards**  
**24 Months on-site parts and labour warranty**

### Specifications

|                               |                                         |
|-------------------------------|-----------------------------------------|
| <b>Model</b>                  | AXR.UCGN.3G                             |
| <b>W x D x H (mm)</b>         | 1795 x 700 x 840                        |
| <b>Weight</b>                 | 133kg                                   |
| <b>Packed Dimensions (mm)</b> | 1825 x 730 x 880                        |
| <b>Packed Weight</b>          | 157kg                                   |
| <b>Net Capacity</b>           | 276 Litres                              |
| <b>Operation</b>              | 0°C - 6°C                               |
| <b>Refrigerant</b>            | R290                                    |
| <b>Climate Class</b>          | 4M1                                     |
| <b>Energy Consumption</b>     | 4.24kWh/24hr                            |
| <b>Max Ambient</b>            | 38°C                                    |
| <b>Total Connected Load</b>   | 0.41kW                                  |
| <b>Electrical Connection</b>  | 1Ø+N+E 230VAC / 50Hz<br>10A plug & lead |



### Legend

**A** Electrical Connection

### Accessories

**Shelf Kit -** AXR.UCGN.SHELFKIT  
 1/1GN shelf with runners