



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster OC-915 Open Beverage Display – 405L

Model / SKU: OC-915

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/6502/store/7/



Thermaster Supermarket Open Beverage Display - OC-915

Quick Overview

- Net Volume: 405L
- Max Ambient Temperature: 25°C, 60%RH
- Temperature Range: -1 to 7°C
- Night Blinds: 2
- Display area 1.92m²

Description

Thermaster Supermarket Open Beverage Display OC-915

Highlight your bestselling beverages with our Thermaster Supermarket Open Beverage Display! Made up of an illuminated top canopy for advertising, they ' re sure to display your products well and showcase them to your buyers sleek, clean, and fresh.

This is a fast-selling purchase for any prospective restaurant or café owner who operates a medium to large establishment.

Key Features

- Smaller base design to reduce floor footprint
- Fan force cooling
- Illuminated top canopy for advertising
- Double-layer night blinds for less energy consumption
- Streamlined operation

- Adjustable glass shelf
- Shelf14 ° •Angle:0 ° / 7 ° / Temperature class: M2
- LED lighting on top
- R290 Natural refrigerant
- Skope compressor
- Can be assembled in a line-up, without a mullion, as it is multiplexable

Additional Information

- Net Volume: 405L
- Max Ambient Temperature: 25°C, 60%RH
- Temperature Range: -1 to 7°C
- Night Blinds: 2
- Display area m² : 1.92

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Net Volume	405L
Max Ambient Temperature	25°C, 60%RH
Temperature Range	-1 to 7°C
Total Energy Consumption	15.84 kWh/24h
Net Weight (Kg)	216
Width (mm)	975
Depth (mm)	770
Height (mm)	2070
Packing Width (mm)	780
Packing Depth (mm)	1048
Packing Height (mm)	2110
Power	240V; 910W; 10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice