



## Bonvue Dual-Access Refrigerated Deli, Meat and Seafood Display Case - AMS-18DD

### Quick Overview

- Gross Volume: 1218L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: -1 to +5 ° C
- Efficient Freshness: Double gravity coil for even cooling, perfect for deli, meat and seafood products
- Durable Slanted Front Glass: Double-layer tempered for clear, safe display
- Adjustable Shelves: Easily modify for different heights
- LED Lighting: Showcases items with individually wired shelf lights
- Insulated Sliding Rear Doors: Easy staff access while retaining cold air
- Extra Refrigerated Storage: Spacious rear area for stock
- Optimised Cooling: Over-sized components and slow fans maintain freshness
- Auto Defrost: Timer system prevents ice build-up
- No Plumbing Needed: Self-contained for hassle-free installation
- Stainless Steel Interior: Floor and grille designed for durability and airflow

### Description

#### Bonvue Dual-Access Refrigerated Deli, Meat and Seafood Display Case - AMS-18DD

The dual-access design allows staff to restock from the rear without interrupting customers at the front, making it ideal for high-traffic retail settings like butcher shops, seafood counters, and deli displays. It streamlines service flow and keeps the presentation neat and professional throughout busy trading hours.

## Key Features

- Gross Volume: 1218L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: -1 to +5 ° C
- Efficient Freshness: Double gravity coil for even cooling, perfect for deli, meat and seafood products
- Durable Slanted Front Glass: Double-layer tempered for clear, safe display
- Adjustable Shelves: Easily modify for different heights
- LED Lighting: Showcases items with individually wired shelf lights
- Insulated Sliding Rear Doors: Easy staff access while retaining cold air
- Extra Refrigerated Storage: Spacious rear area for stock
- Optimised Cooling: Over-sized components and slow fans maintain freshness
- Auto Defrost: Timer system prevents ice build-up
- No Plumbing Needed: Self-contained for hassle-free installation
- Stainless Steel Interior: Floor and grille designed for durability and airflow

**1 Year Parts & Labour Plus 1 Year Parts Only Warranty When Products Registered Within 14D Of Invoice.**

Your Shipping Specifications

|                         |                                                                                                       |
|-------------------------|-------------------------------------------------------------------------------------------------------|
| Product Condition       | New                                                                                                   |
| Doors                   | 2                                                                                                     |
| Door Type               | Sliding Doors                                                                                         |
| Body                    | Stainless Steel                                                                                       |
| Gross Volume            | 1218L                                                                                                 |
| Max Ambient Temperature | 30°C, 55%RH                                                                                           |
| Temperature Range       | -1 to +5 ° C                                                                                          |
| Form Factor             | Display                                                                                               |
| Net Weight (Kg)         | 202.5                                                                                                 |
| Width (mm)              | 1823                                                                                                  |
| Depth (mm)              | 855                                                                                                   |
| Height (mm)             | 1406                                                                                                  |
| Packing Width (mm)      | 1885                                                                                                  |
| Packing Depth (mm)      | 915                                                                                                   |
| Packing Height (mm)     | 1560                                                                                                  |
| Power                   | 240V, 800W/10A                                                                                        |
| Warranty                | 1 Year Parts & Labour Plus 1 Year Parts Only Warranty When Products Registered Within 14D Of Invoice. |