



Ex-Showroom: Bonvue Chilled Food Display - SL850V-NSW2060

Quick Overview

Lot Number: NSW2060

Class: 1

Conditions: New unit without packaging.

Warranty: 12 Months

Description

Ex-Showroom: Bonvue Chilled Food Display - SL850V-NSW2060

- **Lot Number:**
- NSW2060
- **Class:**
- 1
- **Conditions:**
- New unit without packaging.
- **Warranty:**
- 12 Months

A prominent and practical display unit from Bonvue, the SL850V is a smart purchase for bakery and café owners wanting to gain that competitive edge and showcase their fresh food for everyone to see.

Bonvue provides a top-of-the-line collection of highly desired display units that have proved beneficial to many cafes and restaurants.

The SL850V offers an eye-catching display with interior lighting and a chilled interior for preservation. It 's a perfect unit to present meals such as sandwiches, wraps, salads, pastries, yogurts, and cakes.

One of our bigger units within Bonvue ' s collection of powerful display cases, this workhorse is bound for medium to large cafes and bakeries that stock a variety of fresh foods, snacks, and sweets.

This deluxe display is very reliable and, like the others in this series, features the same qualities, including fans, compressors, triple-glazed glass with wire filaments, heavy-duty exterior, and temp controls.

Key Features

- Gross Volume: 720L
- Temperature Range: +2 to +8 ° C

- Black Trim & Shelving
- Triple front with Heated Wire Filaments to Stop Condensation
- Secop Compressors
- German EBM-Pabst fans
- Lighting Over Each Level
- Self-Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 3 Levels Of Wired Shelving Plus Floor
- 1500 mm Wide
- 4 Display Levels

***Also Subject To The Terms In The Warranty Section Of Our Terms & Conditions**

Your Shipping Specifications

Product Condition	2ND
Doors	2
Door Type	Sliding Doors
Body	Stainless Steel
Net Weight (Kg)	257
Width (mm)	1500
Depth (mm)	740
Height (mm)	1350
Packing Width (mm)	815
Packing Depth (mm)	1550
Packing Height (mm)	1520
Power	240V; 817W/10A