



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

**Rancilio RC2G C5CRONO BLK CLASSE 5 CRONO USB TALL 2GR Espresso Machine**

**Model / SKU: RC2G C5CRONO BLK**

#### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: [https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/RC2G\\_C5CRONO\\_BLK\\_AN.pdf](https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/RC2G_C5CRONO_BLK_AN.pdf)

# Classe 5 Crono USB Tall - RC2G C5CRONO BLK

RANCILIO CLASSE 5 CRONO USB TALL 2 GROUP



## STANDARD FEATURES

- Tall deck accommodates tall cups up to 145mm in height includes retractable tray for espresso cups
- Steady Brew patented heat exchanger technology for outstanding temperature control
- Single hot water tap with manual operation
- Ergonomic portafilter holder up to 21g capacity, comfortable for all-day operation
- C-Lever – quarter turn steam tap features two positions: purge (down) or fully open (up)
- Integrated digital display with shot timer for each group
- Hydro hub – integrated manifold for precise water delivery and distribution
- Multifunction onboard computer and USB port for simple programming and data transfer
- Water pump pressure control gauge that keeps you in control
- Built-in volumetric rotary vane water pump for simple and safe installation
- Steam boiler pressure control with mechanical pressure stat
- Automated cleaning programme simplifies your daily clean

## OVERALL CONSTRUCTION

- Hand rolled copper steam boiler - 11 litre capacity
- Brushed stainless steel front and rear panels
- Anthracite black ABS nylon side panels
- Backflow valve on boiler and steam tap
- Adjustable feet with optional extensions

## CONTROLS

- Soft-touch keypads with 4 programmable drink dosing pre-sets for easy espresso preparation
- White LED backlights easy to read keypad buttons
- Two manual steam wands for frothing and steaming milk

## CLEANING AND MAINTENANCE

- Stainless steel drip tray - dishwasher safe
- Easy Clean manages the cleaning process of group heads to perform automatically
- Genuine cleaning products sold separately

## INCLUDES

- 1 x Single group handle
- 1 x Single filter basket – 8.5g
- 2 x Double group handle
- 2 x Double filter basket – 20g
- 1 x Stainless steel blind filter basket
- 1 x Group head cleaning brush
- User manual / Warranty card

## MATCHING PRODUCTS



CLASSE 5 USB  
TALL 1 GROUP



CLASSE 5 CRONO USB  
TALL 2 GROUP COMPACT



CLASSE 5 CRONO USB  
TALL 3 GROUP



CLASSE 7 USB  
TALL 2 GROUP



CLASSE 7 USB  
TALL 2 GROUP ISTEAM



CLASSE 7 USB  
TALL 3 GROUP



KYRO EVO

# Classe 5 Crono USB Tall - RC2G C5CRONO BLK

## RANCILIO CLASSE 5 CRONO USB TALL 2 GROUP

### TECHNICAL INFORMATION

#### Dimensions

|                  |           |
|------------------|-----------|
| Width:           | 771mm     |
| Depth:           | 539mm     |
| Height:          | 520mm     |
| Nett weight:     | 74kg      |
| Boiler Capacity: | 11 litres |

#### ELECTRICAL

Power requirements: 240V, 1P+N+E,  
50/60Hz, 4.75kW, 20A cordset fitted  
Boiler Power: 3.75kW



### WATER CONNECTIONS AND DRAINS

- 40mm PVC drain and waste trap - 300mm upstand
- Fixed water supply connection
- Mains cold water 3/8" BSP male thread connection
- Flow pressure: 200kPa -500kPa, min 4L/min



Australia

[www.moffat.com.au](http://www.moffat.com.au)

New Zealand

[www.moffat.co.nz](http://www.moffat.co.nz)

Australia

Moffat Pty Limited

Victoria/Tasmania

740 Springvale Road

Mulgrave, Victoria 3170

Telephone +61 3-9518 3888

Facsimile +61 3-9518 3833

[vsales@moffat.com.au](mailto:vsales@moffat.com.au)

New South Wales

Telephone +61 2-8833 4111

[nswsales@moffat.com.au](mailto:nswsales@moffat.com.au)

South Australia

Telephone +61 8-9518 3888

[vsales@moffat.com.au](mailto:vsales@moffat.com.au)

Queensland

Telephone +61 7-3630 8600

[qldsales@moffat.com.au](mailto:qldsales@moffat.com.au)

Western Australia

Telephone +61 8-9413 2400

[wasales@moffat.com.au](mailto:wasales@moffat.com.au)

New Zealand

Moffat Limited

Christchurch

45 Illinois Drive

Izone Business Hub

Rolleston 7675

Telephone +64 3-983 6600

Facsimile +64 3-983 6660

[sales@moffat.co.nz](mailto:sales@moffat.co.nz)

Auckland

Telephone +64 9-574 3150

[sales@moffat.co.nz](mailto:sales@moffat.co.nz)



In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.


© Copyright Moffat Ltd  
AN.RAN.2601

### RANCILIO WATER SPECIFICATION

| Optimum Parameter         | Measurement Range                                  |
|---------------------------|----------------------------------------------------|
|                           | Never more than 50 PPM more than to Total Hardness |
| TDS <135                  |                                                    |
| Carbonate Hardness 50 ppm | 40-90 ppm                                          |
| Total Hardness 85 ppm     | 50-100 ppm                                         |
| pH (ideal) 7              | 6.5 – 8.5                                          |
| Chlorides Cl -            | < 30 ppm                                           |

### INSTALLATION CLEARANCE

- Allow 152.4mm / 6" clearance on all sides of the machine.
- Allow 609mm x 127mm / 24" x 5" for in-line filter. Filter can be mounted behind the machine or under the counter.
- Allow a minimum of 3" (762 mm) clear space under filter to facilitate filter change.
- All services to be within 1m of machine placement
- Always refer to installation manual



Specifications may vary between models

an Ali Group Company



The Spirit of Excellence