KW COMMERCIAL KITCHEN

PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Scotsman MF 66 AS OX – 1070kg/24h – Modular Flake Ice Maker

Model / SKU: MF 66 AS OX

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au

Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/MF_66_AS_OX_an.pdf

Scotsman®
Ice Systems

MOFFAT®

MF Series Modular Flake Ice Makers – up to 1070kg

MF 66 AS OX Superflake ice



Superflake ice



Note: Ice production rate is measured with the water temperature at 10°C and an ambient temperature of 21°C.

- Up to 1070kg daily production rate
- Head only ice maker: requires a separate storage bin to store the ice produced
- XSafe - Natural Sanitation System
- Agion Technology resists the growth of microbes and the development of unpleasant odours
- Air cooled version
- Hermetic compressor
- Stainless steel auger and freezing cylinder (evaporator)
- Simple, reliable electromechanic controls
- Double protection – electronic rotation sensor & drive coupling
- Low-water sensor protection
- Stainless steel finish, top cover in PS plastic with removable panels for ease of maintenance
- Includes removable air filter, water and drain hose

Recommended Storage Bins


- UBH 1100 – Upright storage bin – 553kg capacity
- UBH 1600 Upright storage bin – 812kg storage capacity
- SIS 1350 – Ice shuttle storage system – 613kg + 73kg +73kg capacity
- SIS 700 – Ice shuttle storage system – 318kg + 73kg capacity


XSafe


Scotsman®
Ice Systems

MF Series Modular Flake Ice Makers – up to 1070kg

MF 66 AS OX







UNIT OF MEASUREMENT: **mm**

1. 7/8" WATER OUTLET
2. 3/4" GAS - WATER INLET
3. 3/4" GAS - WATER OUTLET WATER COOLED UNIT ONLY
4. 3/4" GAS - WATER INLET WATER COOLED UNIT ONLY
5. CORD SET
6. CORD SET REMOTE CONDENSER
7. 3/4" GAS - WATER OUTLET
8. LIQUID - ONLY ON AIR REMOTE CONDENSER
9. GAS - ONLY ON AIR REMOTE CONDENSER

MOFFAT®
moffat.com.au

Australia
Moffat Pty Limited

Victoria/Tasmania
740 Springvale Road
Mulgrave, Victoria 3170
Telephone 03-9518 3888
Facsimile 03-9518 3833
vsales@moffat.com.au

New South Wales
Telephone 02-8833 4111
nswsales@moffat.com.au

South Australia
Telephone 03-9518 3888
vsales@moffat.com.au

Queensland
Telephone 07-3630 8600
qldsales@moffat.com.au

Western Australia
Telephone 08-9413 2400
wasales@moffat.com.au

Ice production per 24 hours
Ambient temperature / Water temperature

10°C / 10°C	21°C / 10°C	32°C / 21°C
1150	1070	870

Dimensions

Width:	1064mm
Depth:	697mm
Height:	860mm
Nett weight:	179kg
Packed weight:	198kg

Water consumption
Air cooled version: 36.3 litres per hour

Electrical rating

Air cooled version:	230-240V, 1P+N+E, 50Hz, 3900W, 16A
No. Circuit wire:	5
Compressor:	3135W
Energy consumption:	80kW/24hr

Refrigerant type
R452a

Installation distance from wall

Rear	150mm
Sides	150mm

Operating requirement air temperature 10-43°C

Water connection requirements

Inlet connection:	R ¾"
Cold water:	5-38°C
Pressure:	100-500kPa

Water outlet connection: Ø⅞"

Important Notice:
Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

24:7 Service Support

© Copyright Moffat Ltd
AU.SM.2301

an Ali Group Company

The Spirit of Excellence

KW COMMERCIAL KITCHEN

Distributed by KW Commercial Kitchen | 1300 001 366
www.kwcommercial.com.au | sales@kwcommercial.com.au