KW COMMERCIAL KITCHEN

# PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

## PRODUCT

## Waldorf GPL8450G-B 800 Series GP8450G-B - 450mm Gas Griddle Low Back Version - Be

## Model / SKU: GPL8450G-B


### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au


Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/GP8450G_AN.pdf

Technical data sheet for

# GAS GRIDDLE 450mm

GP8450G-B, GP8450G-CB, GP8450G-LS



GP8450G-LS

- Heavy-duty thermostatic gas griddle
- 20mm thick griddle plate
- Ribbed plate option
- Chromed mirror plate option
- Top weld sealed plates
- 40MJ thermostatic burner system
- Stainless steel exterior
- Easy clean
- Easy service
- Fully modular

## Series Options

**GP** - Standard splashback models
**GPL** - Low back models
**GPB** - Bold vitreous enamel colour front finish on standard splashback models
**GPLB** - Bold vitreous enamel colour front finish on low back models

## Overall Construction

### Griddle

- 20mm thick machined top plates standard
- Optional full width ribbed plate section
- Optional full width mirror finish hard chrome plate
- 2.5mm thick 304 stainless steel splash guards sides and rear
- 40MJ single 3 bar even heat burner with single thermostatic control
- Full pilot and flame failure protection with piezo ignition
- Welded hob surround with 1.5mm 304 stainless steel bull nose
- Splashback and side panels 1.2mm 304 stainless steel
- Front panels 0.9mm 304 stainless steel
- Stainless steel grease drawer
- Overlapping finish at front and rear of plate for easy clean

### Bench mount (supplied as –B model)

- Four 63mm dia. heavy-duty 1.2mm 304 stainless steel bench legs with adjustable feet
- Adjustable height 80mm – 105mm

### Cabinet base (supplied as –CB model)

- Fully modular for matched suite finish
- Double skin 0.9mm 304 stainless steel interior and exterior
- GN 1/1 4 position racking kit
- 63mm dia. heavy-duty 1.2mm 304 stainless steel legs with adjustable feet

### Leg stand (supplied as –LS model)

- Fully modular for matched suite finish
- Framed top for connection to Griddle
- 63mm dia. heavy-duty 1.2mm 304 stainless steel legs with adjustable feet
- Fully modular framed stand shelf with 0.9mm 304 stainless steel finish
- Quick assembly design (no tools required)

## Controls

- 90-300°C thermostat
- Large easy use control knob - heat resistant reinforced
- Easy view control settings on knob
- Flame failure pilot burner
- Piezo ignition to pilot burner

## Cleaning and Servicing

- All models with easy clean stainless steel external finish
- Plate is finished front and rear with overlap construction to remove cleaning traps
- Control service and gas conversion through front of unit
- Burner service requires plate removal

Technical data sheet for

# GAS GRIDDLE 450mm

Waldorf 800 SERIES

## Specifications

**Burner**
3 bar Chromed steel burner with pilot, flame failure and piezo ignition
**Gas power**
40MJ/hr, 11.1kW
**Plate**
Cooking surface 442mm x 530mm, 2343cm2
**Gas connection**
R ¾ (BSP) male
130mm from RH side, 35mm from rear, and 655mm from floor
All units supplied with Natural and LP gas regulator

### Dimensions

**Bench model**
Weight 77kg
Width 450mm
Depth 805mm
Height 315mm
Incl. splashback 530mm
Incl. low back 370mm
**Cabinet Base / Leg Stand models**
Weight 90kg
Width 450mm
Depth 805mm
Height 915mm
Incl. splashback 1130mm
Incl. low back 970mm

### Packing data

**Bench model**
0.29m3, 111kg
Width 870mm
Depth 495mm
Height 665mm
**Cabinet Base / Leg Stand models**
0.54m3, 130kg
Width 870mm
Depth 495mm
Height 1255mm


### Gas types

Available in Natural gas and LP gas
Please specify when ordering
Units supplied complete with gas type conversion kits
Other gas types on request


### Options at extra cost

Joining caps
Castors
Plinth mounting
Fill width ribbed plate option
Fill width mirror chromed plate option


### GP8450G-B
### Bench Model





### GP8450G-CB
### Cabinet Base




### GP8450G-LS
### Leg Stand




### Plan




MOFFAT

**moffat.com.au**
**moffat.co.nz**

**Australia**
**moffat.com.au**

**Moffat Pty Limited**

Victoria/Tasmania
740 Springvale Road
Mulgrave, Victoria 3170
Telephone +613-9518 3888
Facsimile +613-9518 3833
vsales@moffat.com.au

New South Wales
Telephone +612-8833 4111
nswsales@moffat.com.au

South Australia
Telephone +613-9518 3888
vsales@moffat.com.au

Queensland
Telephone +617-3630 8600
qldsales@moffat.com.au

Western Australia
Telephone +618-9413 2400
wasales@moffat.com.au

**New Zealand**
**moffat.co.nz**

**Moffat Limited**

Rolleston
45 Illinois Drive
Izone Business Hub
Rolleston 7675
Telephone +64 3-983 6600
Facsimile +64 3-983 6660
sales@moffat.co.nz

Auckland
Telephone +64 9-574 3150
sales@moffat.co.nz

24:7 Service Support

ISO9001 Quality Management Standard

Cert. No. 6898

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd
AN.W8.08/19

an Ali Group Company

The Spirit of Excellence