



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

**Waldorf 800 Series CSL8450E - 450mm Electric Chip Scuttle Low Back Version**

**Model / SKU: CSL8450E**

#### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: [https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/CS8450E\\_AN.pdf](https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/CS8450E_AN.pdf)

# Electric Chip Scuttle 450mm

CSLB8450E



## OVERALL CONSTRUCTION

- Stainless steel drain screen
- Stainless steel pan
- Bull nose welded 1.5mm stainless steel
- Splashback and side panels 1.2mm stainless steel
- 150mm legs in 63mm dia. heavy-duty 1.2mm 304 stainless steel with adjustable feet

## CONTROLS

- On / Off power / heater switch

## CLEANING AND SERVICING


- Easy clean stainless steel exterior
- Lift out drain screen
- All service access from front of unit

- Heavy-duty construction
- Easy clean stainless steel pan
- 1.0kW infrared ceramic heater
- Removable scoop / drain screen
- Stainless steel exterior
- Vitreous enamel finish to front panels
- Easy service
- Fully modular

# Electric Chip Scuttle 450mm

CSLB8450E

CSLB8450E



## SPECIFICATIONS

### Heating Element

1 x 1kW ceramic infrared heater

### Electrical requirements

1kW, 220-240Vac, 50/60hz,

1P+N+E 4.5A

3 pin 10A cordset fitted

### Electrical connection

90mm from RH side

200mm from floor

### Dimensions

Width 450mm

Depth 805mm

Height 915mm

Incl. low back 1085mm

Incl. heater 1179mm

### Nett weight

53kg

### Packing data

0.58m3, 95kg

Width 490mm

Depth 865mm

Height 1350mm

## OPTIONS AT EXTRA COST

Joining caps

Side splash guards

Castors

Plinth mounting



moffat.com.au

moffat.co.nz

### Australia

moffat.com.au

### Moffat Pty Limited

Victoria/Tasmania

740 Springvale Road

Mulgrave, Victoria 3170

Telephone +613-9518 3888

Facsimile +613-9518 3833

vsales@moffat.com.au

New South Wales

Telephone +612-8833 4111

nswsales@moffat.com.au

South Australia

Telephone +613-9518 3888

vsales@moffat.com.au

Queensland

Telephone +617-3630 8600

qldsals@moffat.com.au

Western Australia

Telephone +618-9413 2400

wasales@moffat.com.au

### New Zealand

moffat.co.nz

### Moffat Limited

Rolleston

45 Illinois Drive

Izone Business Hub

Rolleston 7675

Telephone +64 3-983 6600

Facsimile +64 3-983 6660

sales@moffat.co.nz

Auckland

Telephone +64 9-574 3150

sales@moffat.co.nz



Designed and manufactured by



ISO9001

All Blue Seal products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.



Copyright Moffat Ltd.  
AN.W8.2019

an Ali Group Company



The Spirit of Excellence