



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Waldorf 800 Series SF8900-CB - 900mm Solid Fuel Grill - 215mm Splashback Version - Ca

Model / SKU: SF8900-CB

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/SF8600_SF8900_SF8120_AN.pdf

Solid Fuel Grill 600 / 900 / 1200mm

SF8600-CB, SF8900-CB, SF8120-CB, SFL8600-CB, SFL8900-CB, SFL8120-CB
SF8600-CD, SF8900-CD, SF8120-CD, SFL8600-CD, SFL8900-CD, SFL8120-CD



SF8900-CB

- Fully modular solid fuel grill
- 3 modular width models
- Heavy-duty fire box
- Heavy-duty stainless steel rod grates
- Stainless steel exterior
- Open box easy clean
- Low back models (SFL) available
- Ash rake included

SERIES OPTIONS

- SF - Standard splashback models
- SFL - Low back models

OVERALL CONSTRUCTION

GRILL

- Welded hob with 1.5mm 304 stainless steel bull nose
- Spalshback and side panels 1.2mm 304 stainless steel
- Front panel's 0.9mm stainless steel
- 50mm thick refractory brick lined fire box
- Insulated sides

CABINET BASE (supplied as CB model)

- Fully modular for match suite finish
- Double skin 0.9mm stainless steel interior and exterior
- Optional GN 1/1 4 position racking kit (600 & 900mm)
- 63mm dia. Heavy-duty 1.2mm stainless steel legs with adjustable feet

CABINET BASE WITH DOORS (supplied as CD model)


- Fully modular for match suite finish
- Double skin 0.9mm stainless steel interior and exterior
- Optional GN 1/1 4 position racking kit (600 & 900mm)
- 63mm dia. heavy-duty 1.2mm stainless steel legs with adjustable feet
- Double skin door with 0.9mm stainless steel exterior

CLEANING AND SERVICING

- Stainless steel exterior finish
- Lift off grates
- Modular replaceable refractory bricks

Solid Fuel Grill 600 / 900 / 1200mm

SF8600-CB, SF8900-CB, SF8120-CB, SFL8600-CB, SFL8900-CB, SFL8120-CB
SF8600-CD, SF8900-CD, SF8120-CD, SFL8600-CD, SFL8900-CD, SFL8120-CD



moftat.com.au
moftat.co.nz

Australia
moftat.com.au

Moffat Pty Limited

Victoria/Tasmania
740 Springvale Road
Mulgrave, Victoria 3170
Telephone +613-9518 3888
Facsimile +613-9518 3833
vsales@moffat.com.au

New South Wales
Telephone +612-8833 4111
nswsales@moffat.com.au

South Australia
Telephone +613-9518 3888
vsales@moffat.com.au

Queensland
Telephone +617-3630 8600
qlsales@moffat.com.au

Western Australia
Telephone +618-9413 2400
wasales@moffat.com.au

New Zealand
moftat.co.nz

Moffat Limited

Rolleston
45 Illinois Drive
Izone Business Hub
Rolleston 7675
Telephone +64 3-983 6600
Facsimile +64 3-983 6660
sales@moffat.co.nz

Auckland
Telephone +64 9-574 3150
sales@moffat.co.nz



Designed and manufactured by



ISO9001

All Blue Seal products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

Copyright Moffat Ltd.
AN.W8.2019

SPECIFICATIONS

Ventilation and Hoods

Solid fuel grills require separate exhaust canopies. Installations must comply with National and Local ventilation codes and regulations.

Dimensions

SF8600

Width 600mm
Depth 805mm
Height 915mm
Incl. low back 970mm
Incl. splashback 1130mm
Nett weight 190kg

SF8900

Width 900mm
Depth 805mm
Height 915mm
Incl. low back 970mm
Incl. splashback 1130mm
Nett weight 260kg

SF8120

Width 1200mm
Depth 805mm
Height 915mm
Incl. low back 970mm
Incl. splashback 1130mm
Nett weight 320kg

Packing data

SF8600

0.70m³, 240kg
Width 645mm
Depth 870mm
Height 1255mm

SF8900

1.03m³, 325kg
Width 945mm
Depth 870mm
Height 1255mm

SF8120

1.36m³, 400kg
Width 1245mm
Depth 870mm
Height 1255mm

OPTIONS AT EXTRA COST

Castors
Plinth mounting

an Ali Group Company



The Spirit of Excellence