



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Waldorf 800 Series SN8100EQ - 600mm Electric Salamander

Model / SKU: SN8100EQ

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/SN8100EQ_AN.pdf

Technical data sheet for

ADJUSTABLE ULTRARAPID ELECTRIC SALAMANDER

SN8100EQ / SN8100EQT



- 4kW
- Self balancing adjustable grill height
- 1/1 GN pan compatible
- Infrared tungsten heating elements protected by a glass ceramic plate
- Ultra quick heating – 20 seconds to reach maximum temperature from ignition, max 5 seconds in operation
- Energy saving with ultra quick heating from idle
- Two independent cooking areas
- Large view digital display for timer countdown and easy to use control for time and cooking zone selection
- Perfect cooking uniformity with deflector and centering of the cooking plate under the heating elements
- Minimum heat dispersion - hot air is released towards the back reducing the temperature within the operating areas
- Insulated external surfaces and handle for operator safety
- Open on 3 sides allowing easy loading
- Wall mounting bracket option
- Easy clean

SN8100EQT - Contact version

- Enhanced energy saving with pan detection bar for automatic switching on and off

Overall Construction

- Stainless steel exterior
- Infrared heating elements
- Removable drip tray
- Chrome plated grids
- Heat resistant handle
- Rounded corners for easy cleaning
- Adjustable feet

Controls

- Large easy use controls for time setting
- Digital display
- Electronic selector for timer Start / Stop and cooking area
- Indicator lights for Power On

Accessories

- Pair of wall mount support

Technical data sheet for

ADJUSTABLE ULTRARAPID ELECTRIC SALAMANDER



Specifications

Elements

4kW

Electrical requirements

400-415V, 2P+N+E, 50/60Hz, 4kW, 10A

DIMENSIONS

Width 600mm

Depth 548mm

Height 500mm

COOKING AREA

Rack size 600mm x 350mm

1/1 GN pan size

PACKING DATA

0.31m³, 61kg


ELECTRICAL CONNECTION

10A 5 pin plug

OPTIONS AT EXTRA COST

Wall mounting bracket

SN8100EQ / SN8100EQT



moffat.com.au
moffat.co.nz

Australia
moffat.com.au

Moffat Pty Limited

Victoria/Tasmania
740 Springvale Road
Mulgrave, Victoria 3170
Telephone +613-9518 3888
Facsimile +613-9518 3833
vsales@moffat.com.au

New South Wales
Telephone +612-8833 4111
nswsales@moffat.com.au

South Australia
Telephone +613-9518 3888
vsales@moffat.com.au

Queensland
Telephone +617-3630 8600
qldsales@moffat.com.au

Western Australia
Telephone +618-9413 2400
wasales@moffat.com.au

New Zealand
moffat.co.nz

Moffat Limited

Rolleston
45 Illinois Drive
Izone Business Hub
Rolleston 7675
Telephone +64 3-983 6600
Facsimile +64 3-983 6660
sales@moffat.co.nz

Auckland
Telephone +64 9-574 3150
sales@moffat.co.nz



In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd
AN.W8.01/24

an Ali Group Company



The Spirit of Excellence