# PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

## PRODUCT

## Waldorf 800 Series CHL8600ED-CB - 600mm Electric Chargrill Low Back Version - Cabine

## Model / SKU: CHL8600ED-CB


### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au


Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://moffat.global.ssl.fastly.net/sites/default/files/products/specification/CH8600ED_an.pdf

ELECTRIC

Waldorf 800 SERIES

Technical data sheet for

# ELECTRIC CHARGRILL 600mm

CH8600ED-B, CH8600ED-LS, CH8600ED-CB

CH8600ED-LS

- Heavy-duty electric chargrill
- Direct contact cooking elements
- Fast response heating
- Up to 400°C cooking temperature
- No cooking grates required
- 8.4kW heating elements
- Water filled cooking well with drain
- Improves performance / avoids fat fires / eases cleaning
- Manual water fill
- Drain collection pan
- 2 models of base unit
- Stainless steel exterior
- Easy clean
- Easy service
- Fully modular
- Low back models (CHL) available

## Series Options

**CH** - Standard splashback models

**CHL** - Low back models

**CHB** - Bold vitreous enamel colour front finish on standard splashback models

**CHLB** - Bold vitreous enamel colour front finish on low back models

## Overall Construction

**CHARGRILL**

- Welded hob with 2.0mm 304 stainless steel bull nose
- Cooking well in 304 stainless steel
- Splashback and side panels 1.2mm 304 stainless steel
- Stainless steel splash guards sides and rear
- Front panels 0.9mm 304 stainless steel
- Stainless steel Drain Collection Pan

**BENCH MOUNT** (supplied as – B model)

- Four 63mm dia. heavy-duty 1.2mm 304 stainless steel bench legs with adjustable feet
- Adjustable height 80mm – 105mm

**LEG STAND** (supplied as – LS model)

- Fully modular for matched suite finish
- Framed top for connection to Chargrill
- 63mm dia. heavy-duty 1.2mm 304 stainless steel legs with adjustable feet
- Fully modular framed stand shelf with 0.9mm 304 stainless steel finish
- Quick assembly design (no tools required)

**CABINET BASE** (supplied as – CB model)

- Fully modular for match suite finish
- Double skin 0.9mm 304 stainless steel interior and exterior
- Optional GN 1/1 4 position racking kit
- 63mm dia. heavy-duty 1.2mm 304 stainless steel legs with adjustable feet

## Controls

- Separate left and right heat zone controls
- Element hinge switch for heating element cut-out when elements hinged up
- Large easy use control knob - heat resistant reinforced
- Easy view control settings on knob
- Indicator lights for power heating

## Cleaning and Servicing

- All models with easy clean stainless steel external finish
- Removable splash guards
- Hinge up elements with safety support stay
- Element cleaning tool
- Cooking well with drain for wash out cleaning
- Slide out drain collection pan
- Control service through front of unit

Waldorf 800 SERIES

Technical data sheet for

# ELECTRIC CHARGRILL 600mm

CH8600ED-B, CH8600ED-LS, CH8600ED-CB

## Specifications

### Elements

5 direct contact heating elements

**Cooking area**

450mm x 590mm, 2655cm2

**Electrical requirements**

8.4kW
400-415Vac, 50/60Hz, 3P+N+E

| | |
|---|---|
| L1 | 11A |
| L2 | 11A |
| L3 | 15A |

**Electrical connection**

130mm from LH side, 30mm from rear, and 635mm from floor

### Dimensions

**Bench model**

Width 600mm
Depth 805mm
Height 355mm
Incl. splashback 570mm
Incl. low back 410mm

**All models (excluding Bench model)**

Width 600mm
Depth 805mm
Height 915mm
Incl. splashback 1130mm
Incl. low back 970mm

### Nett Weight

Bench and Leg Stand models
68kg
Cabinet Base models
70kg

### Packing data

**Bench and Leg Stand models**

0.37m3, 99kg
Width 645mm
Depth 870mm
Height 855mm

**Cabinet Base models**

0.70m3, 127kg
Width 645mm
Depth 870mm
Height 1255mm

### Options at extra cost

Castors
Plinth mounting

CH8600ED-B




CH8600ED-LS




CH8600ED-CB




CH8600ED




MOFFAT


**moffat.com.au**
**moffat.co.nz**

**Australia**
**moffat.com.au**

**Moffat Pty Limited**

Victoria/Tasmania
740 Springvale Road
Mulgrave, Victoria 3170
Telephone +613-9518 3888
Facsimile +613-9518 3833
vsales@moffat.com.au

New South Wales
Telephone +612-8833 4111
nswsales@moffat.com.au

South Australia
Telephone +613-9518 3888
vsales@moffat.com.au

Queensland
Telephone +617-3630 8600
qldsales@moffat.com.au

Western Australia
Telephone +618-9413 2400
wasales@moffat.com.au

**New Zealand**
**moffat.co.nz**

**Moffat Limited**

Rolleston
45 Illinois Drive
Izone Business Hub
Rolleston 7675
Telephone +64 3-983 6600
Facsimile +64 3-983 6660
sales@moffat.co.nz

Auckland
Telephone +64 9-574 3150
sales@moffat.co.nz


24:7 Service Support

ISO9001 Quality Management Standard

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.


© Copyright Moffat Ltd

AN.W8.01/24

an Ali Group Company

The Spirit of Excellence