



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Airex AXR.UC.1 Upright Fridge – 1 x Solid Door Refrigerator

Model / SKU: AXR.UC.1


KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: /home/sarah/kw_system/07_Content_Library/product_db/supplier raw data/stoddart_extracted/2_Airex/Data Sheets/axr

axr.uc.1 a4 datasheet

SKU: AXR.UC.1

Distributed by KW Commercial - kwcommercial.com.au

Manufacturer documentation - (c) Airex

Retrieved: 2026-07-08

<https://www.kwcommercial.com.au/product/airex-axr-uc-1-upright-fridge-1-x-solid-door-refrigerator>

Product Information

- Adjustable digital temperature control (from -2°C - 8°C)
- Fan assisted cooling
- Protective coating on refrigeration coil to help prevent corrosion
- Environmentally friendly R600a Hydrocarbon refrigerant
- Two adjustable shelves and base shelf included
- Reversible doors - lockable
- CFC free polyurethane insulation
- Supplied on adjustable feet
- 600mm depth to suit compact applications

Designed & Engineered in Australia to meet Australian Standards
24 Months on-site parts and labour warranty



Specifications

Model	AXR.UC.1
W x D x H (mm)	595 x 600 x 840
Weight	44kg
Packed Dimensions (mm)	630 x 640 x 1055
Packed Weight	53kg
Net Capacity	77 Litres
Operation	-2°C - 8°C
Refrigerant	R600a
Climate Class	4
Max Ambient	32°C
Total Connected Load	0.32kW
Power	1Ø+N+E 230VAC / 50Hz 10A plug & lead

Legend

A Electrical Connection

