



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

## Airex AXR.UC.1G Upright Fridge – 1 x Glass Door Refrigerator

**Model / SKU: AXR.UC.1G**

### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

# **axr.uc.1g b5 datasheet**

SKU: AXR.UC.1G

Distributed by KW Commercial - [kwcommercial.com.au](http://kwcommercial.com.au)

Manufacturer documentation - (c) Airex

Retrieved: 2026-07-08

<https://www.kwcommercial.com.au/product/airex-axr-uc-1g-upright-fridge-1-x-glass-door-refrigerator>

### Product Information

- Adjustable digital temperature control (from -2°C - 8°C)
- Fan assisted cooling
- Protective coating on refrigeration coil to help prevent corrosion
- Environmentally friendly R600a Hydrocarbon refrigerant
- Two adjustable shelves and base shelf included
- Double glazed heated glass door for exceptional display and minimal condensation
- CFC free polyurethane insulation
- Supplied on adjustable feet
- 600mm depth to suit compact applications

**Designed & Engineered in Australia to meet Australian Standards**  
**24 Months on-site parts and labour warranty**



### Specifications

|                               |                                         |
|-------------------------------|-----------------------------------------|
| <b>Model</b>                  | AXR.UC.1G                               |
| <b>W x D x H (mm)</b>         | 595 x 600 x 840                         |
| <b>Weight</b>                 | 49kg                                    |
| <b>Packed Dimensions (mm)</b> | 630 x 640 x 1055                        |
| <b>Packed Weight</b>          | 58kg                                    |
| <b>Net Capacity</b>           | 77 Litres                               |
| <b>Operation</b>              | -2°C - 8°C                              |
| <b>Refrigerant</b>            | R600a                                   |
| <b>Climate Class</b>          | 4                                       |
| <b>Max Ambient</b>            | 32°C                                    |
| <b>Total Connected Load</b>   | 0.32kW                                  |
| <b>Power</b>                  | 1Ø+N+E 230VAC / 50Hz<br>10A plug & lead |

### Legend

**A** Electrical Connection

