



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

## Culinaire CH.BM.D.GA.8 Drop-In Bain Marie – 8 Bay, A-Frame

**Model / SKU: CH.BM.D.GA.8**

### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

## ch.bm.d.ga.8 a3 datasheet

SKU: CH.BM.D.GA.8

Distributed by KW Commercial - [kwcommercial.com.au](http://kwcommercial.com.au)

Manufacturer documentation - (c) Culinaire

Retrieved: 2026-07-08

<https://www.kwcommercial.com.au/product/culinaire-ch-bm-d-ga-8-hot-food-bain-marie-8-bay-drop-in-with-a-fr>

### Product Information

- Unit designed to be installed into a new or existing bench top cut-out. Complete with, A-Frame 304 stainless steel gantry. (Gantry welded to bench top)
- Wet or dry operation (temperature varies greatly when run dry, should not be left unattended for long periods of time)
- Temperature regulation via digital control, designed to hold product between 65°C - 90°C.
- Independent controls for baine marie, hot cupboard and gantry
- A-frame gantry fitted with Quartz IR heat lamps
- Air insulated, double skinned tank for energy efficient heating
- Gantry constructed from 304 grade stainless steel with a No.4 finish and 6mm toughened glass end
- Manual fill and manual empty, valve operated waste
- 1/1 GN sized well, fits pans up to 150mm deep (sold separately). Supplied with pan dividers
- 12-month parts and labour warranty**



### Specifications

|                               |                                             |
|-------------------------------|---------------------------------------------|
| <b>Model</b>                  | CH.BM.D.GA.8                                |
| <b>W x D x H (mm)</b>         | 2837 x 647 x 760                            |
| <b>Cutout Dimensions (mm)</b> | 2815 x 625                                  |
| <b>Total Connected Load</b>   | 7.8kW                                       |
| <b>Electrical Connection</b>  | 3Ø+N+E 400VAC / 50Hz<br>(Onsite connection) |
| <b>Water Connection</b>       | G 1/2" BSP                                  |
| <b>Waste Connection</b>       | 1 1/4" BSP                                  |

### Optional Extras


|                                                                |               |
|----------------------------------------------------------------|---------------|
| <b>Radius Well</b>                                             |               |
| Add <b>R</b> to code after the <b>D</b>                        | CH.BM.DR.GA.8 |
| <b>Front Glass</b>                                             | CA.GAF.8      |
| <b>Sliding Doors</b>                                           | CA.GAD.8      |
| <b>Sneeze Guards</b>                                           | CA.GAS.8      |
| <b>Note:</b> Optional extras must be selected at time of order |               |

### Accessories

|                                                        |        |
|--------------------------------------------------------|--------|
| <b>Large Pan Dividers</b><br>(To suit large GN pans)   | CA.PXL |
| <b>Cross Pan Dividers</b><br>(To suit smaller GN pans) | CA.PXS |

### Legend

|          |                       |
|----------|-----------------------|
| <b>A</b> | Electrical Connection |
| <b>B</b> | Water Connection      |
| <b>C</b> | Waste Connection      |



[www.stoddart.com.au](http://www.stoddart.com.au)  
[www.stoddart.co.nz](http://www.stoddart.co.nz)

Revision: A - 20/12/2024 - 03

Due to continuous product research and development,  
the information contained herein is subject to change without notice.

