



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Culinaire CH.BMHC.U.GSF.6 Hot Food Bain Marie – 6 Bay, Under Bench

Model / SKU: CH.BMHC.U.GSF.6

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

ch.bmhc.u.gsf.6 b3 datasheet

SKU: CH.BMHC.U.GSF.6

Distributed by KW Commercial - kwcommercial.com.au

Manufacturer documentation - (c) Culinaire

Retrieved: 2026-07-08

<https://www.kwcommercial.com.au/product/culinaire-ch-bmhc-u-gsf-6-hot-food-bain-marie-6-bay-under-bench>

Product Information:

- This unit is designed to be mounted under a custom made bench top of your choice (manufactured & fitted by others)
- Wet or dry operation (temperature varies greatly when run dry, should not be left unattended for long periods of time)
- Temperature regulation via digital control, designed to hold product between 65°C - 90°C.
- Air insulated, double skinned tank for energy efficient heating
- Hot cupboard equipped with a fan forced heating system
- Independent controls for baine marie, hot cupboard, and gantry
- Gantry fitted with 10mm thick toughened glass and overhead Quartz IR heat lamps with adjustable temperature
- Gantry height adjustable at installation for bench top thickness
- Robust 304 grade stainless steel construction
- Manual fill and manual empty, valve operated waste
- 1/1 GN sized well, fits pans up to 150mm deep (sold separately). Pans are recessed to minimise water condensation on surrounding bench top
- Additional combinations and painted black centre section available (P.O.A), contact your Stoddart representative for more information
- **Made to Order**
- **12-month parts and labour warranty**



Specifications

Model	CH.BMHC.U.GSF.6
W x D x H (mm)	2203 x 830 x 1260
Total Connected Load	7.9kW
Electrical Connection	3Ø+N+E 400VAC / 50Hz (Onsite connection)
Water Connection	G 1/2" BSP
Waste Connection	1 1/4" BSP



Optional Extras

Radius Well	
Add R to code after the U	CH.BMHC.UR.GSF.6

Left Hand Controls	
Add .L after the U or UR in the product code to specify left hand controls	CH.BMHC.UR.L.GSF.6

Legend

A	Electrical Connection
B	Water Connection
C	Waste Connection



Revision: B - 07/01/2025 - 02

www.stoddart.com.au
www.stoddart.co.nz

Due to continuous product research and development,
the information contained herein is subject to change without notice.