



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

TurboChef SPTC.SOTA Rapid Cook Oven

Model / SKU: SPTC.SOTA

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

sptc.sota a2 datasheet

SKU: SPTC.SOTA

Distributed by KW Commercial - kwcommercial.com.au

Manufacturer documentation - (c) TurboChef

Retrieved: 2026-07-08

<https://www.kwcommercial.com.au/product/turbochef-sptc-sota-rapid-cook-oven>

Product Information

- 7" capacitive touch screen with intuitive one-touch controls, featuring a durable tempered glass cover
- Smart menu system store unlimited recipes with customisable menu settings via USB, or manual entry
- Flash firmware updates and programmable via USB
- Single or dual-temperature interface
- Integral recirculating catalytic converter for ventless operation
- Independently-controlled top and bottom dual motors for recirculating impingement airflow
- Self-diagnostics for monitoring oven components and performance
- Patented Top-launched microwave system with stirrer to help ensure even distribution of air and microwave
- Unique microwave system that allows for use of all metal pans and cookware
- Fully welded and insulated cook chamber
- Removable rack and lower jetplate
- External air filtration
- 4" adjustable legs
- **12-month warranty (Terms and conditions apply)**



Included Accessories

- 1 Oven Cleaner and Guard Kit
- 2 Solid Aluminum Pans
- 1 Aluminum Paddle

Specifications

Model	SPTC.SOTA
W x D x H (mm)	406 x 757 x 635
Weight	61kg
Chamber W x D x H (mm)	317 x 266 x 183
Volume	15.4 Litres
Total Connected Load	6.2kW (20A circuit*)
Electrical Connection	3Ø + N + E 400VAC / 50Hz Clipsal, 5-pin, 20A plug and lead fitted (1.8m)

*This oven requires a D type circuit breaker for all installations.

Shipping	Box: 940 x 610 x 940 / 77kg Crate: 965 x 660 x 965 / 109kg
-----------------	---

Legend

- A** Electrical Connection
- B** USB Input

