



## PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

### PRODUCT

**TurboChef SPTC.DOUBLEBATCH Rapid Cook Oven - Dual Cooking Chambers**

**Model / SKU: SPTC.DOUBLEBATCH**


#### KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email [sales@kwcommercial.com.au](mailto:sales@kwcommercial.com.au)

Web [www.kwcommercial.com.au](http://www.kwcommercial.com.au)



Scan for the current KW product page

### DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

# sptc.doublebatch a1 datasheet

SKU: SPTC.DOUBLEBATCH

Distributed by KW Commercial - kwcommercial.com.au

Manufacturer documentation - (c) TurboChef

Retrieved: 2026-07-08

<https://www.kwcommercial.com.au/product/turbochef-sptc-doublebatch-rapid-cook-oven-dual-cooking-chamber>

### Product Information

- 7" intuitive capacitive touch screen with one-touch controls and icons, featuring durable tempered glass
  - Multi-language selection
  - Smart menu system store unlimited recipes with customisable menu settings via IoT, USB, or manual entry
  - Flash firmware updates and programmable via USB
  - Single or multiple-temperature interface
  - Integral recirculating catalytic converter for ventless operation
  - Variable-speed recirculating air impingement system
  - Self-diagnostics for monitoring oven components and performance
  - Fully insulated cook chambers
  - Top and bottom jetplates
  - Oscillating rack for high heat transfers without spotting
  - Half-sheet pan/ 405mm (16") pizza capacity
  - External air filtration
  - Rubber seal for surface mounting
  - Doublebatch units can be stacked (requires stacking kit, sold separately)
- **12-month warranty (Terms and conditions apply)**



### Included Accessories

- 1 Aluminum Paddle
- 1 Bottle Oven Cleaner
- 1 Bottle Oven Guard
- 2 Trigger Sprayers
- 4 Oven Legs – Optional

### Specifications

|                               |                                                                             |
|-------------------------------|-----------------------------------------------------------------------------|
| <b>Model</b>                  | SPTC.DOUBLEBATCH                                                            |
| <b>W x D x H (mm)</b>         | 752 x 806 x 589                                                             |
| <b>Weight</b>                 | 119kg                                                                       |
| <b>Chamber W x D x H (mm)</b> | 610 x 406 x 254 per cavity                                                  |
| <b>Volume</b>                 | 16.7 Litres                                                                 |
| <b>Total Connected Load</b>   | 8.7kW (20A circuit*)                                                        |
| <b>Electrical Connection</b>  | 3Ø + N + E 400VAC / 50Hz<br>Clipsal, 5-pin, 20A plug and lead fitted (1.8m) |

\*Circuit required to be determined at installation by a qualified electrician.

|                 |                                                                 |
|-----------------|-----------------------------------------------------------------|
| <b>Shipping</b> | Box: 940 x 914 x 889 / 146kg<br>Crate: 991 x 1016 x 914 / 186kg |
|-----------------|-----------------------------------------------------------------|

### Legend

- A** Electrical Connection
- B** USB Input

