



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

CookRite AT80G8B-C-LPG Open 8 Burner Cooktop – 1200mm, LPG

Model / SKU: AT80G8B-C-LPG

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://simcogroup.com.au/pub/media/pdfattach/a/t/at80g4b-c_and_4b-o.pdf



CATERING EQUIPMENT AUSTRALIA

1300 883 888
www.simcogroup.com.au

SIMCO

CATERING EQUIPMENT



The Best Commercial Equipment For Your Kitchen

July 2026

www.simcogroup.com.au

VOLUME FIVE

CONTACT US

The people behind Simco Group

General enquiries & Office Admin	1300 883 888 info@simcogroup.com.au
Service	service@simcogroup.com.au
IT	it@simcogroup.com.au
Accounts	accounts@simcogroup.com.au
Warehouse	warehouse@simcogroup.com.au
Business Development Manager	0452 628 138 bdm@simcogroup.com.au
Sales NSW & ACT	0450 388 138 sales@simcogroup.com.au
Sales QLD	0424 088 138 salesqld@simcogroup.com.au
Sales VIC & TAS	0452 128 138 salesvic@simcogroup.com.au
Sales WA & NT	0451 818 138 saleswa@simcogroup.com.au

HEAD OFFICE / SHOWROOM SYDNEY 3-9B FORGE STREET BLACKTOWN NSW 2148

Warehouse open from 8am – 4pm Mon-Friday
Show-room / Office open from 9am – 5pm Mon – Friday
Open on Saturday by appointment only

SIMCO CATERING EQUIPMENT AUSTRALIA THE SIMCO GROUP

WELCOME TO THE SIMCO GROUP AUSTRALIA

Simco Catering Equipment Australia brings a breath of fresh air to the industry, showcasing the most affordable variety of commercial catering equipment ever seen in Australia.

Now the reality of starting a business in Australia is within everyone’s reach, thanks to the price point of the Simco range of products.

INTRODUCING SIMCO CATERING EQUIPMENT AUSTRALIA

Australia’s most economical and affordable range of commercial catering equipment is here!

- Commercial refrigeration and freezers
- Commercial gas cooking equipment
- Stainless steel benching and sinks
- Stainless steel hood canopy solutions
- Ductless hood canopies
- Bench-top buffet equipment
- Bench-top cooking and preparation equipment.



- *Simco covers a large range of commercial equipment tailor-made for the Australian industry.*
- *Simco recognised that Australia needed a better solution to its commercial catering equipment and refrigeration demands. We are committed to providing Australia with equipment that is environmentally responsible, and built to withstand the harshest of Australian conditions. The Simco range of products are backed by an Australia wide, full parts and labour warranty. We have refrigeration mechanics and gas fitters in place throughout Australia, so you can have peace of mind when purchasing our products. With many years of experience in the Australian hospitality industry, our directors have left no stone unturned to deliver a high standard in commercial catering equipment and refrigeration. Our expert team of engineers have developed a great range of refrigeration tailored for hot kitchens.*
- *SIMCO understands the Australian way of cooking with our heavy-duty ranges that can withstand the day to day activities of any chef. Designed to suit many sectors such as restaurants, hotels and other food manufacturing facilities, our Euro design appearance is smart, sleek and unique to the industry. Internationally our products are recognised as the benchmark of engineering, functionality and reliability.*
- *SIMCO realises the importance of keeping products cool all year round, so we have come up with an affordable range of Commercial Refrigeration that can cope with conditions of up to 43°C.*
- *Our gas cooking equipment, along with our stainless steel benching, sinks and our exhaust hood canopy systems are all within everyone's reach now with Simco making them affordable.*

OUR MISSION

- *Our mission is to deliver affordable and reliable products under the Simco-group banner to the Australian hospitality industry. We pride ourselves in service and the quality of our equipment. Our main goal is to provide new designs and innovation to the Australian marketplace. It is very important to us to build and maintain a strong relationship with our selected group of distributors. We will give them ongoing support making Simco an easy company to deal with.*
- *Our mission is to make Australian kitchens better and be able to keep up with the never-ending demand of supply and distribution of equipment to every state of Australia.*
WE SELL THROUGH OUR DISTRIBUTORS AUSTRALIA WIDE AND CAN CONNECT YOU TODAY WITH OUR DEALERS IN EVERY CORNER OF AUSTRALIA.
- *Simco works closely with and supports our dealer network across the country.*
- *Our distributors can help you with our products, as they have access to all of our brands and they are able to help you at a location near you.*
- *Simco has a national service network of gas and refrigeration technicians set up across Australia.*
- *All our products are fully backed with an Australia wide warranty, giving you peace of mind when choosing a product from Simco.*
- *All our terms and conditions are on our website www.simcogroup.com.au*
- *Simco Catering Equipment Australia is a family owned Australian company. The owners and the sales team have been in the Australian hospitality industry for over 15 years and are always keeping up with new trends and technology in this field.*
- *Our reputation is about quality service, providing our customers a better solution than they have ever had before with our products and the affordability we offer.*
- *We are about giving our customers a personal level of service and building long term relationships.*
- *We pride ourselves, along with our dealer network, that we can deliver our promise of service & solutions to our industry.*

- *With the backing of our technical support and experienced sales teams, we can specialise in offering ongoing professional service and accurate advice.*
- *Our main goal at Simco is to listen to our customers needs and respond quickly. Simco Catering Equipment has been in operation now for 12 years in Australia.*
- *We have Sydney and Perth warehouses and our head office is in Sydney .*
- *We are making kitchens better and we provide simple solutions. You will not find a more suitable range of products for your kitchen anywhere in Australia.*
- *Come and visit us today, contact us by phone, email or our website and we will make it happen for you.*



THE SIMCO GROUP HAS MANY BRANDS UNDER THEIR UMBRELLA.
THESE BRANDS ARE GLOBAL BRANDS NOW IN AUSTRALIA

- *Our manufacturer is the largest commercial catering equipment factory in China.*
- *New products are currently under development and will be available in the near future. We are constantly working on expanding our line to meet the growing demands of the food service industry.*
- *All our products are environmentally safe, utilizing CFC-free refrigerants in both our refrigerators and freezers. Our factory have built their reputation on service, quality and price!*
- *Over the past several years, our factory has made substantial investments in new state-of-the-art equipment, to ensure that every product exceeds local standards. We have introduced advanced technologies from Italy, Japan, and Germany, so every stage of the manufacturing process, engineering, design, and fabrication, is done in-house by our qualified and experienced personnel.*
- *We are also dedicated to designing and producing professional grade stainless steel food pans, chafing dishes, food warmers, and beverage dispensers. We keep in mind the people that have to use our product on a day-to-day basis, in order to create products that have real value and can help make your operation run more efficiently and effectively. It is our constant goal to give you exactly what you need in your professional kitchen. To meet our customers immediate needs, we maintain a large variety of inventory in our corporate warehouses. Our brands are presently located in the USA, UK, Germany, Italy and France. Prior to shipping, all refrigeration units must pass an intense series of tests during a minimum run time of 24 hours. These tests include computer refrigerant charging and vacuum leak decay checks, helium leak detection, vibration noise level, visual examination and a temperature analysis.*
- *We are also very proud to announce the introduction of our very own gas line. Using the latest technologies, We have developed new gas equipment. We have a broad line of products that include hot plates, chargrills, lava rock chargrills, deep fryers, ovens and ranges, with both natural and L.P.G. gas options. Our world class manufacturing facilities, highly skilled employees, combined with our innovative manufacturing processes, ensure that our customers always receive top quality products at economical prices.*
- *We are bringing our major global brands to the Australian Market.*
- *The best commercial equipment for your kitchen is at Simco!*



CONTENT



Atosa Refrigeration

- 01 Top Mounted Gastronorm Refrigerators/Freezers
- 05 Compact Refrigerators/Freezers
- 07 Dual Temperature All-in-one Refrigerators/Freezers
- 09 Gastronorm Display Refrigerators/Freezers
- 13 Bottom Mounted Drink Coolers
- 15 Dual Zone Wine Cooler Refrigerators
- 17 Gastronorm Storage Refrigerators /Freezers- Economy Model
- 21 Blast Chiller
- 23 Back Bar Cooler
- 27 Chest Freezers
- 29 Gastronorm Undercounter Refrigerators/Freezers
- 33 Compact Undercounter Refrigerators/Freezers
- 37 Sandwich Preparation Fridges
- 39 Noodle Bars
- 41 Double Tier Overshelves For Sandwich Bars
- 43 Pizza Prep Table Refrigerators
- 49 Saladettes
- 59 ESL Counter Top Salad Bar
- 61 Chiller/freezers Cabinet
- 63 Back Bar Refrigerators
- 65 Chef Bases
- 67 Ice Maker



Atosa Refrigeration

- 69 Hot Food Bars/Stand
- 73 Cake Showcases
- 87 Hot Display Showcases

CookRite Gas Equipment

- 91 Open Burners
- 93 Griddle
- 95 Char Grill
- 97 CookRites Compact Range
- 99 Equipment Stands
- 101 Deep Fryers
- 103 Oven Ranges

Atosa Combi Ovens

- 105 Atosa Combi Ovens
- 107 Countertop Convection Ovens

Jasper Asian Cooking Equipment

- 111 Asian Range
- 113 Multi-function Cooker
- 115 Stockpot Boiler

Catering Equipment And Stainless

- 117 Catering Equipment
- 123 Premium Stainless Steel Benches
- 127 Premium Stainless Steel Sinks


Simco Hood

- 135 Simco Hood

ATOSA REFRIGERATION



Atosa has some of the most energy efficient refrigeration in the Australian market, combining high grade stainless steel, maximising usable space and reducing energy costs. Our units are ideal for any commercial kitchen environment with ambient working temperatures up to 43°C. Our powerful and reliable refrigeration comes with robust shelves and strong lockable self-closing doors.



By integrating Monitemp into commercial refrigerators and freezers, traditional equipment is transformed into smart, connected systems. Monitemp enables remote monitoring, real-time alerts, temperature traceability, diagnostics, and data analytics, helping businesses reduce operating costs, improve food safety, minimize downtime, and centrally manage multiple locations. It upgrades refrigeration management from manual checks to intelligent monitoring, delivering greater efficiency, reliability, and control for restaurants, retail, cold chain, and food processing businesses.

MONITEMP SMART REFRIGERATION MONITORING FEATURES



1. Remote Control



2. Temperature Monitoring



3. Status Monitoring



4. Temperature History



5. Event & Alarm Records




6. Parameter Configuration



Core End Users

- **Restaurants & Cafés**
- **Supermarkets & Fresh Food Retailers**
- **Multi-site & Chain Businesses**
- **Cold Storage Facilities**
- **Pharmaceutical Cold Chain Operators**



Gastronorm Single Door
Storage Refrigerator/Freezer

MBF8004/MBF8001


Gastronorm Double Door
Storage Refrigerator/Freezer

MBF8005/MBF8002

TOP MOUNTED GASTRONORM
REFRIGERATORS/FREEZERS



- Dual-hinge
- Castors
- Magnetic-seal
- Stainless
- Recessed-handle
- Lock
- Shelves
- Rounded
- Cooling



FEATURES


- Allow 100 mm clearance for air ventilation
- Remove compressor bracket prior to use
- Fits GN pans
- MBF8004, MBF8001 Comes with 3 wire shelves
- MBF8005, MBF8002 Comes with 6 wire shelves

INFORMATION	MBF8004	MBF8001	MBF8005	MBF8002
Capacity	600L	600L	1200L	1200L
Power	330W	550W	408W	830W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C	-2°C~+8°C	-22°C~-17°C
Ambient Temp	43°C	43°C	43°C	43°C
Refrig Gas Type	R600a	R290	R600a	R290
Dimensions(mm)	W730 x D800 x H2075,107kg	W730 x D800 x H2075,120kg	W1314 x D800 x H2075,175kg	W1314 x D800 x H2075,185kg
Packaging Dimensions(mm)	W770 x D860 x H2110,122kg	W770 x D860 x H2110,135kg	W1370 x D860 x H2110,200kg	W1370 x D860 x H2110,210kg
RRP	\$4,036.00	\$4,542.00	\$5,554.00	\$6,187.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST



Gastronorm Three Door
Storage Refrigerator/Freezer



MBF8006/MBF8003



TOP MOUNTED GASTRONORM
REFRIGERATORS/FREEZERS



- Dual-hinge
- Castors
- Magnetic-seal
- Stainless
- Recessed-handle
- Lock
- Shelves
- Rounded
- Cooling



FEATURES

- Allow 100 mm clearance for air ventilation
- Remove compressor bracket prior to use
- Fits GN pans
- Comes with 9 wire shelves RRP \$84.50 each

INFORMATION	MBF8006	MBF8003
Capacity	1800L	1800L
Power	570W	1200W
Voltage	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C
Ambient Temp	43°C	43°C
Refrig Gas Type	R290	R290
Dimensions(mm)	W1976 x D800 x H2075,200kg	W1976 x D800 x H2075,200kg
Packaging Dimensions(mm)	W2030 x D860 x H2110,236kg	W2030 x D860 x H2110,236kg
RRP	\$7,831.00	\$9,096.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST




Compact Double Door
Refrigerator/Freezer
YBF9206/YBF9207

Compact Single Door
Refrigerator/Freezer
YBF9218/YBF9219

COMPACT
REFRIGERATORS/FREEZERS



- Dual-hinge
- Castors
- Magnetic-seal
- Stainless
- Recessed-handle
- Lock
- Shelves
- Rounded
- Cooling



FEATURES

- Single door 410 L capacity refrigerators and freezers
- Double door 900 L capacity refrigerators and freezers
- Single door only 600mm wide / double door only 1200mm wide
- 40°C working ambient temperature
- Tailor-made to handle the Australian climate
- Requires 100mm off the wall for breathing space
- YBF9206,YBF9207 Comes with 3 wire shelves
- YBF9218,YBF9219 Comes with 6 wire shelves
- RRP \$84.50 each

INFORMATION	YBF9206	YBF9207	YBF9218	YBF9219
Capacity	410L	410L	900L	900L
Power	290W	600W	450W	750W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C	-2°C~+8°C	-22°C~-17°C
Ambient Temp	43°C	43°C	43°C	43°C
Refrig Gas Type	R600a	R290	R600a	R290
Dimensions(mm)	W600 x D730 x H1955,82kg	W600 x D730 x H1955,82kg	W1200 x D730 x H1955,132kg	W1200 x D730 x H1955,132kg
Packaging Dimensions(mm)	W655 x D790 x H2000,100kg	W655 x D790 x H2000,100kg	W1255 x D790 x H2000,145kg	W1255 x D790 x H2000,145kg
RRP	\$3,277.00	\$3,783.00	\$4,795.00	\$5,428.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST



Compact Dual Temp
Refrigerator/Freezer
YBF9239

DUAL TEMPERATURE ALL-IN-ONE REFRIGERATORS/FREEZERS



WE ARE THE SPECICOOOLIST!



• Dual-hinge



• Castors



• Recessed-handle



• Lock




• Cooling



• Magnetic-seal



• Stainless





• Shelves



• Rounded

FEATURES

- Dual-temperature all-in-one fridge and freezer
- 2 door unit only 1200mm wide
- 840 L capacity
- Top mounted unit
- 40°C working ambient temperature
- Designed to work in the busiest kitchens
- Tailor-made to handle the Australian climate
- Interior light
- Dual compressors, dual temperature controllers
- Comes with 6 wire shelves
- RRP \$84.50 each



INFORMATION

YBF9239

Capacity	840L
Power	870W
Voltage	220~240V/50Hz
Working Temp	-2°C~+8°C / -22°C~-17°C
Ambient Temp	43°C
Refrig Gas Type	R600a / R290
Dimensions(mm)	W1200 x D730 x H1955,158kg
Packaging Dimensions(mm)	W1255 x D790 x H2000,170kg
RRP	\$7,072.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST

08



Compact Single Display
Refrigerator/Freezer
YCF9401/YCF9407


Compact Double Door Display
Refrigerator/Freezer
YCF9402/YCF9408



GASTRONORM DISPLAY
REFRIGERATORS/FREEZERS



- Stainless
- Cooling
- Castors
- Rounded
- Shelves
- Showcase



FEATURES

- 40°C ambient temperature
- Auto-defrost function
- Comes with 4 shelf per door
- Allow 100 mm clearance for air ventilation
- Anti-fogging heat line on freezer
- YCF9401, YCF9407 Comes with 4 wire shelves
- YCF9402, YCF9408 Comes with 8 wire shelves
- RRP \$65.00 each

INFORMATION	YCF9401	YCF9407	YCF9402	YCF9408
Capacity	410L	410L	900L	900L
Power	290W	800W	450W	1000W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C	-2°C~+8°C	-22°C~-17°C
Ambient Temp	43°C	43°C	43°C	43°C
Refrig Gas Type	R600a	R290	R600a	R290
Dimensions(mm)	W600 x D730 x H1955,92kg	W600 x D730 x H1955,98kg	W1200 x D730 x H1955,152kg	W1200 x D730 x H1955,164kg
Packaging Dimensions(mm)	W655 x D790 x H2000,110kg	W655 x D790 x H2000,115kg	W1255 x D790 x H2000,165kg	W1255 x D790 x H2000,175kg
RRP	\$3,530.00	\$5,175.00	\$4,669.00	\$6,946.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST



Gastronorm 1 Door Display Refrigerator/Freezer
MCF8604 / MCF8601

Gastronorm 2 Door Display Refrigerator/Freezer
MCF8605 / MCF8602




GASTRONORM DISPLAY REFRIGERATORS/FREEZERS



WE ARE THE SPECICOOOLIST!

- Stainless
- Cooling
- Castors
- Rounded
- Shelves
- Showcase



FEATURES

- Gastronorm type, available to put GN2/1 pan
- 43°C ambient temperature
- Auto-defrost function
- Comes with 4 shelf per door
- Allow 100 mm clearance for air ventilation
- Anti-fogging heat line on freezer
- MCF8604, MCF8601 Comes with 4 wire shelves
- MCF8605, MCF8602 Comes with 8 wire shelves
- RRP \$84.50 each

INFORMATION	MCF8604	MCF8601	MCF8605	MCF8602
Capacity	670L	670L	1240L	1240L
Power	280W	750W	350W	1100W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C	-2°C~+8°C	-22°C~-17°C
Ambient Temp	43°C	43°C	43°C	43°C
Refrig Gas Type	R600a	R290	R600a	R290
Dimensions(mm)	W730 x D805 x H2075,115kg	W730 x D805 x H2075,122kg	W1314 x D805 x H2075,183kg	W1314 x D805 x H2075,189kg
Packaging Dimensions(mm)	W770 x D860 x H2110,130kg	W770 x D860 x H2110,140kg	W1370 x D860 x H2110,206kg	W1355 x D880 x H2180,206kg
RRP	\$4,416.00	\$6,060.00	\$6,060.00	\$8,084.00




2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST



BOTTOM MOUNTED DRINK COOLERS



• Cooling

• Shelves

• Showcase

• Castors

• Lock

FEATURES

- Power coated steel interior and exterior
 - Self-evaporating water tray
 - 2 x vertical internal LED lights and canopy LED light
 - Digital control with LED display, auto-defrost
- P380WA Comes with 4 wire shelves, RRP \$50.00 each
 - P600WB Comes with 4 wire shelves, RRP \$65.00 each
 - P1000WB-A Comes with 8 wire shelves, RRP \$65.00 each

INFORMATION	P380WA	P600WB	P1000WB-A
Capacity	380L	600L	1000L
Power	300W	350W	550W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	0°C~+10°C	0°C~+10°C	0°C~+10°C
Ambient Temp	43°C	43°C	43°C
Dimensions(mm)	W606 x D620 x H1940,75kg	W700 x D790 x H2058,106kg	W1130 x D720 x H2023,142kg
Packaging Dimensions(mm)	W645 x D665 x H2005,80kg	W745 x D826 x H2120,112kg	W1180 x D770 x H2100,160kg
RRP	\$1,886.00	\$2,771.00	\$3,277.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST 14




HCK CA 154 Bottle
Dual Zone Wine Fridge - Black
SC-430 WD
154 Bottle Capacity

HCK CA 46 Bottle
Dual Zone Wine Fridge - Black
SC-145 WD
46 Bottle Capacity

DUAL ZONE WINE COOLER REFRIGERATORS



Can be embedded or placed independently



INFORMATION	SC-145WD	SC-430WD
Net dims(mm)	H820-870mm(excl handle) x D575 x W595	H1762 x D680 x W595
Capacity	128L	420L
Bottle capacity	(maximum number of 0.75L Bordeaux bottle) :46 bottles upper zone: 4 °C~12 °C lower zone:12 °C~22 °C	(maximum number of 0.75L Bordeaux bottle) :154 bottles upper zone: 4 °C~12 °C lower zone:12 °C~22 °C
Temp range	16 °C~32 °C	0 °C~32 °C
Ambient temperature	25 °C	25 °C
Ambient	R600a	R600a
Refrig Gas Type		
RRP	\$1,859.00	\$2,662.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE



* All prices are EX-GST



GASTRONORM STORAGE
REFRIGERATORS/FREEZERS- ECONOMY MODEL



- Dual-hinge
- Castors
- Magnetic-seal
- Stainless
- Recessed-handle
- Lock
- Shelves
- Rounded
- Cooling



FEATURES

- Digital controller
- Fits GN pans
- Stamped side panel shelf supports for easy operation

- JBF40RSGR, JBF40FSGR Comes with 4 wire shelves
- JBF80RSGR, JBF80FSGR Comes with 8 wire shelves
- RRP \$70.00 each

INFORMATION	JBF40RSGR	JBF40FSGR	JBF80RSGR	JBF80FSGR
Capacity	552L	552L	1090L	1090L
Power	270W	540W	380W	800W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C	-2°C~+8°C	-22°C~-17°C
Ambient Temp	43°C	43°C	43°C	43°C
Refrig Gas Type	R600a	R290	R600a	R290
Dimensions(mm)	W654 x D800 x H2065,100kg	W654 x D800 x H2065,100kg	W1314 x D800 x H2065,155kg	W1314 x D800 x H2065,155kg
Packaging Dimensions(mm)	W680 x D830 x H2140,128kg	W680 x D830 x H2140,128kg	W1340 x D830 x H2140,210kg	W1340 x D830 x H2140,210kg
RRP	\$2,959.00	\$3,619.00	\$4,389.00	\$4,829.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE


* All prices are EX-GST



GASTRONORM STORAGE
REFRIGERATORS/FREEZERS- ECONOMY MODEL



- Dual-hinge
- Castors
- Magnetic-seal
- Stainless
- Recessed-handle
- Lock
- Shelves
- Rounded
- Cooling
- Showcase



- FEATURES**
- Comes with 4 wired shelves
 - Fits GN pans
 - Stamped side panel shelf supports for easy operation
 - JCF40RSGR, JCF40FSGR Comes with 4 wire shelves
 - JCF80RSGR, JCF80FSGR Comes with 8 wire shelves
 - RRP \$70.00 each

INFORMATION	JCF40RSGR	JCF40FSGR	JCF80RSGR	JCF80FSGR
Capacity	552L	552L	1090L	1090L
Power	270W	540W	380W	800W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C	-2°C~+8°C	-22°C~-17°C
Ambient Temp	43°C	43°C	43°C	43°C
Refrig Gas Type	R600a	R290	R600a	R290
Dimensions(mm)	W654 x D800 x H2065,130kg	W654 x D800 x H2065,130kg	W1314 x D800 x H2065,155kg	W1314 x D800 x H2065,155kg
Packaging Dimensions(mm)	W685 x D835 x H2140,158kg	W685 x D835 x H2140,158kg	W1340 x D830 x H2140,210kg	W1340 x D830 x H2140,210kg
RRP	\$3,476.00	\$4,268.00	\$5,346.00	\$5,698.00

CE  **Note: "R600a/50" indicates a refrigerant charge of 50g**
2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST




Blast Chiller
EBF-03

Blast Chiller
EBF-05

Blast Chiller
EBF-10

BLAST CHILLER



- Recessed-handle
- Cooling
- Magnetic-seal
- Stainless
- Dual-hinge
- Shelves

FEATURES

- Fully automatic operation
- Accepts GN1/1 or 600*400mm euronorm pans
- Internal food probe to ensure even temperatures

INFORMATION	EBF-03	EBF-05	EBF-10
Capacity	74L	94L	178L
Power	1100W	1300W	2250W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-18°C~3°C	-18°C~3°C	-18°C~3°C
Ambient Temp	43°C	43°C	43°C
Gas Type	R290	R290	R290
Dimensions(mm)	W755 x D832 x H581,72kg	W750 x D815 x H870,89kg	W750 x D830 x H1435,140kg
Packaging Dimensions(mm)	W905 x D822 x H730,97kg	W805 x D880 x H1000,110kg	W815 x D885 x H1490,172kg
RRP	\$4,609.00	\$5,709.00	\$9,119.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE


* All prices are EX-GST




- Venting
- Lock
- Defrost
- Light
- Control
- Shelves
- Cooling
- Showcase

BACK BAR COOLER – HINGED DOOR


BB-138HEC



BB-208HEC



BB-330HEC



FEATURES

- 38°C Ambient temperature rated
- Gas:R600a refrigerant
- Temp range 2°to 10°C
- Black powder-coated exterior with aluminium interior
- BB-138HEC Comes with 2 wire shelves
- BB-208HEC Comes with 4 wire shelves
- BB-208HEC Comes with 6 wire shelves

INFORMATION

	BB-138HEC	BB-208HEC	BB-330HEC
Capacity	138L	208L	330L
Ambient temperature	38 °C	38 °C	38 °C
Temp range	+2 °C~+10 °C	+2 °C~+10 °C	+2 °C~+10 °C
Shelf	2pcs	4pcs	6pcs
Dimensions(mm)	W600 x D530 x H835,38kg	W900 x D530 x H835,53kg	W1350 x D530 x H835,73kg
Packaging			
Dimensions(mm)	W645 x D570 x H920,43kg	W950 x D570 x H920,61kg	W1400 x D570 x H920,81kg
RRP	\$1,392.00	\$1,634.00	\$1,997.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

23 * All prices are EX-GST

* All prices are EX-GST 24



BACK BAR COOLERS – SLIDING DOOR



- Cooling

- Showcase

- Venting

- Defrost

- Shelves

- Lock

- Light

- Control

FEATURES

- 38°C Ambient temperature rated
 - Gas:R600a refrigerant
 - Temp range 2°to 10°C
 - Black powder-coated exterior with aluminium interior
- Two adjustable shelves
 - Sliding doors also available
 - BB-208SEC Comes with 4 wire shelves
 - BB-330SEC Comes with 6 wire shelves


INFORMATION	BB-208SEC	BB-330SEC
Capacity	208L	330L
Ambient temperature	38 °C	38 °C
Temp range	+2 °C~+10 °C	+2 °C~+10 °C
Shelf	4pcs	6pcs
Dimensions(mm)	W900 x D520 x H835,54kg	W1350 x D520 x H835,72kg
Packaging	W950 x D570 x H920,61kg	W1400 x D570 x H920,80kg
Dimensions(mm)		
RRP	\$1,634.00	\$1,997.00




2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

BACK BAR COOLERS – SLIDING DOOR

BB-208SEC



BB-330SEC



25 * All prices are EX-GST

* All prices are EX-GST 26




Solid Door Chest Freezer
BD-650

CHEST FREEZERS




WE ARE THE SPECICOOOLIST!


BD-550



BD-650



BD-850



FEATURES

- Low energy consumption
- 70mm thickness insulation
- Defrost water drain hole
- Recess handle on front side
- Environmentally friendly
- Stainless Steel Top



• Manual



• Castors



• Stainless

INFORMATION	BD-550	BD-650	BD-850
Capacity	455L	551L	660L
Power	231W	259W	326W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-18°C	-18°C	-18°C
Ambient Temp	43°C	43°C	43°C
Dimensions (mm)	W1465 x D780 x H945,80kg	W1715 x D780 x H945,87kg	W2095 x D780 x H945,95kg
Packaging Dimensions (mm)	W1525 x D785 x H1030,87kg	W1775x D785 x H1030,95kg	W2155 x D785 x H1030,105kg
RRP	\$2,190.00	\$2,510.00	\$2,680.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST

Gastronorm 3 Door Underbench Refrigerator/Freezer

EPF3431 EPF3432 EPF3472

Gastronorm 2 Door Underbench Refrigerator/Freezer

EPF3421 EPF3422 EPF3462

Gastronorm 4 Door Underbench Refrigerator/Freezer

EPF3442 EPF3482

Optional

GASTRONORM UNDERCOUNTER REFRIGERATORS/FREEZERS

Drawer price:
\$594/SET
FOR TWO DRAWERS PER DOOR

INFORMATION	EPF3421	EPF3422	EPF3462
Capacity	240L	280L	280L
Power	250W	250W	600W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C	-22°C~-18°C
Ambient Temp	43°C	43°C	43°C
Dimensions(mm)	W1360 x D600 x H715,91.4kg	W1360 x D700 x H838,95kg	W1360 x D700 x H838,95kg
Packaging Dimensions(mm)	W1415 x D655 x H885,108.4kg	W1414 x D765 x H872,119kg	W1414 x D765 x H872,119kg
RRP	\$3,239.00	\$3,404.00	\$4,163.00

INFORMATION	EPF3431	EPF3432	EPF3472
Capacity	360L	420L	420L
Power	400W	400W	600W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C	-22°C~-18°C
Ambient Temp	43°C	43°C	43°C
Dimensions(mm)	W1795 x D600 x H715,115kg	W1795 x D700 x H838,120kg	W1795 x D700 x H838,120kg
Packaging Dimensions(mm)	W1850 x D655 x H885,135.5kg	W1849 x D765 x H872,145kg	W1849 x D765 x H872,145kg
RRP	\$3,745.00	\$3,910.00	\$4,669.00

FEATURES

- Gas:R600a and R290 refrigerant
- Insulation foam: C5H10,ODP, zero emissions
- 43°C ambient working temperature
- Fan-forced cooling system
- EPF3421 & EPF3431 depth limited to 600mm, incompatible with full GN trays
- Units equipped with shelf rails (not shelf clips)
- Allow 100 mm clearance for air ventilation
- EPF3422, EPF3462 comes with 4 wire shelves
- EPF3432, EPF3472 comes with 6 wire shelves
- EPF3442, EPF3482 comes with 8 wire shelves
- Shelves RRP \$67.60 each

INFORMATION	EPF3442	EPF3482
Capacity	560L	560L
Power	400W	600W
Voltage	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-18°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W2230 x D700 x H838,145kg	W2230 x D700 x H838,145kg
Packaging Dimensions(mm)	W2284 x D765 x H872,176kg	W2285 x D765 x H872,176kg
RRP	\$4,669.00	\$6,060.00



• Auto



• Castors



• Stainless



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

29 * All prices are EX-GST

* All prices are EX-GST 30



Gastronorm 2 Door Underbench Refrigerator/Freezer
EPF3721




Gastronorm 3 Door Underbench Refrigerator/Freezer
EPF3731




Gastronorm 4 Door Underbench Refrigerator/Freezer
EPF3741

GASTRONORM UNDERCOUNTER REFRIGERATORS & FREEZERS


EPF3721



EPF3731



EPF3741



FEATURES

- Galvanised back panel
- 43°C ambient working temperature
- European parts, cubigel compressor,
- EBM fan motor
- Shelf rails support GN pans
- Gas:R290 and R600a refrigerant
- Insulation foam: C5H10,ODP, zero emissions
- Pre-installed mid-shelves - 2 per door
- Double-glazed glass hinged doors
- EPF3721 Comes with 4 wire shelves
- EPF3731 Comes with 6 wire shelves
- EPF3741 Comes with 8 wire shelves
- Shelves RRP \$84.50 each



Auto




Stainless



Cooling



Control




Shelves



Castors



Hinges



Light

INFORMATION

	EPF3721	EPF3731	EPF3741
Capacity	282L	420L	560L
Power	250W	400W	400W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C	-2°C~+8°C
Ambient Temp	43°C	43°C	43°C
Dimensions(mm)	W1360 x D700 x H838,100kg	W1795 x D700 x H838,125kg	W2230 x D700 x H838,162kg
Packaging Dimensions(mm)	W1414 x D765 x H872,133kg	W1849 x D765 x H872,165kg	W2284 x D765x H872, 204kg
RRP	\$3,657.00	\$4,163.00	\$5,175.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

31 * All prices are EX-GST

* All prices are EX-GST 32

COMPACT UNDERCOUNTER
REFRIGERATORS/FREEZERS



• Auto




• Stainless



• Cooling



• Control







• Shelves



• Castors

YPF9020/YPF9025/YPF9022/YPF9027



YPF9030/YPF9035/YPF9032/YPF9037

Compact 2 Door Underbench
Refrigerator/Freezer

YPF9020 YPF9030
YPF9025 YPF9035
YPF9022 YPF9032
YPF9027 YPF9037

FEATURES

- Exterior with galvanised back panel
- Gas: R600a and R290 refrigerant
- Insulation foam: C5H10, ODP, zero emissions
- 43°C ambient working temperature
- Digital controller
- Allow 100 mm clearance for air ventilation
- Comes with 2 wire shelves
- Shelves RRP \$73.80 each

INFORMATION	YPF9020	YPF9025	YPF9022	YPF9027
Capacity	166L	166L	270L	270L
Power	270W	550W	270W	550W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C	-2°C~+8°C	-22°C~-17°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W1200 x D600 x H838,71kg	W1200 x D600 x H838,71kg	W1200 x D700 x H838,79kg	W1200 x D700 x H838,79kg
Packaging Dimensions(mm)	W1254 x D654 x H867,86kg	W1254 x D654 x H867,86kg	W1254 x D754 x H867,89kg	W1254 x D754 x H867,89kg
RRP	\$3,404.00	\$3,910.00	\$3,404.00	\$3,910.00

INFORMATION	YPF9030	YPF9035	YPF9032	YPF9037
Capacity	232L	232L	370L	370L
Power	270W	550W	270W	550W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C	-2°C~+8°C	-22°C~-17°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W1500 x D600 x H838,74kg	W1500 x D600 x H838,74kg	W1500 x D700 x H838,85kg	W1500 x D700 x H838,85kg
Packaging Dimensions(mm)	W1554 x D654 x H867,100kg	W1554 x D654 x H867,100kg	W1554 x D754 x H867,95kg	W1554 x D754 x H867,95kg
RRP	\$3,657.00	\$4,289.00	\$3,657.00	\$4,289.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST




Compact 3 Door Underbench Refrigerator/Freezer

YPF9042 YPF9040
YPF9047 YPF9045


COMPACT UNDERCOUNTER REFRIGERATORS/FREEZERS



YPF9042/YPF9047



YPF9040/YPF9045



• Auto




• Stainless



• Cooling



• Control



• Shelves



• Castors

FEATURES

- Exterior with galvanised back panel
- Gas:R600a and R290 refrigerant
- Insulation foam: C5H10,ODP, zero emissions
- 43°C ambient working temperature
- Digital controller

- Allow 100 mm clearance for air ventilation
- Comes with 3 wire shelves
- Shelves RRP \$73.80 each

INFORMATION	YPF9040	YPF9045	YPF9042	YPF9047
Capacity	390L	390L	470L	470L
Power	270W	550W	270W	550W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C	-2°C~+8°C	-22°C~-17°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W1800 x D600 x H838,100kg	W1800x D600 x H838,100kg	W1800 x D700 x H838,91kg	W1800x D700 x H838,91kg
Packaging Dimensions(mm)	W1854 x D654 x H867,111kg	W1854 x D654 x H867,111kg	W1854 x D754 x H867,101kg	W1854 x D754 x H867,101kg
RRP	\$3,783.00	\$4,416.00	\$3,783.00	\$4,416.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST



Single Door Sandwich Prep Table Refrigerator

MSF8301

Double Door Sandwich Prep Table Refrigerator

MSF8302
MSF8303

Glass canopy option available on

MSF8302G \$4,795
MSF8303G \$5,428
MSF8304G \$6,313

Three Door Sandwich Prep Table Refrigerator

MSF8304


SANDWICH PREPARATION FRIDGES

Stainless steel GN pans included




WE ARE THE SPECICOOLIST!


MSF8301




MSF8302



MSF8303



MSF8304




• Stainless



• Cooling



• Control



• Shelves



• Rounded



• Dual-hinge



• Castors



• Recessed-handle



• Magnetic-seal

FEATURES

- Stainless steel food pans included
- Heavy duty Embraco compressor
- Allow 100 mm clearance for air ventilation
- Comes standard with 1/6 x 100mm
- Optional extra double tier overshef to suit sandwich bars
- MSF8301 Comes with 1 wire shelf
- MSF8302, MSF8303 Comes with 2 wire shelves
- MSF8304 Comes with 3 wire shelves
- Shelves RRP \$84.50 each
- Gas:R600a and R290 refrigerant

INFORMATION	MSF8301	MSF8302	MSF8303	MSF8304
Capacity	203L	380L	487L	600L
Power	270W	370W	370W	370W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C	-2°C~+8°C	-2°C~+8°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W698 x D762 x H1124,90kg	W1225 x D762 x H1124,110kg	W1530 x D762 x H1124,150kg	W1846 x D762 x H1124,170kg
Packaging Dimensions(mm)	W770 x D831 x H1186,107kg	W1279 x D831 x H1186,130kg	W1584 x D831 x H1186,160kg	W1916 x D831 x H1186,198kg
RRP	\$3,404.00	\$4,416.00	\$5,175.00	\$5,934.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST




Single Door Refrigerator
MSF8305

Double Door Refrigerator
MSF8306 / MSF8307


Three Door Refrigerator
MSF8308

MEGA TOP NOODLE BARS

MSF8307



MSF8308




FEATURES


- Rear mount compressor with environmentally friendly R600a and R290 refrigerant
- Maintains temperatures between 40°C ~43°C
- 10"cutting board
- Comes standard with 1/6 x 100mm deep pans (these units can take full size 1/1 GN pans)
- OPTIONAL EXTRA – Double over tier shelf
- MSF8305 Comes with 1 wire shelf
- MSF8306, MSF8307 Comes with 2 wire shelves
- MSF8308 Comes with 3 wire shelves
- Shelves RRP \$84.50 each

MEGA TOP NOODLE BARS

MSF8306



MSF8305



- Stainless

- Cooling

- Control

- Shelves

- Rounded

- Dual-hinge

- Castors

- Recessed-handle

- Magnetic-seal

INFORMATION	MSF8305	MSF8306	MSF8307	MSF8308
Capacity	200L	380L	490L	600L
Power	270W	370W	370W	370W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C	-2°C~+8°C	-2°C~+8°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W698 x D863 x H1197,77kg	W1225 x D863 x H1197,110kg	W1530 x D863 x H1197,129kg	W1846 x D863 x H1197,144kg
Packaging Dimensions(mm)	W752 x D931 x H1247,96kg	W1279 x D931 x H1247,133kg	W1584 x D931 x H1247,154kg	W1900 x D931 x H1247,172kg
RRP	\$3,399.00	\$4,609.00	\$4,939.00	\$6,149.00




2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE




- MROS -2RE SUITS MSF8301 / MSF8305
- MROS -4RE SUITS MSF8302 / MSF8306
- MROS -5RE SUITS MSF8303 / MSF8307
- MROS -6RE SUITS MSF8304 / MSF8308

DOUBLE TIER OVERSHELVES FOR SANDWICH BARS



INFORMATION	MROS-2RE	MROS-4RE
Material	SS430	SS430
Thickness	Gauge18	Gauge18
Weight Capacity(lbs)	150	200
Exterior Dimensions(mm)	W700xD330xH1200	W925xD330xH1200
Net Weight(lbs)	20	24
Gross Weight(lbs)	21.6	26.5
RRP	\$319.00	\$385.00



INFORMATION	MROS-5RE	MROS-6RE
Material	SS430	SS430
Thickness	Gauge18	Gauge18
Weight Capacity(lbs)	230	250
Exterior Dimensions(mm)	W1502xD325xH838	W1502xD325xH838
Net Weight(lbs)	27.6	33.5
Gross Weight(lbs)	30	36.5
RRP	\$429.00	\$495.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST 42



PIZZA PREP TABLE REFRIGERATORS

Stainless steel GN pans included

Pizza Prep Table Accessories



PIZZA PREP TABLE ACCESSORIES

- \$650.00
[MROS-93P - for MPF8203](#)
W2362xD356xH1200mm
MROS-93P - 93" Double
Overshelves for MPF Series
- \$450.00
[MROS-67P - for MPF8202](#)
W1701xD356xH1200mm
MROS-67P - 67" Double
Overshelves for MPF Series
- \$350.00
[MROS-44P - for MPF8201](#)
W1117xD356xH1200mm
MROS-44P - 44" Double
Overshelves for MPF Series

FEATURES


- Gas: R600a and R290 refrigerant
- Pre-installed mid-shelves - 1 per door
- Allow 100 mm clearance for air ventilation
- Comes standard with 1/3 size pans 100mm deep
- MSF8301 comes with 2 wire shelves
- MSF8302 comes with 4 wire shelves
- MSF8303 comes with 6 wire shelves
- Shelves RRP \$75.00 each

PIZZA PREP TABLE REFRIGERATORS




WE ARE THE SPECICOOLIST!


MPF8201



MPF8202



MPF8203



• Auto




• Stainless



• Cooling



• Control



• Shelves



• Castors



• Venting



• Lock



• Recessed-handle



• Magnetic-seal



• Rounded



• Dual-hinge

INFORMATION

	MPF8201	MPF8202	MPF8203
Capacity	270L	530L	800L
Power	270W	370W	370W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	+1°C~+8°C	+1°C~+8°C	+1°C~+8°C
Ambient Temp	43°C	43°C	43°C
Dimensions(mm)	W1117 x D840 x H1035,108kg	W1702 x D840 x H1035,152kg	W2362 x D840 x H1035,194kg
Packaging Dimensions(mm)	W1171 x D909 x H1167,134kg	W1755 x D909 x H1167,184kg	W2416 x D909 x H1167,239kg
RRP	\$4,416.00	\$5,807.00	\$8,084.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST

* All prices are EX-GST



Optional (Glass Top)
ESL3889 / ESL3890

2 Door Refrigerated Pizza
Table with Drawers

EPF3480



3 Door Refrigerated
Pizza Table


EPF3485

PIZZA PREP TABLE REFRIGERATORS




WE ARE THE SPECICOOOLIST!


side view



EPF3480



EPF3485



FEATURES



• Stainless



• Control



• Castors

- Exterior with galvanised back panel
- Gas: R290 and R600a refrigerant
- Insulation foam: C5H10, ODP, zero emissions
- 43°C ambient working temperature
- Can fit in ESL3889 / ESL3890(optional)
- Allow 100 mm clearance for air ventilation
- Takes 600x400 shelves (not supplied)

INFORMATION

Capacity
Power
Voltage
Working Temp
Ambient Temp
Dimensions(mm)
Packaging
Dimensions(mm)
RRP

EPF3480

280L
250W
220~240V/50Hz
-2°C~+8°C
43°C
W2010 x D800 x H1000.5,360kg
W2064 x D854 x H1051,384kg
\$5,934.00

EPF3485

420L
400W
220~240V/50Hz
-2°C~+8°C
43°C
W2010 x D800 x H1000.5,267kg
W2014 x D854 x H1051,297kg
\$5,175.00



**Easy
removable
filter**



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST **46**



Single Door Refrigerated
Pizza Table with Drawers
EPF3490

Two Door Refrigerated
Pizza Table
EPF3495



WE ARE THE SPECICOOOLIST!

FEATURES

- Stainless
- Cooling
- Control
- Castors

- Exterior with galvanised back panel
- Gas: R600a for fridges
- Insulation foam: C5H10, ODP, zero emissions
- 43°C ambient working temperature
- Can fit in ESL3884 / ESL3883 (optional)
- Allow 100 mm clearance for air ventilation
- Takes 600x400 shelf (not supplied)


Optional (Glass Top)
ESL3883 / ESL3884




Easy removable filter

PIZZA PREP TABLE REFRIGERATORS


side view



EPF3490



EPF3495



INFORMATION

	EPF3490	EPF3495
Capacity	140L	280L
Power	250W	250W
Voltage	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W1510 x D800 x H1000.5,246kg	W1510 x D800 x H1000.5,209kg
Packaging Dimensions(mm)	W1564 x D854 x H1051,315kg	W1564 x D854 x H1051,275kg
RRP	\$4,542.00	\$4,289.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

47 * All prices are EX-GST

* All prices are EX-GST 48


SALADETTES




FEATURES

- 43°C ambient working temperature
- +2°C ~ +8°C working temperature
- Insulation foam: C5H10, zero ODP, zero emissions
- Self-evaporating drainage
- Compressor and condenser located at the bottom
- Unit can be positioned against a wall
- Fits GN pans
- White epoxy shelves and stainless steel rails
- ESL3800 can fit 6 x 1/3 and 3 x 1/6 GN pans 100mm deep
- GN pans not included
- ESL3800 comes with 2 wire shelves
- ESL3801 comes with 2 wire shelves
- Shelves RRP \$65.00 each

ESL3800



ESL3801



• Stainless

• Control

• Shelves

• Castors

• Venting

• Manual

• Magnetic-seal

INFORMATION	ESL3800	ESL3801
Capacity	300L	300L
Power	310W	220W
Voltage	220~240V/50Hz	220~240V/50Hz
Working Temp	+2°C~+8°C	+2°C~+8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W900 x D700 x H950, 70kg	W900 x D700 x H943, 72kg
Packaging Dimensions(mm)	W955 x D754 x H1043, 90kg	W955 x D754 x H1043, 92kg
RRP	\$2,139.00	\$2,139.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST 50



Two Doors Sliding Lid Saladette
ESL3800

Two Doors Table Saladette
ESL3801



(Optional drawer)
Drawer price: \$594/SET
FOR TWO DRAWERS PER DOOR




SALADETTES




FEATURES

- Heavy duty marble prep area (ESL3831)
- 43°C ambient working temperature
- +2°C ~ +8°C working temperature
- Insulation foam: C5H10, zero ODP, zero emissions
- Self-evaporating drainage
- Regular defrosting recommended
- Unit can be positioned against a wall
- Fits GN pans
- White epoxy shelves and stainless steel rails
- ESL3831 fits 5 x 1/6 GN pans 100mm deep
- ESL3832 fits 5 x 1/6 GN pans 100mm deep
- GN pans and lids not included
- ESL3831 comes with 2 wire shelves
- ESL3832 comes with 2 wire shelves
- Shelves RRP \$65.00 each

ESL3831



ESL3832



• Stainless

• Control

• Shelves

• Castors

• Venting

• Manual

INFORMATION	ESL3831	ESL3832
Capacity	300L	300L
Power	310W	310W
Voltage	220~240V/50Hz	220~240V/50Hz
Working Temp	+2°C~+8°C	+2°C~+8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W900 x D700 x H1157, 96kg	W900 x D700 x H1105, 77kg
Packaging Dimensions(mm)	W945 x D750 x H1260, 125kg	W955 x D754 x H1211, 95kg
RRP	\$2,518.00	\$2,518.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST



SALADETTES

SALADETTES



• Stainless

• Control

• Shelves

• Castors

• Venting


• Manual

FEATURES


- 43°C ambient working temperature
 - +2°C ~ +8°C working temperature
 - Insulation foam: C5H10, zero ODP, zero emissions
 - Self-evaporating drainage
 - Regular defrosting recommended
 - Unit can be positioned against a wall
 - Fits GN pans
 - White epoxy shelves and stainless steel rails
- ESL3850 fits 12 x 1/3 GN pans 100mm deep
 - Half sliding lid cover on the ESL3850
 - GN pans and lids not included
 - ESL3850 comes with 3 wire shelves
 - ESL3851 comes with 3 wire shelves
 - Regular defrosting recommended
 - Shelves RRP \$65.00 each

INFORMATION	ESL3850	ESL3851
Capacity	380L	380L
Power	310W	220W
Voltage	220~240V/50Hz	220~240V/50Hz
Working Temp	+2°C~+8°C	+2°C~+8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W1365 x D700 x H950, 90kg	W1365 x D700 x H943, 94kg
Packaging Dimensions(mm)	W1420 x D754 x H1043, 120kg	W1420 x D754 x H1043, 124kg
RRP	\$3,151.00	\$3,151.00

ESL3850



ESL3851



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE



Three Doors Open
Top Saladette
ESL3853



Three Door Pizza Table Without
Ingredient Top
ESL3852

SALADETTES

SALADETTES






• Stainless



• Control



• Shelves



• Castors



• Venting



• Manual

FEATURES

- Heavy duty marble prep area (ESL3852)
 - Heavy duty stainless steel top (ESL3853)
 - 43°C ambient working temperature
 - +2°C ~ +8°C working temperature
 - Insulation foam: C5H10, zero ODP, zero emissions
 - Self-evaporating drainage
 - Regular defrosting recommended
 - Unit can be positioned against a wall
- Fits GN pans
 - White epoxy shelves and stainless steel rails
 - ESL3853 fits 7 x 1/6 and 1 x 1/9 GN pans 100mm deep
 - GN pans and lids not included
 - ESL3852 comes with 3 wire shelves
 - ESL3853 comes with 3 wire shelves
 - Shelves RRP \$65.00 each

INFORMATION	ESL3852	ESL3853
Capacity	380L	380L
Power	220W	300W
Voltage	220~240V/50Hz	220~240V/50Hz
Working Temp	+2°C~+8°C	+2°C~+8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W1365 x D700 x H1087, 170kg	W1365 x D700 x H1105, 91kg
Packaging Dimensions(mm)	W1419 x D754 x H1172, 187kg	W1419 x D754 x H1172, 108kg
RRP	\$3,530.00	\$3,624.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE



Pizzatable Saladette
ESL3864

SALADETTES






• Stainless



• Control



• Shelves



• Castors




• Venting



• Manual

FEATURES

- Heavy duty marble prep area (ESL3864)
- 43°C ambient working temperature
- +2°C ~ +8°C working temperature
- Insulation foam: C5H10, zero ODP, zero emissions
- Self-evaporating drainage
- Regular defrosting recommended
- Unit can be positioned against a wall
- Fits GN pans
- White epoxy shelves and stainless steel rails
- ESL3864 fits 7 x 1/3 GN pans 100mm deep
- GN pans and lids not included
- ESL3864 comes with 3 wire shelves
- Shelves RRP \$65.00 each



INFORMATION	ESL3864
Capacity	380L
Power	310W
Voltage	220~240V/50Hz
Working Temp	+2°C~+8°C
Ambient Temp	43°C
Dimensions(mm)	W1365 x D700 x H1168, 173kg
Packaging Dimensions(mm)	W1420 x D754 x H1230, 209kg
RRP	\$3,530.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST



ESL Counter Top Salad Bar

FEATURES

- Available in 12 sizes
- Quality counter-top refrigerated prep unit
- Glass sneeze guard – assembly required
- All units take 1/3 GN pans OR 1/4 GN pans
- 100mm deep
- 43°C ambient temperature
- Pans not included



• Stainless



• Control



• Manual

ESL COUNTER TOP SALAD BAR



WE ARE THE SPECICOOOLIST!

ESL3880 W1205 GN1/4 x 5 Pcs



ESL3861 W1405 GN1/4 x 6 Pcs



ESL3883 W1505 GN1/4 x 7 Pcs



ESL3885 W1600 GN1/4 x 7 Pcs



ESL3887 W1805 GN1/4 x 8 Pcs



ESL3889 W2005 GN1/4 x 10 Pcs



ESL3881 W1205 GN1/3 x 4 Pcs



ESL3882 W1415 GN1/3 x 6 Pcs



ESL3884 W1505 GN1/3 x 6 Pcs



ESL3886 W1600 GN1/3 x 7 Pcs



ESL3888 W1805 GN1/3 x 8 Pcs



ESL3890 W2005 GN1/3 x 9 Pcs



INFORMATION	Dimensions (mm)	Packaging Dimensions(mm)	Capacity	RRP
ESL3880	W1205 x D335 x H435, 38kg	W1265 x D415 x H430, 59kg	GN1/4 x 5	\$1380.00
ESL3881	W1205 x D395 x H435, 41kg	W1265 x D475 x H430, 63kg	GN1/3 x 4	\$1380.00
ESL3861	W1405 x D335 x H460, 41kg	W1465 x D415 x H419, 60kg	GN1/4 x 6	\$1633.00
ESL3882	W1415 x D395 x H435, 45kg	W1465 x D475 x H430, 70kg	GN1/3 x 6	\$1633.00
ESL3883	W1505 x D335 x H435, 43kg	W1565 x D415 x H430, 69kg	GN1/4 x 7	\$1633.00
ESL3884	W1505 x D395 x H435, 47kg	W1565 x D475 x H430, 74kg	GN1/3 x 6	\$1633.00
ESL3885	W1605 x D335 x H435, 45kg	W1665 x D415 x H430, 73kg	GN1/4 x 7	\$1759.00
ESL3886	W1605 x D395 x H435, 49kg	W1665 x D475 x H430, 78kg	GN1/3 x 7	\$1759.00
ESL3887	W1805 x D335 x H435, 49kg	W1865 x D415 x H430, 80kg	GN1/4 x 8	\$1886.00
ESL3888	W1805 x D395 x H435, 53kg	W1865 x D475 x H430, 85kg	GN1/3 x 8	\$1886.00
ESL3889	W2005 x D335 x H435, 53kg	W2065 x D415 x H430, 86kg	GN1/4 x10	\$2012.00
ESL3890	W2005 x D395 x H435, 58kg	W2065 x D475 x H430, 94kg	GN1/3 x 9	\$2012.00

Pans not included



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE


* All prices are EX-GST **60**



CHILLER/FREEZER CABINET



MBC24FG/MBC24G



• Stainless

• Cooling

• Control

• Shelves

• Hinges


• Venting

• Lock

• Light

• Magnetic-seal

MBC24F/MBC24R



- FEATURES**
- Gross capacity 145 litres
 - Net usable capacity 50 litres
 - Holds up to 8 milk bottles
 - Maximum ambient temperature of 43°C
 - C5H10 insulation

INFORMATION	MBC24FG	MBC24G	MBC24F	MBC24R
Capacity	145L	145L	145L	145L
Power	530W	150W	300W	150W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	-20°C ~ -17°C	+2°C ~ +8°C	-22°C ~ -17°C	+2°C ~ +8°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W605 x D635 x H785, 57kg	W605 x D635 x H785, 53kg	W605 x D635 x H785, 52kg	W605 x D635 x H785, 48kg
Packaging Dimensions(mm)	W655 x D700 x H940, 68kg	W655 x D700 x H940, 63kg	W655 x D700 x H940, 62kg	W655 x D700 x H940, 58kg
RRP	\$1,759.00	\$1,633.00	\$1,759.00	\$1,633.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE


* All prices are EX-GST




BACK BAR REFRIGERATORS




MBB48 MBB59



MBB69



MBB90



- Stainless
- Shelves
- Magnetic-seal
- Lock
- Light
- Castors
- Control

FEATURES

- Stainless steel top, black paint body
- Maintains temperatures between 0°C~10°C
- Heavy duty Embraco compressors: MBB48, MBB59, MBB69 use environmentally friendly R600a refrigerant;
- Heavy duty Embraco compressors: MBB90 uses environmentally friendly R290 refrigerant
- MBB48, MBB59, MBB69 comes with 4 wire shelves
- MBB90 comes with 6 wire shelves
- Shelves RRP \$65.00 each

INFORMATION	MBB48	MBB59	MBB69	MBB90
Capacity	365L	490L	610L	852L
Voltage(V/Hz/Ph)	240V/50Hz	240V/50Hz	240V/50Hz	240V/50Hz
Working Temp	0°C~10°C	0°C~10°C	0°C~10°C	0°C~10°C
Dimensions(mm)	W1220 x D714 x H1055, 97kg	W1467 x D714 x H1055, 107kg	W1727 x D713 x H1055, 118kg	W2268 x D713 x H1055, 144kg
Packaging Dimensions(mm)	W1285 x D765 x H1150, 119kg	W1530 x D765 x H1150, 129kg	W1790 x D765 x H1150, 168kg	W2320 x D765 x H1150, 205kg
RRP	\$4,389.00	\$4,719.00	\$5,379.00	\$6,039.00




2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST




CHEF BASES

Stainless steel GN pans included
MGF8450



MGF8453



FEATURES

- Low base chef's table suitable for Cookrite bench top cooking equipment
- 43°C ambient working temperature
- +1°C~+8°C working temperature
- Heavy duty compressor
- Self-evaporating drainage
- Heavy duty stainless steel drawer slides and rollers
- Drawers come easily for cleaning
- Cabinet top is one-piece, heavy duty reinforced stainless steel to support countertop equipment
- Gravity fed self-closing drawers
- 1/6 GN pans included 100mm deep
- Designed with corrosion-resistant stainless steel of the highest quality

INFORMATION	MGF8450	MGF8453
Capacity	215L	340L
Power	300W	300W
Voltage	220~240V/50Hz	220~240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W1230 x D815 x H530, 100kg	W1840 x D815 x H675, 136kg
Packaging Dimensions(mm)	W1285 x D885 x H715, 117kg	W1880 x D860 x H735, 165kg
RRP	\$5,301.00	\$6,566.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST 66



WE ARE THE SPECICOOLIST!




ICE MAKER


SELF CONTAINED ICE MAKER



- Stainless
- Cooling
- Venting



Half Cube Ice



Cube Ice

* Ice Output Capacity based on ambient temp 21 °C / water temp 10 °C.
* CUBE ICE: 22×22×20mm, 10g±1g; HALF CUBE ICE: 12×30×19mm, 7g±1g.

FEATURES

- Slanted black plastic bin door
- Ice scoop included
- Height includes leg levelers
- For freestanding or built-in applications
- Requires use of a drain
- Removable air filter
- Power switch accessible without panel removal
- Customizable cube ice and half cube ice

INFORMATION	Cooling Mode	Refrigerant	Output Capacity (Kg/24h)	Storage (Kg)	Dimensions (mm)	Power (W)	Electric Current (A)	RRP
YDU0055A-251	Ventilated	R290	25	30	W467 x D591 x H788	230	1.4	\$1,480.00
YDU0088A-251	Ventilated	R290	40	25	W467 x D591 x H788	245	1.6	\$1,980.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST



2 Module bain marie
Fits 4 x 1/2 GN food pans

BM2

3 Module bain marie
Fits 6 x 1/2 GN food pans

BM3

4 Module bain marie
Fits 6 x 1/2 GN food pans

BM4



6 Module bain marie
Fits 12 x 1/2 GN food pans

BM6



WE ARE THE SPECICOOLIST!

HOT FOOD DISPLAY

FEATURES

- Double skinned for added insulation
- Food pans not included
- 240V 10A 50Hz
- Selected models rated 15A power supply

INFORMATION	BM2	BM3	BM4
1/2 Pans	4	6	8
Power	1500W	2400W	3000W
Voltage	220V~240V	220V~240V	220V~240V
Temperature Range	30-90°C	30-90°C	30-90°C
Dimensions(mm)	W740 x D650 x H755,50kg	W1070 x D650 x H755,65kg	W1400 x D650 x H755,80kg
Packaging Dimensions(mm)	W770 x D780 x H910,82kg	W1100 x D780 x H910,102kg	W1430 x D780 x H910,122kg
RRP	\$3,094.00	\$3,324.00	\$3,669.00

Food Warmer - Bain Maries Series

INFORMATION	BM5	BM6
1/2 Pans	10	12
Power	3300W	3600W
Voltage	220V~240V	220V~240V
Temperature Range	30-90°C	30-90°C
Dimensions(mm)	W1730 x D650 x H755,95kg	W2060 x D650 x H755,115kg
Packaging Dimensions(mm)	W1760 x D780 x H910,145kg	W2090 x D780 x H910,166kg
RRP	\$4,014.00	\$4,359.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST

DISPLAY YOUR CAKES ATTRACTIVELY

With Countertop Refrigerated Showcases



Atosa has some of the most energy efficient refrigeration in the Australian market, combining high grade stainless steel, maximising usable space and reducing energy costs. Our units are ideal for any commercial kitchen environment with ambient working temperatures up to 43°C.

All our refrigeration comes with lockable castors as standard, making it simple to clean and maneuver. The user friendly control panel ensures accurate and precise temperature control, making our range of refrigeration perfect for any commercial kitchen.


We use European parts as standard on all our refrigeration with Embraco compressors and Dixell/Carel controllers included. With the introduction of hydrocarbon these models are very energy efficient.



Atosa
WE ARE THE SPECICOOOLIST!



CAKE SHOWCASES
SNOWMAN SERIES




• Glass Shelves



• Light

FEATURES

- Available in curved and square glass
- Works from +2°C ~ +8°C working temperature
- Easy to maintain and clean
- Removable back doors
- Showcase your products with maximum exposure



INFORMATION	WDG096D	WDG126D	WDG156D	WDG186D
Capacity	180L	246L	312L	380L
Power	480W	480W	550W	660W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	2°C ~ +8°C	2°C ~ +8°C	2°C ~ +8°C	2°C ~ +8°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W900 x D660 x H1200, 114kg	W1200 x D660 x H1200, 130kg	W1500 x D660 x H1200, 154kg	W1800 x D660 x H1200, 174kg
Packaging Dimensions(mm)	W975 x D735 x H1260, 141kg	W1275 x D735 x H1260, 162kg	W1575 x D735 x H1260, 190kg	W1875 x D735 x H1260, 215kg
RRP	\$2,849.00	\$3,399.00	\$3,839.00	\$4,169.00

INFORMATION	WDG096F	WDG126F	WDG156F	WDG186F
Capacity	231L	316L	401L	487L
Power	480W	480W	550W	660W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	2°C ~ +8°C	2°C ~ +8°C	2°C ~ +8°C	2°C ~ +8°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W900 x D660 x H1200, 124kg	W1200 x D660 x H1200, 148kg	W1500 x D660 x H1200, 171kg	W1800 x D660 x H1200, 197kg
Packaging Dimensions(mm)	W975 x D735 x H1260, 154kg	W1275 x D735 x H1260, 181kg	W1575 x D735 x H1260, 202kg	W1875 x D735 x H1260, 238kg
RRP	\$3,069.00	\$3,399.00	\$3,949.00	\$4,389.00

Round Cake Showcase

WDG096D WDG126D
WDG156D WDG186D

Square Cake Showcase

WDG096F WDG126F
WDG156F WDG186F



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST



Front Opening
Square Cake Showcase

WDG096HF WDG156HF
WDG126HF WDG186HF


Front Access Only
Square Cake Showcase

WDG096FY WDG156FY
WDG126FY WDG186FY

CAKE SHOWCASES
SNOWMAN SERIES



WE ARE THE SPECICOOOLIST!



- Glass Shelves
- Light

FEATURES

- Available in curved and square glass
- Works from +2°C ~ +8°C working temperature
- Easy to maintain and clean
- Removable back doors
- Showcase your products with maximum exposure

INFORMATION	WDG096FY	WDG126FY	WDG156FY	WDG186FY
Capacity	231L	316L	401L	487L
Power	480W	480W	550W	660W
Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
Working Temp	2°C ~ +8°C	2°C ~ +8°C	2°C ~ +8°C	2°C ~ +8°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W900 x D660 x H1200, 125kg	W1200 x D660 x H1200, 150kg	W1500 x D660 x H1200, 170kg	W1800 x D660 x H1200, 195kg
Packaging Dimensions(mm)	W975 x D735 x H1260, 194kg	W1275 x D735 x H1260, 178kg	W1575 x D735 x H1260, 205kg	W1875 x D735 x H1260, 230kg
RRP	\$2,849.00	\$3,179.00	\$3,509.00	\$3,949.00

INFORMATION	WDG096HF	WDG126HF	WDG156HF	WDG186HF
Capacity	318L	438L	558L	678L
Power	480W	480W	550W	660W
Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
Working Temp	2°C ~ +8°C	2°C ~ +8°C	2°C ~ +8°C	2°C ~ +8°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W900 x D660 x H1350, 139kg	W1200 x D660 x H1350, 143kg	W1500 x D660 x H1350, 186kg	W1800 x D660 x H1350, 217kg
Packaging Dimensions(mm)	W988 x D743 x H1400, 169kg	W1288 x D743 x H1400, 196kg	W1588 x D743 x H1400, 222kg	W1888 x D743 x H1400, 256kg
RRP	\$3,729.00	\$4,169.00	\$4,829.00	\$5,269.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST




Upright Square
Cake Showcase

900mm: DF097F
1200mm: DF127F
1500mm: DF157F
1700mm: DF177F

CAKE SHOWCASES



WE ARE THE SPECICOOLIST!



FEATURES

- Stylish square & curved glass cake displays
- Available in 900/1200/1500/1700 width sizes
- Comes with 2 shelves + base
- Sliding removable back doors
- Temp Range: +2°C ~ +8°C

• Castors

• Control

• Glass Shelves

• Light

• Anti-fog

INFORMATION	DF097F	DF127F	DF157F	DF177F
Capacity	290L	395L	497L	570L
Power	510W	700W	800W	920W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	0°C ~ +8°C	0°C ~ +8°C	0°C ~ +8°C	0°C ~ +8°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W900 x D742 x H1200, 201kg	W1200 x D742 x H1200, 232kg	W1500 x D742 x H1200, 262kg	W1700 x D742 x H1200, 313kg
Packaging Dimensions(mm)	W960 x D800 x H1320, 232kg	W1260 x D800 x H1320, 273kg	W1560 x D800 x H1320, 310kg	W1760 x D800 x H1320, 383kg
RRP	\$5,175.00	\$5,554.00	\$6,693.00	\$6,819.00




2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST

CAKE SHOWCASES

Four Tier Square Cake Showcase

900mm: WDF097Z 1500mm: WDF157Z
1200mm: WDF127Z 1700mm: WDF177Z



FEATURES

- Stylish square & curved glass cake displays
- Available in 900/1200/1500/1700 width sizes
- Comes with 3 shelves + base
- Sliding removable back doors
- Working temperature: +2°C ~ +8°C



INFORMATION	WDF097Z	WDF127Z	WDF157Z	WDF177Z
Capacity	373L	505L	638L	730L
Power	550W	700W	820W	950W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	0°C ~ +8°C	0°C ~ +8°C	0°C ~ +8°C	0°C ~ +8°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W900 x D750 x H1350, 231kg	W1200 x D750 x H1350, 273kg	W1500 x D750 x H1350, 298kg	W1700 x D750 x H1350, 353kg
Packaging Dimensions(mm)	W960 x D800 x H1500, 262kg	W1260 x D800 x H1500, 303kg	W1560 x D800 x H1500, 340kg	W1760 x D800 x H1500, 423kg
RRP	\$5,934.00	\$6,819.00	\$7,705.00	\$8,464.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE



* All prices are EX-GST **80**



Upright Round Cake Showcase


- 900mm: DF097D
- 1200mm: DF127D
- 1500mm: DF157D
- 1700mm: DF177D

CAKE SHOWCASES



FEATURES

- Available in 900/1200/1500/1700 width sizes
- Comes with 3 shelves for maximum exposure plus the floor
- 4 levels to display your products
- Keep your products cool
- +2°C ~ +8°C temp range
- Sliding removable back doors
- SECOP compressor



- Castors
- Control
- Glass Shelves
- Light
- Anti-fog

INFORMATION	DF097D	DF127D	DF157D	DF177D
Capacity	290L	400L	520L	600L
Power	510W	700W	800W	900W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	0~+8°C	0~+8°C	0~+8°C	0~+8°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W900 x D750 x H1350,204kg	W1200 x D750 x H1350,238kg	W1500x D750 x H1350,275kg	W1700 x D750 x H1350,318kg
Packaging Dimensions(mm)	W960 x D800 x H1500,235kg	W1260 x D800 x H1500,309kg	W1260 x D800 x H1500,315kg	W1760 x D800 x H1500,388kg
RRP	\$5,383.00	\$6,400.00	\$7,273.00	\$8,078.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST



Countertop Round
Cake Showcase

WSY100L
WSY125L

Countertop Square
Cake Showcase



WSF120L
WSF160L

CAKE SHOWCASES



WSY100L/WSY125L

WSF120L/WSF160L



FEATURES



• Light

- Available in curved and square glass
- Works from +2°C ~ +8°C temp range
- Easy to maintain and clean

- Removable back doors
- Stainless steel wire shelving racks
- Showcase your products with maximum exposure

INFORMATION	WSY100L	WSY125L	WSF120L	WSF160L
Capacity	100L	125L	120L	160L
Power	165W	165W	165W	165W
Voltage	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Working Temp	+2°C ~ +8°C	+2°C ~ +8°C	+2°C ~ +8°C	+2°C ~ +8°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W700 x D560 x H670, 65kg	W900 x D560 x H670, 75kg	W700 x D560 x H670, 65kg	W900 x D560 x H670, 75kg
Packaging Dimensions(mm)	W784 x D641 x H790, 87kg	W984 x D641 x H790, 94kg	W784 x D641 x H790,89kg	W984 x D641 x H790, 99kg
RRP	\$1,485.00	\$1,705.00	\$1,529.00	\$1,749.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST



Countertop Round
Cake Showcase

700mm: TY110L
900mm: TY130L





CAKE SHOWCASES

FEATURES

- Available in curved and square glass
- Works from +2°C ~ +8°C temp range
- Easy to maintain and clean
- Removable back doors
- Stainless steel wire shelving racks
- Showcase your products with maximum exposure



• Light



GAS TYPE : R 290

INFORMATION	TY110L	TY130L
Capacity	110L	130L
Power	226W	242W
Voltage	220~240V/50Hz	220~240V/50Hz
Working Temp	+2°C ~ +8°C	+2°C ~ +8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W700 x D560 x H670, 63kg	W900 x D560 x H670, 70kg
Packaging Dimensions(mm)	W784 x D641 x H790, 87kg	W984 x D641 x H790, 94kg
RRP	\$1,886.00	\$2,139.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST




Hot Countertop Round
Display Showcase
700mm: WHY125L
900mm: WHY160L

Hot Countertop Square
Display Showcase
700mm: WHF150L
900mm: WHF200L


HOT DISPLAY SHOWCASES



WHY125L/WHY160L



WHF150L/WHF200L




FEATURES

- Temperature display
- Adjustable stainless steel shelves
- Front curved glass
- Sliding doors



• Control



• Shelves



• Light

INFORMATION	WHY125L	WHY160L	WHF150L	WHF200L
Capacity	125L	160L	150L	200L
Power	1100W	1500W	1100W	1500W
Voltage	220/50Hz	220/50Hz	220/50Hz	220/50Hz
Temperature	30°C~90°C	30°C~90°C	30°C~90°C	30°C~90°C
Dimensions(mm)	W700 x D580 x H678,43kg	W900 x D580 x H678,49kg	W700 x D570 x H678,46kg,	W900 x D570 x H678,55kg
Packaging				
Dimensions(mm)	W784 x D641 x H790,63kg	W984 x D641 x H790,73kg	W784 x D641 x H790,61kg	W984 x D641 x H790,76kg
RRP	\$1,309.00	\$1,485.00	\$1,419.00	\$1,639.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST 88



COOKRITE GAS EQUIPMENT

Australia's most economical and affordable range of premium commercial gas cooking equipment. Gas approved Australia and NZ wide.

CookRite is fully backed with a national service network of gas technicians to give you peace of mind. CookRite is another brand within the Simco Group range of products.

CookRite is an exceptional and economical gas cooking range that has taken over 100 countries by surprise with its quality and price.

CookRite has been sold all over Europe, in the Middle East, and the USA for the last few years establishing a great reputation.

CookRite is built and designed to perform for the Australian way of cooking, great to suit any application in any kitchen





CookRite GAS Equipment

POWERFUL HEAVY DUTY OPEN BURNERS
FOR ALL YOUR COOKING NEEDS



FEATURES

- Heavy duty constructed frame
- Heavy duty burners and standby pilots
- Constructed in high-quality Stainless steel
- 3/4 inch pipe gas inlet
- Removable drip tray
- Heavy duty black matte trivets
- Available in NG and LPG
- Corrosion resistant, easy to maintain and keep clean
- 300mm W Drop on Griddle Plate available as an optional GRID 30 RRP \$374.00



•Manual



•Independent




•FailSafe




•Stainless steel burners


AT80G2B-F




AT80G4B-F



AT80G6B-F



AT80G8B-F



91 * All prices are EX-GST

INFORMATION	AT80G2B-F	AT80G4B-F	AT80G6B-F	AT80G8B-F
Gas Type	NG/LPG	NG/LPG	NG/LPG	NG/LPG
Gas Output per Burner Mj/h	28	28	28	28
Total Power Output Mj/h	56	112	168	224
Dimensions(mm)	W300 x D800 x H1115, 47kg	W600 x D800 x H1115, 78.2kg	W900 x D800 x H1115, 110kg	W1200 x D800 x H1115, 142kg
Packaging Dimensions(mm)	W395 x D875 x H660, 66.2kg	W695 x D875 x H640, 107kg	W995 x D875 x H640, 145kg	W1295 x D875 x H640, 186kg
RRP	\$2,524.00	\$3,409.00	\$4,548.00	\$6,192.00



AUSTRALIA AND NEW ZEALAND
GAS SAFETY CERTIFICATION



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST 92



300mm Griddle
AT80G3G-F

600mm Griddle
AT80G6G-F


900mm Griddle
AT80G9G-F

1200mm Griddle
AT80G12G-F


GRIDDLE




AT80G3G-F






AT80G9G-F



AT80G12G-F



AT80G6G-F



FEATURES

- Heavy duty constructed frame
- Heavy duty burners and standby pilots
- Constructed in 304 stainless steel
- 3/4 inch pipe gas inlet
- Removable drip tray
- 16mm thick plate
- Flat cooking surface, no trivets on griddle plate
- Piezo ignition to all burners
- Heavy duty black matte trivets
- Available in NG and LPG
- Corrosion resistant, easy to maintain and keep clean
- Stainless steel burners



•FailSafe



•Manual



•Independent

INFORMATION	AT80G3G-F	AT80G6G-F	AT80G9G-F	AT80G12G-F
Gas Type	NG/LPG	NG/LPG	NG/LPG	NG/LPG
Gas Output per Burner Mj/h	25	25	25	25
Total Power Output Mj/h	25	50	75	100
Dimensions(mm)	W300 x D800 x H1115, 53kg	W600 x D800 x H1115, 87kg	W900 x D800 x H1115, 112kg	W1200 x D800 x H1115, 157kg
Packaging Dimensions(mm)	W395 x D875 x H640, 73kg	W695 x D875 x H640, 117kg	W995 x D875 x H640, 159kg	W1295 x D875 x H640, 200kg
RRP	\$2,271.00	\$2,903.00	\$4,421.00	\$5,560.00



AUSTRALIA AND NEW ZEALAND
GAS SAFETY CERTIFICATION



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST



300mm Char Grill
AT80G3C-F

600mm Char Grill
AT80G6C-F

900mm Char Grill
AT80G9C-F

CHAR GRILL

FEATURES

- Heavy duty constructed frame
- Heavy duty burners and standby pilots
- Constructed in 304 stainless steel
- 3/4 inch pipe gas inlet
- Stainless steel splash back
- Heavy duty black cast-iron grill to cook on
- Removable drip tray
- Piezo ignition to all burners
- Available in NG and LPG
- Stainless steel burners



• FailSafe



• Manual




• Independent

95 * All prices are EX-GST


CookRite
TO COOK NICELY!

CHAR GRILL


AT80G3C-F



AT80G6C-F



AT80G9C-F



INFORMATION	AT80G3C-F	AT80G6C-F	AT80G9C-F
Gas Type	NG/LPG	NG/LPG	NG/LPG
Gas Output per Burner Mj/h	NG: 26.5 / LPG:24	NG: 26.5 / LPG:24	NG: 26.5 / LPG:24
Total Power Output Mj/h	NG: 26.5 / LPG:24	NG: 53 / LPG:48	NG: 79.5 / LPG:72
Dimensions(mm)	W300 x D800 x H1115, 48.4kg	W600 x D800 x H1115, 78.2kg	W900 x D800 x H1115, 110kg
Packaging Dimensions(mm)	W395 x D875 x H640, 69.2kg	W695 x D875 x H640, 107kg	W995 x D875 x H640, 148kg
RRP	\$2,271.00	\$3,283.00	\$4,042.00



AUSTRALIA AND NEW ZEALAND
GAS SAFETY CERTIFICATION



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST 96



AT65G2B-C



AT65G4G-C


NO SPACE NO WORRIES
WITH COOK RITES COMPACT RANGE




FEATURES

- Heavy duty constructed frame
- Heavy duty burners and standby pilots
- Constructed in 304 stainless steel
- 3/4 inch pipe gas inlet
- Stainless steel splash back
- Heavy duty black cast-iron grill to cook on
- Removable drip tray
- Piezo ignition to all burners
- Available in NG and LPG
- Corrosion resistant, easy to maintain and keep clean
- Stainless steel burners

AT65G2B-C



AT65G4G-C



•FailSafe



•Manual



•Independent

INFORMATION

	AT65G2B-C	AT65G4G-C
Gas Type	NG/LPG	NG/LPG
Gas Output per Burner Mj/h	Front:25/Rear:13	25
Total Power Output Mj/h	Front:25/Rear:13	25
Oil Capacity(Litres)	/	/
Fryer Basket Dimensions(mm)	/	/
Dimensions(mm)	W400 x D650 x H485, 25kg	W400 x D650 x H485, 39kg
Packaging Dimensions(mm)	W490 x D740 x H620, 36kg	W490 x D740 x H620, 50kg
RRP	\$2,144.00	\$1,891.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE


* All prices are EX-GST 98




CookRite
TO COOK NICELY!

- Equipment Stands suit ATMG/ATHP/ATRC & ATCB Models as well as the new series gas equipment.
- STANDS to suit AT80 SERIES Gas Equipment to make the counter top unit a free-standing model.


ATSE-2824



ATSE-2836




ATSE-2848




FEATURES

- 1.2mm thick stainless steel
- Perfect stands for ATHP/ATMG/ATCB/ATRC Series
- Full stainless steel stand
- Stands to suit Gas equipment to make the counter top unit a free-standing model


ATSEC-300




ATSEC-600



ATSEC-900



ATSEC-1200



INFORMATION	ATSEC-300	ATSEC-600	ATSEC-900	ATSEC-1200
Dimensions(mm)	W308 x D640 x H712,10kg	W608 x D640 x H712,12.4kg	W908 x D640 x H712,15kg	W1218 x D640 x H712,17kg
Packaging Dimensions(mm)	W330 x D645 x H100,11kg	W610 x D645 x H100,13kg	W930x D645 x H100,17.5kg	W1240x D645 x H100,19.7kg
RRP	\$449.00	\$500.00	\$576.00	\$638.00


99 * All prices are EX-GST

* All prices are EX-GST 100




DEEP FRYERS

ATFS-40/ATFS-50



ATFS-75



DEEP FRYERS

Optional lid



\$113

21201001017

392x600

Optional lid




\$138

21201003013

538x600

Side panel



\$101

21101001047

620x380x2.0/430

Cookrite Deep Fryer Filter



for ATFS-40/50
350x353 \$207

for ATFS-75
490x353 \$219

FEATURES

- Available in 3, 4 and 5 burner configurations
- Gas approved Australia-wide
- Heavy duty constructed frame
- Stainless steel splash back
- Nickel plated frying baskets
- Quick recovery
- Automatic safety valve stabilizing function
- Heavy duty tube burners with stable flame and standby pilots
- Thermostatic temp control from 0°C ~ 240°C celsius
- Front screw-on drain pipe for oil
- Oil cooling zone seated at bottom of the tank to avoid food residue
- Adjustable stainless steel legs
- 3/4 inch gas inlet
- Available in NG and LPG
- 2 small baskets come with ATFS-40 & ATFS-50
- 2 large baskets come with ATFS-75
- (ATFS-75 can fit 3x small baskets)
- Optional extras: night lid, small/large baskets, side panel

• Stainless

• Control

• Castors

• FailSafe

• Manual

• Independent

• Stainless

INFORMATION	ATFS-40-NG/LPG	ATFS-50-NG/LPG	ATFS-75-NG/LPG
Oil Capacity	26.4L	26.6L	34.7L
Gas Type	NG/LPG	NG/LPG	NG/LPG
Gas Output per Burner Mj/h	28	28	28
Total Power Output Mj/h	84	112	140
Dimensions(mm)	W395x D765 x H1128, 60kg	W395x D765 x H1128, 65.5kg	W535x D765 x H1128, 76.5kg
Packaging Dimensions(mm)	W450 x D850 x H965, 72.5kg	W450 x D850 x H965, 78kg	W590 x D850 x H970, 90.5kg
RRP	\$2,524.00	\$3,409.00	\$4,168.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

101 * All prices are EX-GST

* All prices are EX-GST 102



CATER TO MORE CUSTOMERS
4, 6 & 8 BURNER OPTIONS WITH OVEN



FEATURES

- Stainless kick plate including back guard and high shelf
- Heavy duty constructed frame
- Tall stainless steel splashback
- Stainless steel tubing for burners and pilots
- Heavy duty cast iron trivets
- Oven temperature control range
- 100°C ~ 300°C
- Manual ignition
- Piezo ignitors on oven only
- Adjustable stainless steel legs
- 3/4 inch gas inlet
- Multiple position oven rack guides
- Comes with one chrome rack per oven
- Static Oven
- Stainless steel legs
- Available in NG and LPG
- 300mm W Drop on Griddle Plate available as an optional GRID 30 \$374.00
- AT80G4B-O,AT80G6B-O Comes with 1 wire shelf
- AT80G8B-O comes with 2 wire shelves
- Shelves RRP \$102.00 each



• Stainless • Control • Shelves • Castors • FailSafe • Manual • Independent • Stainless

CATER TO MORE CUSTOMERS
4, 6 & 8 BURNER OPTIONS WITH OVEN







Side view

AT80G4B-O

AT80G6B-O

AT80G8B-O



INFORMATION	AT80G4B-O	AT80G6B-O	AT80G8B-O
Gas Type	NG/LPG	NG/LPG	NG/LPG
Gas Output Mj/h	Per burner: 28 / Oven: 26	Per burner: 28 / Oven: 29	Per burner: 28 / Oven: 26
Total Power Output Mj/h	Per burners: 112 / Oven: 26	Per burners: 168 / Oven: 29	Per burners: 224 / Oven: 52
Dimensions(mm)	W600 x D800 x H1115, 130kg	W900 x D800 x H1115, 174kg	W1200 x D800 x H1115, 242kg
Packaging Dimensions(mm)	W685 x D995 x H1025, 176kg	W985 x D995 x H1025, 233kg	W1285 x D995 x H1025, 307.3kg
RRP	\$5,180.00	\$6,319.00	\$9,608.00



AUSTRALIA AND NEW ZEALAND
GAS SAFETY CERTIFICATION



2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

103 * All prices are EX-GST

* All prices are EX-GST 104



ITALIAN DESIGNED AND ENGINEERED

FEATURES

- Holds up to 10 full size sheet pans on exclusive grab & go racks
- Touchscreen controls with picture-based selections for pre-programmed recipes
- Automatically selects optimal humidity based on temperature and time for no-fuss combi mode
- Self-cleaning and descaling for convenient, quick maintenance
- Increased labor savings due to easy-to-use and consistent programmed recipes

Information	Full Sized steel part capacity	Pan's size	Shelf spacing (mm)	Power (KW)	Heating Power (KW)	Motor Power (KW)	Voltage (V/Hz/Ph)	Temperature (°C)	Maximum Temperature (°C)	NW	GW	Dimension (mm)	RRP
EPC-0511E1	5	1 GN1/1	68	8.5/10.1	9	330	208-240/50/3	30-260	260	95kg	128kg	W786×D870×H712	\$8,950
EPC-0711E2	7	/ GN1/1	68	13.1/15.5	2x6.9	2x330	208-240/50/3	30-260	260	120.8kg	154.4kg	W786×D870×H888	\$11,150
EPC-1011E2	10	/ GN1/1	68	17/20.1	2x9	2x330	208-240/50/3	30-260	260	136.4kg	173.4kg	W786×D870×H1052	\$14,050
EPC-0621E2	6	E600x400 GN2/1	82	17/20.1	2x9	2x330	208-240/50/3	30-260	260	160.4kg	207.7kg	W908×D1080×H922	\$15,450
EPC-1021E3	10	E600x400 GN2/1	82	25.5/30.2	3x9	3x330	208-240/50/3	30-260	260	197.6kg	251.6kg	W908×D1080×H1224	\$17,950

COMBI OVEN STAND



FEATURES

- Designed to hold combi oven
- Sturdy stainless steel construction for long-lasting use.
- Includes shelf for storing towels, spatulas, pans, and other supplies
- Casters make moving oven fast and easy

Information	Pans include	Pan's size	Suitable model	GW	Dimension: WxDxH	Packing Size: WxDxH	RRP
ASR-5171	7	10x13 GN1/1	EPC-0511E1 EPC-0711E2	24kg	811x751x581 mm	742x500x310 mm	\$1,250.00
ASR-62	6	18x26 GN2/1 600x400	EPC-0621E2	36.2kg	931x959x690 mm	940x614x368 mm	\$1,290.00
AS-5171	/	/	EPC-0511E1 EPC-0711E2	19.5kg	811x751x581 mm	742x500x310 mm	\$1,090.00
AS-62	/	/	EPC-0621E2	24.1kg	931x959x690 mm	940x614x318 mm	\$1,190.00
ASR-5171D	7	18x13 GN/1	EPC-0511E1 EPC-0711E2	66kg	811x728x622 mm	848x787x783 mm	\$1,890.00
ASR-62D	5	18x26 GN2/1 orr 600x400	EPC-0621E2	81kg	931x936x622 mm	985x960x779 mm	\$1,990.00

WARRANTY TERMS
2 YEARS WARRANTY ON SPARE PARTS, 1 YEAR ON LABOUR AS STANDARD.
LABOUR WARRANTY WILL BE EXTENDED FROM ONE YEAR TO TWO IF A "SIMCO INSTALL" IS ORDERED
Please refer to the specific "SIMCO/Atosa Combi oven price list" for more information.

105 * All prices are EX-GST

* All prices are EX-GST 106

COUNTERTOP CONVECTION OVENS

COUNTERTOP CONVECTION OVENS



FEATURES

- Heavy duty exterior/interior stainless steel construction
- Reinforced door with double pane tempered cool to touch glass
- Advanced air flow design for even baking
- 120 minute timer
- Manual controls with temperature settings from 38°C – 260°C
- Removable wire rack holder
- 28mm legs for CTCO-25 & CTCO-50
- 20mm - 100mm adjustable legs for CTCO-100
- Distance between oven racks is 47mm
- Chrome oven racks



- Stainless

- Control

- Shelves

- Hinges

- Light

- Venting

- Recessed-handle

- Manual

Atosa Countertop
Convection Oven 3 x GN 1/4
CTCO-25

Atosa Countertop
Convection Oven 4 x GN 1/2
CTCO-50

Atosa Countertop
Convection Oven
4 x 600* 400mm
CTCO-100

INFORMATION	CTCO-25	CTCO-50	CTCO-100
Shelves	3	4	4
Voltage (V/Hz/Ph)	240 / 50 / 1	240/ 50/ 1	208-240/50/3 (Optional 1Ph)
Amps(A)	10	12.9	19.7-22.7 (3Ph) / 18-23A(1Ph)
Power(W)	1440W,fitted with 10A plug	1550W, fitted with 15A plug	4100-5450W 3PH Circuit Breaker 20AMP 4100-5450W 1PH Circuit Breaker 32AMP
Dimension(mm)	W475 x D504 x H381,19kg	W580 x D570 x H417,25kg	W808 x D680 x H578,60kg
Packing Size(mm)	W545 x D565 x H445,21.5kg	W650 x D635 x H480,28kg	W866 x D775 x H710,68kg
	\$957.00	\$1,496.00	\$2,728.00




2 YEARS WARRANTY ON ALL PARTS & LABOUR
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

* All prices are EX-GST 108



» ASIAN RANGE






ASIAN RANGE



FEATURES


- GasMark by IAPMO R&T Oceana-GMK10823
- Heavy duty frame
- Duckbill burner or chimney burner available
- Waterless wok
- 14"wok hole
- Available in Nat. gas or LPG
- High splashback with shelf

JA-1DB-N / JA-1DB-L / JA-1CB-N / JA-1CB-L



JA-2DB-N / JA-2DB-L / JA-2CB-N / JA-2CB-L

JA-3DB-N / JA-3DB-L / JA-3CB-N / JA-3CB-L



SINGLE WOK RANGE

Model No.	Size(mm)	Burner	Gas	MJ/h	RRP
JA-1DB-N	W600xD900xH1180,74kg	Duckbill	Nat.	100	\$4,378.00
JA-1DB-L	W600xD900xH1180,74kg	Duckbill	LPG	80	\$4,378.00
JA-1CB-N	W600xD900xH1180,79kg	Chimney	Nat.	100	\$4,378.00
JA-1CB-L	W600xD900xH1180,79kg	Chimney	LPG	90	\$4,378.00

DOUBLE WOK RANGE

Model No.	Size(mm)	Burner	Gas	MJ/h	RRP
JA-2DB-N	W1200xD900xH1180,125kg	Duckbill	Nat.	200	\$6,908.00
JA-2DB-L	W1200xD900xH1180,125kg	Duckbill	LPG	160	\$6,908.00
JA-2CB-N	W1200xD900xH1180,135kg	Chimney	Nat.	200	\$6,908.00
JA-2CB-L	W1200xD900xH1180,135kg	Chimney	LPG	180	\$6,908.00

TRIPLE WOK RANGE

Model No.	Size(mm)	Burner	Gas	MJ/h	RRP
JA-3DB-N	W1800xD900xH1180,180kg	Duckbill	Nat.	300	\$9,108.00
JA-3DB-L	W1800xD900xH1180,180kg	Duckbill	LPG	240	\$9,108.00
JA-3CB-N	W1800xD900xH1180,180kg	Chimney	Nat.	300	\$9,108.00
JA-3CB-L	W1800xD900xH1180,180kg	Chimney	LPG	270	\$9,108.00


* All prices are EX-GST

FEATURES

- GasMark by IAPMO
 - R&T Oceana -GMK10825
 - 18 Jet duckbill burner
 - Available in Nat. gas or LPG
- Can be used as a Noodle Cooker, Dim Sim Steamer, OR Cheong Fung steamer.
 - One accessory included as standard
 - Optional accessories can be purchased.
 - Please state your choice of accessory on order.



MULTI-FUNCTION COOKER



Multi-function cooker

	JA-NC-N	JA-NC-L
Size(mm)	W600xD900xH960	W600xD900xH960
Burner	Duckbill	Duckbill
Gas	Nat.	LPG
MJ/h	80	60
RRP	\$6,468.00	\$6,468.00

ASIAN RANGE SPARES



Basket for Multi-function cooker

Size(cm)	RRP
13x33.5H	\$50.00



Cheong fun steamer to suit Multi-function cooker

Size(mm)	RRP
580x550x160	\$616.00



For Multi-function cooker Food steamer

Size(mm)	RRP
540	\$396.00



18 Jet duckbill burner

Size(mm)	RRP
255x310x100	\$289.00



24 Jet chimney burner


Size(mm)	RRP
280x340x70	\$289.00



STOCKPOT BOILER

Stockpot Boiler

Model No.	Size(mm)	Burner	Gas	MJ/h	RRP
JA-SPB-N	W600xD900xH1180,70kg	Duckbill	Nat.	100	\$4,818.00
JA-SPB-L	W600xD900xH1180,70kg	Duckbill	LPG	80	\$4,818.00



FEATURES

- GasMark by IAPMO R&T Oceana -GMK10824
- Heavy duty frame
- 18 Jet duckbill burner
- Available in Nat. gas or LPG
- High splashback



CATERING EQUIPMENT

CookRite
TO COOK NICELY!

MIXrite
MAKE THE STEEL RITE!



We provide a wide range of excellent quality catering equipment such as bain-maries, drink dispensers, and chafing dishes, which are perfect for commercial business. They are innovative, low cost, and easy to use

115 * All prices are EX-GST

CATERING EQUIPMENT

Soup Kettle
AT51588

Dimension (WxDxH mm)
360 x 355 x 380, 1kg
Capacity (Litre): 10
RRP \$222.00

Juice Dispenser with
Stainless Steel Legs
AT90512

Dimension (WxDxH mm)
350 x 260 x 580, 1kg
Capacity (Litre): 8
RRP \$285.00

Bain Marie with
Mechanical Controller
8700

Dimension (WxDxH mm)
580 x 340 x 245, 1kg
For 150mm GN1/1 food pan
RRP \$285.00

Bain Marie with Mechanical
Controller and Drain
8710

Dimension (WxDxH mm)
580 x 340 x 245, 1kg
For 150mm GN1/1 food pan
RRP \$412.00

12L Deluxe Coffee Urn
With Chrome Legs
AT80012

Dimension (WxDxH mm)
350 x 310 x 500, 1kg
Capacity (Litre): 12
RRP \$626.00

Stainless Steel
Cereal Dispenser
AT90133

Dimension (WxDxH mm)
360 x 230 x 660, 1kg
Capacity (Litre): 9
RRP \$399.00

Deluxe Oblong
Chafing Dish
AT61363

Dimension (WxDxH mm)
645 x 475 x 435, 1kg
Capacity (Litre): 8.5
RRP \$475.00

Deluxe Round
Chafing Dish
AT51363


Dimension (WxDxH mm)
500 x 530 x 450, 1kg
Capacity (Litre): 5
RRP \$475.00

Economic Oblong
Chafing Dish
AT761L63-1

Dimension (WxDxH mm)
600 x 360 x 300, 1kg
Capacity (Litre): 9
RRP \$146.00



CATERING EQUIPMENT



GN Pans (201 Stainless Steel)

Model	Item	Size(mm)	Qty/Box	RRP	Model	Item	Size(mm)	Qty/Box	RRP
21020	2/1x20mm pan	650×530×20	6	\$51	23020	2/3x20mm pan	353×325×20	12	\$19
21040	2/1x40mm pan	650×530×40	6	\$58	23040	2/3x40mm pan	353×325×40	12	\$19
21065	2/1x65mm pan	650×530×65	6	\$62	23065	2/3x65mm pan	353×325×65	12	\$19
21100	2/1x100mm pan	650×530×100	6	\$76	23100	2/3x100mm pan	353×325×100	12	\$25
21150	2/1x150mm pan	650×530×150	6	\$95	23150	2/3x150mm pan	353×325×150	12	\$37
21200	2/1x200mm pan	650×530×200	6	\$113	23200	2/3x200mm pan	353×325×200	12	\$58
11020	1/1x20mm pan	530×325×20	6	\$19	12020	1/2x20mm pan	325×265×20	12	\$11
11040	1/1x40mm pan	530×325×40	6	\$25	12040	1/2x40mm pan	325×265×40	12	\$19
11065	1/1x65mm pan	530×325×65	6	\$25	12065	1/2x65mm pan	325×265×65	12	\$19
11100	1/1x100mm pan	530×325×100	6	\$32	12100	1/2x100mm pan	325×265×100	12	\$19
11150	1/1x150mm pan	530×325×150	6	\$50	12150	1/2x150mm pan	325×265×150	12	\$32
11200	1/1x200mm pan	530×325×200	6	\$58	12200	1/2x200mm pan	325×265×200	12	\$37

Model	Item	Size(mm)	Qty/Box	RRP	Model	Item	Size(mm)	Qty/Box	RRP
13020	1/3x20mm pan	325×176×20	18	\$11	16065	1/6x65mm pan	176×162×65	36	\$11
13040	1/3x40mm pan	325×176×40	18	\$11	16100	1/6x100mm pan	176×162×100	36	\$11
13065	1/3x65mm pan	325×176×65	18	\$14	16150	1/6x150mm pan	176×162×150	36	\$19
13100	1/3x100mm pan	325×176×100	18	\$19	16200	1/6x200mm pan	176×162×200	36	\$19
13150	1/3x150mm pan	325×176×150	18	\$25	19065	1/9x65mm pan	176×108×65	48	\$7
13200	1/3x200mm pan	325×176×200	18	\$32	19100	1/9x100mm pan	176×108×100	48	\$11
14020	1/4x20mm pan	265×162×20	24	\$7	19150	1/9x150mm pan	176×108×150	48	\$19
14040	1/4x40mm pan	265×162×40	24	\$11	24040	2/4x40mm pan	530×162×40	12	\$25
14065	1/4x65mm pan	265×162×65	24	\$11	24065	2/4x65mm pan	530×162×65	12	\$25
14100	1/4x100mm pan	265×162×100	24	\$14	24100	2/4x100mm pan	530×162×100	12	\$32
14150	1/4x150mm pan	265×162×150	24	\$19	24150	2/4x150mm pan	530×162×150	12	\$44
14200	1/4x200mm pan	265×162×200	24	\$25					

Perforated GN Pans

Model	Item	Size(mm)	Qty/Box	RRP
P21020	2/1x20mm perforated pan	650×530×20	6	\$56
P21040	2/1x40mm perforated pan	650×530×40	6	\$61
P21065	2/1x65mm perforated pan	650×530×65	6	\$66
P21100	2/1x100mm perforated pan	650×530×100	6	\$83
P21150	2/1x150mm perforated pan	650×530×150	6	\$94
P21200	2/1x200mm perforated pan	650×530×200	6	\$116
P11020	1/1x20mm perforated pan	530×325×20	6	\$22
P11040	1/1x40mm perforated pan	530×325×40	6	\$33
P11065	1/1x65mm perforated pan	530×325×65	6	\$33
P11100	1/1x100mm perforated pan	530×325×100	6	\$33
P11150	1/1x150mm perforated pan	530×325×150	6	\$56
P11200	1/1x200mm perforated pan	530×325×200	6	\$61
P23020	2/3x20mm perforated pan	353×325×20	12	\$22
P23040	2/3x40mm perforated pan	353×325×40	12	\$22
P23065	2/3x65mm perforated pan	353×325×65	12	\$22
P23100	2/3x100mm perforated pan	353×325×100	12	\$33
P23150	2/3x150mm perforated pan	353×325×150	12	\$39
P23200	2/3x200mm perforated pan	353×325×200	12	\$56
P12020	1/2x20mm perforated pan	325×265×20	12	\$22
P12040	1/2x40mm perforated pan	325×265×40	12	\$22
P12065	1/2x65mm perforated pan	325×265×65	12	\$22
P12100	1/2x100mm perforated pan	325×265×100	12	\$22
P12150	1/2x150mm perforated pan	325×265×150	12	\$33
P12200	1/2x200mm perforated pan	325×265×200	12	\$39
P13020	1/3x20mm perforated pan	325×176×20	18	\$11
P13040	1/3x40mm perforated pan	325×176×40	18	\$22
P13065	1/3x65mm perforated pan	325×176×65	18	\$22
P13100	1/3x100mm perforated pan	325×176×100	18	\$22
P13150	1/3x150mm perforated pan	325×176×150	18	\$33
P13200	1/3x200mm perforated pan	325×176×200	18	\$33

119 * All prices are EX-GST

* All prices are EX-GST 120

Stainless Steel Lids



Stainless Steel Lids with Cut for Spoon



CATERING EQUIPMENT

Stainless Steel Lids

Model	Item	Size(mm)	Qty/Box	RRP
21000	2/1 Standard Lids	650×530	6	\$55
11000	1/1 Standard Lids	530×325	6	\$22
12000	1/2 Standard Lids	325×265	12	\$17
23000	2/3 Standard Lids	353×325	12	\$22
13000	1/3 Standard Lids	325×176	18	\$11
14000	1/4 Standard Lids	265×162	24	\$11
16000	1/6 Standard Lids	176×162	36	\$6
19000	1/9 Standard Lids	176×108	48	\$6
24000	2/4 Standard Lids	530×162	12	\$22

Stainless Steel Lids with Cut for Spoon

Model	Item	Size(mm)	Qty/Box	RRP
P21000	2/1 Lids with cut for spoon	650×530	6	\$58
P11000	1/1 Lids with cut for spoon	530×325	6	\$25
P12000	1/2 Lids with cut for spoon	325×265	12	\$14
P23000	2/3 Lids with cut for spoon	353×325	12	\$19
P13000	1/3 Lids with cut for spoon	325×176	18	\$11
P14000	1/4 Lids with cut for spoon	265×162	24	\$11
P16000	1/6 Lids with cut for spoon	176×162	36	\$7
P19000	1/9 Lids with cut for spoon	176×108	48	\$7
P24000	2/4 Lids with cut for spoon	530×162	12	\$19

PREMIUM STAINLESS STEEL BENCHES, SINKS AND SHELVES



A broad range of hygienic and durable stainless steel benches, sinks and shelves are supplied by Simco Catering Equipment.



There are various sizes and dimensions available and all our models are very easy to assemble. Competitive pricing helps you to get more for your money. You will definitely find suitable benches and shelving to fit your business needs. All Mixrite benches have fully stainless steel shelves and feet.




WTS606
WTS609
WTS612
WTS615
WTS618
WTS621
WTS624
WTS706
WTS709
WTS712
WTS715
WTS718
WTS721
WTS724




WTCS6B
WTCS7B

PREMIUM STAINLESS STEEL BENCHES

WTS



WTCS



Flat Top Work Bench

FEATURES

- Flat top work bench available in 600 or 700 deep
- 1.2mm thick stainless steel top
- 41mm diameter round stainless steel tube legs, 1.2mm thick
- Adjustable stainless steel feet fitted as standard
- 1.2mm thick stainless steel under-shelf with top hat stiffening
- 2100 & 2400mm length units supplied with 6 legs
- Supplied flat packed ready for assembly

Model	Dimensions (mm)	Net weight (kg)	Packaging Dimensions (mm)	Gross weight (kg)	RRP ex GST
WTS606	W600 x D600 x H900	14.7	W920 x D620 x H80	16	\$488
WTS609	W900 x D600 x H900	16.4	W920 x D620 x H80	17.8	\$564
WTS612	W1200 x D600 x H900	22.3	W1220 x D620 x H80	24.2	\$690
WTS615	W1500 x D600 x H900	26.7	W1520 x D620 x H80	29	\$791
WTS618	W1800 x D600 x H900	32.5	W1820 x D620 x H80	35.3	\$905
WTS621	W2100 x D600 x H900	38.2	W2120 x D620 x H80	41.5	\$1095
WTS624	W2400 x D600 x H900	43	W2420 x D620 x H80	46	\$1221

WTS706	W600 x D700 x H900	15.2	W920 x D720 x H80	16.5	\$513
WTS709	W900 x D700 x H900	17.9	W920 x D720 x H80	19.5	\$601
WTS712	W1200 x D700 x H900	25.6	W1220 x D720 x H80	27.8	\$702
WTS715	W1500 x D700 x H900	29.9	W1520 x D720 x H80	32.5	\$829
WTS718	W1800 x D700 x H900	36.5	W1820 x D720 x H80	39.7	\$943
WTS721	W2100 x D700 x H900	44.8	W2120 x D720 x H80	48.7	\$1146
WTS724	W2400 x D700 x H900	49.7	W2420 x D720 x H80	54	\$1272

Model	Dimensions (mm)	Net weight (kg)	Splashback	Packaging Dimensions (mm)	Gross weight (kg)	RRP ex GST
WTCS6B	W600 x D600 x H900	20	150mm	W930 x D699 x H230	17.5	\$702
WTCS7B	W700 x D700 x H900	23	150mm	W930 x D799 x H230	19.8	\$766


* All prices are EX-GST 124



PREMIUM STAINLESS STEEL BENCHES

Work Bench with Splash-back
FEATURES

- Work bench with rear splashback, available in 600mm or 700mm depth
- 1.2mm thick stainless steel top
- 41mm diameter round stainless steel tube legs, 1.2mm thick
- Adjustable stainless steel feet fitted as standard
- 1.2mm thick stainless steel under-shelf with top hat stiffening
- 2100 & 2400mm length units supplied with 6 legs
- Supplied flat packed ready for assembly
- Splash back hight 150mm




PREMIUM STAINLESS STEEL BENCHES

Stainless Steel Dishwasher Bench Outlet

FEATURES

- Suits most leading brands of popular commercial dishwashers
- Bench available in 600 and 700mm depth
- 304 grade, 1.2mm thick stainless steel top
- 150mm splash back
- Available as left or right handed exit
- Supplied flat packed ready for self-assembly
- Splash back hight 150mm



Model	Dimensions (mm)	Net weight (kg)	Splashback	Packaging Dimensions (mm)	Gross weight (kg)	RRP ex GST
WTS606B	W600 x D600 x H900	16.9	150mm	W920 x D767 x H256	16.9	\$550
WTS609B	W900 x D600 x H900	20.6	150mm	W938 x D700 x H256	20.6	\$614
WTS612B	W1200 x D600 x H900	24.2	150mm	W1238 x D700 x H256	24.2	\$715
WTS615B	W1500 x D600 x H900	29.4	150mm	W1538 x D700 x H256	29.4	\$854
WTS618B	W1800 x D600 x H900	33.1	150mm	W1838 x D700 x H256	33.1	\$943
WTS621B	W2100 x D600 x H900	41.8	150mm	W2138 x D700 x H256	41.8	\$1146
WTS624B	W2400 x D600 x H900	46.2	150mm	W2438 x D700 x H256	46.2	\$1272


WTS703B	W300 x D700x H900	13.4	150mm	W920 x D867 x H256	13.4	\$307
WTS745B	W450 x D700x H900	15.8	150mm	W920 x D867 x H256	15.8	\$373
WTS706B	W600 x D700 x H900	17.7	150mm	W920 x D867 x H256	17.7	\$550
WTS709B	W900 x D700 x H900	22.4	150mm	W938 x D800 x H256	22.4	\$665
WTS712B	W1200 x D700 x H900	28.4	150mm	W1238 x D800 x H256	28.4	\$741
WTS715B	W1500 x D700 x H900	33.3	150mm	W1538 x D800 x H256	33.3	\$867
WTS718B	W1800 x D700 x H900	36.1	150mm	W1838 x D800 x H256	36.4	\$994
WTS721B	W2100 x D700 x H900	46.9	150mm	W2138 x D800 x H256	46.9	\$1171
WTS724B	W2400 x D700 x H900	51.2	150mm	W2438 x D800 x H256	51.2	\$1309

Model	Dimensions (mm)	Net weight (kg)	Splashback	Packaging Dimensions (mm)	Gross weight (kg)	RRP ex GST
WST6060L/R	W600 x D600 x H900	23.2	150mm	W870 x D635 x H300	19.3	\$582
WST6120L/R	W1200 x D600 x H900	27.6	150mm	W1240 x D635 x H300	28.4	\$879
WST7060L/R	W600 x D700 x H900	33.4	150mm	W870 x D735 x H300	29.3	\$582
WST7120L/R	W1200 x D700 x H900	26.5	150mm	W1240 x D735 x H300	30.5	\$879




PREMIUM STAINLESS STEEL SINKS
Sink Bench with Splashback - 700mm Depth


SS(C)



SS(L)



SS(R)



FEATURES


- Wet bench with fabricated sink bowl
- 1.2mm thick stainless steel top
- 41mm diameter round stainless steel tube legs, 1.2mm thick
- Adjustable stainless steel feet fitted as standard (2100 & 2400) models supplied with six legs as standard
- Bowl size 450mm x 450mm x 300mm available Left, Right or Centre of bench - please specify L, R or C on order
- For the suitability of fitting a dishwasher underneath sink benches supplied with leg braces, please contact your dealer representative.
- Pre-punched waste hole to suit 90mm waste
- Supplied flat packed ready for assembly
- Splash back height 150mm

Model	Dimensions (mm)	Net weight (kg)	Splashback	Packaging Dimensions (mm)	Gross weight (kg)	RRP ex GST
SS1606C	W600 x D600 x H900	18.9	150mm	W900 x D650 x H500	20.5	\$918
SS1609C	W900 x D600 x H900	21.8	150mm	W985 x D650 x H500	26.5	\$1056
SS1612C/L/R	W1200 x D600 x H900	25	150mm	W1285 x D650 x H500	29.9	\$1031
SS1615C/L/R	W1500 x D600 x H900	27.8	150mm	W1585 x D650 x H500	37.5	\$1284
SS1618C/L/R	W1800 x D600 x H900	34.6	150mm	W1885 x D650 x H500	41.8	\$1360
SS1621C/L/R	W2100 x D600 x H900	41.4	150mm	W2185 x D650 x H500	50.2	\$1525
SS1624C/L/R	W2400 x D600 x H900	45	150mm	W2485 x D650 x H500	53.5	\$1677
SS1706C	W600 x D700 x H900	19.8	150mm	W900 x D750 x H500	23.5	\$968
SS1709C	W900 x D700 x H900	22.7	150mm	W985 x D750 x H500	30.6	\$1070
SS1712C/L/R	W1200 x D700 x H900	25.9	150mm	W1285 x D750 x H500	35	\$1348
SS1715C/L/R	W1500 x D700 x H900	28.7	150mm	W1585 x D750 x H500	38.8	\$1360
SS1718C/L/R	W1800 x D700 x H900	35.5	150mm	W1885 x D750 x H500	43.8	\$1512
SS1721C/L/R	W2100 x D700 x H900	42.3	150mm	W2185 x D750 x H500	55.3	\$1677
SS1724C/L/R	W2400 x D700 x H900	45.9	150mm	W2485 x D750 x H500	61.3	\$1930

* All prices are EX-GST



PREMIUM STAINLESS STEEL SINKS
Double Sink Bench - 600mm / 700mm Depth



- FEATURES**
- Wet bench with fabricated sink bowl
 - 1.2mm thick stainless steel top
 - 41mm diameter round stainless steel tube legs, 1.2mm thick
 - Adjustable stainless steel feet fitted as standard (2100 & 2400 models are supplied with six legs as standard)
 - Bowl size: 450mm x 450mm x 300mm, available left, right or centre of bench - please specify L, R or C on order
 - For the suitability of fitting a dishwasher underneath sink benches supplied with leg braces, please contact your dealer representative.
 - Pre-punched waste hole to suit 90mm waste
 - Supplied flat packed, ready for assembly
 - Splash back height: 150mm

Model	Dimensions (mm)	Net weight (kg)	Splashback	Packaging Dimensions (mm)	Gross weight (kg)	RRP ex GST
SS2612C	W1200 x D600 x H900	29	150mm	W1285 x D685 x H500	33.3	\$1214
SS2615C	W1500 x D600 x H900	31.5	150mm	W1585 x D685 x H500	38.7	\$1309
SS2618 L/R/C	W1800 x D600 x H900	38.3	150mm	W1885 x D685 x H500	44.9	\$1525
SS2621 L/R/C	W2100 x D600 x H900	46	150mm	W2185 x D685 x H500	49.4	\$1613
SS2624 L/R/C	W2400 x D600 x H900	49.7	150mm	W2485 x D685 x H500	54	\$1753
SS2712C	W1200 x D700 x H900	29.9	150mm	W1285 x D785 x H500	37.2	\$1334
SS2715C	W1500 x D700 x H900	32.3	150mm	W1585 x D785 x H500	42.8	\$1576
SS2718 L/R/C	W1800 x D700 x H900	40.9	150mm	W1885 x D785 x H500	48	\$1664
SS2721 L/R/C	W2100 x D700 x H900	49.7	150mm	W2185 x D785 x H500	57.6	\$2132
SS2724 L/R/C	W2400 x D700 x H900	53.4	150mm	W2485 x D785 x H500	65.6	\$2448




PREMIUM STAINLESS STEEL SINKS
Stainless Steel Dishwasher Single Inlet Sink

PREMIUM STAINLESS STEEL SINKS
Stainless Steel Dishwasher Double Inlet Sink

FEATURES


- Suits most leading brands of popular commercial dishwashers
- Bench available in 600mm and 700mm depth
- 304 grade, 1.2mm thick stainless steel top
- Wet bench with fabricated sink bowl
- 41mm diameter round stainless steel tube legs, 1.2mm thick
- Adjustable stainless steel feet fitted as standard
- Splash back height 150mm



Model	Dimensions (mm)	Net weight (kg)	Splashback	Packaging Dimensions (mm)	Gross weight (kg)	ex GST
WSS16120L/R	W1200 x D600 x H900	27.8	150mm	W1240 x D635 x H500	30.2	\$1019
WSS17120L/R	W1200 x D700 x H900	28.7	150mm	W1240 x D735 x H500	33.9	\$1113

FEATURES

- Suits most leading brands of popular commercial dishwashers
- Bench available in 600mm and 700mm depth
- 304 grade, 1.2mm thick stainless steel top
- Wet bench with fabricated sink bowl
- 41mm diameter round stainless steel tube legs, 1.2mm thick
- Adjustable stainless steel feet fitted as standard
- Splash back height: 150mm



Model	Dimensions (mm)	Net weight (kg)	Splashback	Packaging Dimensions (mm)	Gross weight (kg)	ex GST
WSS26165L/R	W1650 x D600 x H900	31.5	150mm	W1690 x D735 x H500	44.7	\$1525
WSS27165L/R	W1650 x D700 x H900	32.3	150mm	W1690 x D735 x H500	44.7	\$1778

131 * All prices are EX-GST

* All prices are EX-GST 132

PREMIUM STAINLESS STEEL SINKS

FEATURES

- 1.2mm thick stainless steel brackets(number supplied according to length)
- Supplied flat packed ready for assembly and fitting (1 box including brackets)

	Model	Dimensions (mm)	Packaging Dimensions (mm)	RRP ex GST
Solid Wall Shelves	SWS06	W600 x D300 x H255	W625 x D325 x H118	\$171
	SWS09	W900 x D300 x H255	W925 x D325 x H118	\$196
	SWS12	W1200 x D300 x H255	W1225 x D325 x H118	\$247
	SWS15	W1500 x D300 x H255	W1520 x D320 x H118	\$285
	SWS18	W1800 x D300 x H255	W1820 x D320 x H118	\$323
	SWS21	W2100 x D300 x H255	W2120 x D320 x H118	\$387
	SWS24	W2400 x D300 x H255	W2420 x D320 x H118	\$424

Pipe Wall Shelves	PWS06	W600 x D300 x H255	W625 x D350 x H48	\$171
	PWS09	W900 x D300 x H255	W925 x D350 x H48	\$209
	PWS12	W1200 x D300 x H255	W1225 x D350 x H48	\$235
	PWS15	W1500 x D300 x H255	W1525 x D350 x H48	\$260
	PWS18	W1800 x D300 x H255	W1825 x D350 x H48	\$311
	PWS21	W2100 x D300 x H255	W2125 x D350 x H48	\$373
	PWS24	W2400 x D300 x H255	W2425 x D350 x H48	\$412

Over-shelves

- Single & double tier shelves for top mounting on benches
- 1.2mm thick stainless steel tops
- 3mm zincalume coated steel reinforced backing to over-shelf
- Stainless steel flanged feet for fixing to bench tops with covers
- Supplied flat packed ready for assembly

Model	Dimensions (mm)	Packaging Dimensions (mm)	ex GST
SOS109	W1200 x D320 x H450	W920 x D320 x H58	\$285
SOS112	W1220 x D320 x H450	W1220 x D320 x H58	\$336
SOS115	W1520 x D320 x H450	W1520 x D320 x H58	\$399
SOS118	W1820 x D320 x H450	W1820 x D320 x H58	\$412
SOS121	W2120 x D320 x H450	W2120 x D320 x H58	\$525
SOS209	W900 x D300 x H750	W920 x D320 x H96	\$449
SOS212	W1200 x D300 x H750	W1220 x D320 x H96	\$513
SOS215	W1500 x D300 x H750	W1520 x D320 x H96	\$564
SOS218	W1800 x D300 x H750	W1820 x D320 x H96	\$665
SOS221	W2100 x D300 x H750	W2120 x D320 x H96	\$829

PREMIUM STAINLESS STEEL SINKS

Solid Undershelves for
600mm Deep Series

Model	Width (mm)	RRP ex GST
WTSU606	496	\$146
WTSU609	796	\$184
WTSU612	1096	\$222
WTSU615	1396	\$260
WTSU618	1696	\$285
WTSU621	1996	\$323
WTSU624	2296	\$373

Solid Undershelves for
700mm Deep Series

Model	Width (mm)	RRP ex GST
WTSU706	496	\$209
WTSU709	796	\$235
WTSU712	1096	\$247
WTSU715	1396	\$311
WTSU718	1696	\$336
WTSU721	1996	\$373
WTSU724	2296	\$412

Pot Rack undershelves
600mm Deep

Model	Width (mm)	RRP ex GST
SSU606	490	\$171
SSU609	790	\$196
SSU612	1090	\$235
SSU615	1390	\$272
SSU618	1690	\$285
SSU621	1990	\$336
SSU624	2290	\$387

Pot Rack undershelves
700mm Deep

Model	Width (mm)	RRP ex GST
SSU706	490	\$222
SSU709	790	\$247
SSU712	1090	\$272
SSU715	1390	\$323
SSU718	1690	\$361
SSU721	1990	\$387
SSU724	2290	\$424

Leg Bracing (For Sink)
600mm Deep

Model	Width (mm)	RRP ex GST
SSLB606	490	\$120
SSLB609	790	\$134
SSLB612	1090	\$134
SSLB615	1390	\$134
SSLB618	1690	\$146
SSLB621	1990	\$146
SSLB624	2290	\$171

Leg Bracing (For Sink)
700mm Deep

Model	Width (mm)	RRP ex GST
SSLB706	490	\$120
SSLB709	790	\$134
SSLB712	1090	\$134
SSLB715	1390	\$134
SSLB718	1690	\$146
SSLB721	1990	\$146
SSLB724	2290	\$171

Legs with Castor

RRP ex GST
\$62 per leg

- 2 fitted with brake casters
- 2 non-brake casters



Legs with disk feet

RRP ex GST
\$65 per leg



SIMCO HOOD



SIMCO HOOD (Ductless Exhaust Hood System)

SIMCO HOOD



Ductless Hood

W 1500mm x D 750mm X H 1400mm
W 1500mm x D 850mm X H 1400mm
W 1800mm x D 750mm X H 1400mm
W 1800mm x D 850mm X H 1400mm
(620mm bench height)


Code	RRP (Ex GST)
DH1500-750D	\$17,875.00
DH1500-850D	\$17,875.00
DH1800-750D	\$20,075.00
DH1800-850D	\$20,075.00

FEATURES


- Made for electrical appliances up to 8 kW each
- Can handle a 3-phase unit
- Fits up to 3 or 4 appliances
- Quiet motor with strong suction power:
400–500 litres per second
- 334 watt motor drawing only 1.4 amp
- Constructed from 304 stainless steel (for easy cleaning)
- LED lights (for great illumination when cooking)
- Fitted with 3 standard removable honeycomb filters,
380 x 455 mm in size
- Fitted with a polyester filter (change every 8–12 weeks)
- Fitted with a carbon filter (change every 12 months)
- Comes standard with heavy-duty legs (for sturdy operation)
- Includes heavy-duty castors
- 12 months' warranty Australia-wide (parts and labour)
- Full certification included

FEATURES

- Stainless steel canopy with galvanized steel top
- Complies with Australian Standard 1668
- Designed for easy maintenance and cleaning
- Tapered plenum design with higher front
- Higher front reduces grease residue
- Fully welded corners
- Easy to install in any position or location
- No dividers between filters



- Removable grease drain tray
- Fitted with vapour-proof LED lights with a toughened glass panel
- Hood takes standard honeycomb filters,
381 x 457 x 50 mm in size
- Filters are included with every hood
- Ready to use, no waiting time required
- Available in different sizes



*Honey Comb Filters

Please contact us for the price.

135 * All prices are EX-GST

* All prices are EX-GST 136

Simco Catering Equipment

Warranty Terms and Conditions

Important Notice

It is a term of the sale of the Product that the Product will be and is used solely for commercial operations and not for personal, domestic or household use.

1.Definitions

“Authorised Service Agent” means an agent authorised by Simco to provide inspection, repair and maintenance service on a Product.

“Business Day” means a day that is not a Saturday, a Sunday or a public holiday in the city, state or territory where the Product is situated.

“Customer” means the purchaser of a Product supplied new by Simco to the Dealer or the Customer.

“Dealer” means a dealer, supplier or retailer of the Product.

“Inspection Fee” means the fee payable by the Customer in order for Simco to inspect the Product to determine whether the whether the Customer’s warranty claim falls within the warranty terms and conditions contained in this document.

“Product” means the product supplied new by Simco.

“Simco” means Australian Catering Equipment Holdings Pty Ltd (ACN 767 893 606) as Trustee for Australian Catering Equipment Holdings Unit Trust trading as Simco Catering Equipment of 3-9B Forge Street, Blacktown NSW 2148.

2.Application of the Warranty Terms and Conditions

2.1 These Warranty Terms and Conditions and no other terms and conditions whether written or oral shall apply to the Product.

2.2 These Warranty Terms and Conditions supersede all prior understanding, arrangements and agreements between Simco and the Customer and constitute the sole and only agreement with respect to the warranty provided by Simco.

3.Warranty

3.1 Subject to the terms and conditions contained in this document, Simco warrants the Product purchased against all defects in material or workmanship for a period of: -

3.1.1 Two (2) years for both on-site repair service and replacement of parts free of any charge from the date of

the purchase of the Product;

3.1.2 followed by an additional two (2) years for replacement of parts only free of any charge with the costs of the onsite service to be paid by the Customer.

3.1.3 Notwithstanding clauses 3.1.1 and 3.1.2 above, Atosa combi ovens shall be warranted for a period of two (2) years for the replacement of defective parts free of charge and one (1) year for onsite labour from the date of purchase of the Product. Where the Customer elects to engage Simco to carry out installation of the Product ("SIMCO Install"), Simco shall provide an additional one (1) year of onsite labour warranty, resulting in a total of two (2) years onsite labour warranty, subject to the terms and conditions contained in this document.

save and except that of all consumable spare parts including but not limited to knobs, thermocouple, piezo leads, igniters, ignition box, fuses, pilot burners and burner jets will only have a warranty period of twelve (12) months only for both parts and service. In addition, Simco ‘s warranty extends to a replacement or refund for a major failure of the Product. This warranty will not apply if the Product has been purchased for resale.

3.2 All warranty claims must be lodged with: -

3.2.1 proof of purchase by way of tax invoice or delivery docket in relation to the Product. Without proof of purchase, the warranty will not apply; and

3.2.2 a Gas Certificate of Compliance if the Product is a gas appliance.

3.3 The Customer must give Simco written notice to Simco via the Warranty Request Form available on SIMCO's website simcogroup.com.au immediately upon becoming aware of any defect and must give such notice prior to the expiry of the respective warranty periods of: -

3.3.1 two (2) years for labour and parts warranty , except as otherwise specified for Atosa combi ovens under Clause 3.1.3;

3.3.2 four (4) years for parts warranty only , except as otherwise specified for Atosa combi ovens under Clause 3.1.3.

Any defect which arises prior to the expiry of the relevant warranty periods will not be covered under the warranty if the Customer notifies Simco or the Dealer of such defect after the relevant warranty periods have

expired.

3.4 Simco's warranty against all defects in material and workmanship for the respective warranty periods set out in Clause 3.1 above is subject to the following: -

3.4.1 if the defect arises from the customer’s failure to:

(a) carry out regular servicing, at the customer’s cost, by Simco or an Authorised Service Agent; and or

(b) the customer fails to maintain the product as specified in the operation manual;

then the warranty against defects will be void.

3.4.2 the repair of the Product will be carried out within a reasonable period of time after notification of the defect is received by Simco and during the hours of 8.00 am to 4.00 pm on a Business Day. if the Customer requires the Product to be repaired immediately or outside the hours of 8.00 am to 4.00 pm on a Business Day, such repair is subject to availability and the Customer must pay the urgent service fee plus GST. The Customer will be informed of such urgent service fee plus GST prior to the Customer’s confirmation for the service to be provided;

3.4.3 if the Product is situated within a 50km radius of the General Post Office of the capital city of each state and territory in Australia or if outside of this area, within 30 km from an Authorised Service Agent, the on-site repair and replacement of parts is free of any travel costs.

If the Product is situated outside of these areas, the Customer must return the Product to Simco’s head office located at 3-9B Forge Street, Blacktown NSW 2148 or to the nearest Authorised Service Agent as directed by SIMCO, if available for repair with the costs of the delivery and collection of the Product to be borne by the Customer. If the Customer requires or prefers on-site service, the Customer is liable for the travel fee plus GST if on-site service is available at the location where the Product is situated and the Customer will be informed of such travel fee plus GST prior to the Customer’s confirmation of the service to be provided;

3.4.4 all other costs and charges related to the repair and replacement of the defective parts of the Product including but not limited to re-installation and commissioning costs shall be borne by the Customer; and

3.4.5 Simco is not required to provide a replacement product for the Customer’s use while the Product is being repaired or while waiting for a replacement part to be available for repair.

3.5 As an alternative to the repair and replacement of the defective parts of the Product, Simco reserves the

right to replace the Product with a product with similar features or to refund to the Customer the costs of the Product purchased at the discretion of Simco.

4.Warranty Claim Procedure

4.1 To make a claim under this warranty, the customer must do the following: -

4.1.1 Complete the Warranty Request Form online available on Simco Catering’s website at simcogroup.com.au/support and forward the completed form to SIMCO by email.

4.1.2 Provide a copy of the tax invoice or delivery docket as proof of purchase.

4.1.3 Provide a copy of the Gas Certificate of Compliance in relation to a gas appliance.

4.1.4 Provide the Customer’s credit card / debit card details required in the Warranty Request Form as security for the payment of the Inspection Fee in the event that the warranty claim is not related to any defect in material or workmanship of the Product or the warranty has been voided by the Customer or the warranty claim does not fall within the warranty terms and conditions contained in this document.

4.2Upon the Customer completing the procedures set out in paragraph 4.1 above, Simco or its Authorised Service Agent will carry out an inspection of the Product and determine whether the Product is under warranty in accordance with the terms contained in this document.

4.3In providing the credit card / debit card details required in the Warranty Request Form, the Customer authorises Simco to place a temporary hold on the Customer’s credit card / debit card for the Inspection Fee which amounts to a pre-authorisation to Simco to process the credit card / debit card, if required. This pre-authorisation is not a charge and at this stage, no funds will be debited from the Customer’s credit card / debit card account.

4.4If upon inspection by Simco or its Authorised Service Agent, the Product is not under warranty, the Customer is liable for the Inspection Fee and the Customer’s credit card / debit card will at this stage be processed for the payment of the Inspection Fee.

4.5If the product is under warranty for both on-site repair service and replacement of parts or replace of parts only, Simco will not charge the Customer the Inspection Fee and the pre-authorisation on the credit card / debit card will be cancelled. Simco or its Authorised Service Agent will then proceed with the repair of the Product at no charge to the Customer.

4.6 If the Product is not under warranty for both on-site repair service and replacement of parts, Simco will inform the Customer of the estimated costs of the on-site repair service and replacement of parts or the costs of the on-site repair service only (as the case may be in accordance with the terms of the warranty) required for the repair of the Product. When the Customer authorises Simco to proceed with the repair of the Product, the Customer also authorises Simco to place a temporary hold on the credit card / debit card for the estimated costs of the repair amounting to a pre-authorisation to Simco to process the credit card / debit card, if required. This pre-authorisation is not a charge and at this stage, no funds will be debited from the Customer's credit card / debit card account. Upon completion of the repair by Simco or its Authorised Service Agent, the Customer's credit card / debit card will be processed for the payment of the costs of the repair.

5.Warranty Limitations and Exclusions

5.1 Simco's warranty covers only new Products purchased by the Customer and is not transferrable to any other party.

5.2 Simco's warranty will be suspended if the Customer has not paid for the cost of the purchase of the Product in full.

5.3 Simco's warranty does not cover the use of the Product outside of Australia or if the Product is situated out of Australia.

5.4 Simco's warranty does not cover: -

5.4.1 any component of the Product made of glass.

5.4.2 any light globes, infra-red tubes, quartz tubes or any other type of globes or tubes fitted to the Product.

5.4.3 any defect or damage to the Product caused or partly caused by blocked pilot assembly or burner jets from food stuff, oils, chemicals or debris or by a failure to clean and maintain the Product as specified in the user manual.

5.4.4 any unsuitability or limitations as to the use of the Product or any defect or damage to the Product caused as a result of any fault in the Customer's specification or design provided by the Customer to Simco or the Dealer.

5.5 Simco's warranty will be voided: -

5.5.1 if the serial number of the Product has been tampered with or removed;

5.5.2 if the Product has been repaired or serviced by any person other than the Authorised Service Agent;

5.5.3 if the defect or damage to the Product is caused by the Customer: -

(a) failing to follow the instructions in the installation, commissioning, use or maintenance of the Product.

(b) carrying out any modification or repair to the Product without the authority of Simco or its Authorised Service Agent;

(c) causing accidental damage to the Product;

(d) using the Product in a manner which is inconsistent with the proper and recommended use of the Product by Simco;

(e) being negligent in the installation, commissioning, use or maintenance of the Product;

(f) failing to obtain a Gas Certificate of Compliance when required and/or the Customer failing to install all gas related Products in accordance with the installation requirements of AS/NZS 5601.1 and any other relevant legislation.

5.6. Simco will not in any circumstance be liable for any consequential loss or damage including any actual or expected loss of revenue claimed to have arisen from the Customer's use of the Product.

5.7 The Dealer is not authorised by Simco to give any additional warranty in relation to the Product or to make any representation about the Product's performance or fitness for any specific purpose.

