



## Ex-Showroom: FED-X S/S Split Four-Door Upright Fridge - XURC1200S2V-QLD121

### Quick Overview

**Lot Number:** QLD121

**Class:** 1

**Conditions:** Brand new product with minor forklift damage.

**Warranty:** 12 Months

### Description

**Ex-Showroom:** FED-X S/S Split Four-Door Upright Fridge - XURC1200S2V-QLD121

**Lot Number:** QLD121

**Class:** 1

**Conditions:** Brand new product with minor forklift damage.

**Warranty:** 12 Months

## Key Features

- Gross Volume: 1236L
- Net Volume: 791L
- Max Ambient Temperature: 43°C, 60%RH
- Temperature Range: -2 to +8 ° C
- Cooling System: Fan-Forced cooling
- Controller: Dixell
- Refrigerant: R290
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Auto defrost
- Three levels of shelving plus base
- Self-closing lockable doors with heavy-duty magnetic door seals
- HFCs and CFCs-free foam body insulation
- Tropicalised for Australian conditions
- User-friendly Digital Controls
- Split door design for rapid recovery and energy-saving
- Integrated door handle for easy cleaning
- Shelf and shelf support are designed to accommodate 2 x 1/1 GN pan
- Heavy-duty evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- Weight loading per shelf: 40kg
- Dimensions (Internal): 1224mm W x 682mm D x 1394mm H
- 1/2 split door system can lower yearly running costs by up to 30%

Your Shipping Specifications

|                     |                 |
|---------------------|-----------------|
| Product Condition   | 2ND             |
| Doors               | 4               |
| Door Type           | Hinged Doors    |
| Body                | Stainless Steel |
| Net Weight (Kg)     | 167             |
| Width (mm)          | 1340            |
| Depth (mm)          | 810+30          |
| Height (mm)         | 2000            |
| Packing Width (mm)  | 1365            |
| Packing Depth (mm)  | 855             |
| Packing Height (mm) | 2150            |
| Power               | 240V, 430W/10A  |