



WBCB6-0900/A - Corner Workbench, 150mm Splashback & Undershelf

Quick Overview

All Stainless Steel Corner Workbench with Splashback and Solid Undershelf - WBCB6-0900/A
900mm Wide

• 150mm Splashback

• 900 mm deep & 900 mm high

• Specially designed for quick & simple assembly

• Comes with instruction manual & tools

• Supplied flat-packed for ease of transport

• Locking drawers available*

Legs

• 1.2 mm S/S; 42 mm &

• Fully adjustable S/S polished disc feet that match the legs perfectly

• Castor kits available (lockable)

Benchtops

• 1.2 mm material; SUS304 (18/8)

• Lined with XPS board, 20 mm thick & S/S panel

• Special S/S & channel reinforcements under

- As the bench size increases so does the number of channels

Undershelves

• Height of shelf is fully adjustable, also an extra shelf can be added

• 1.2 mm S/S

• Special & channel reinforcements under to suit the bench type & size, and as the bench size increases so does the & channel width; S/S 1.2 mm thick

Splashbacks

• Stainless steel backing

• All S/S lined & bevelled

• 150 mm high; 30 mm thick

• Fully enclosed & folded under top (not gal. or open)

Description

All Stainless Steel Corner Workbench with Splashback and Solid Undershelf - WBCB6-0900/A 900mm Wide

- 150mm Splashback
- 900 mm deep × 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools

- Supplied flat-packed for ease of transport
- Locking drawers available*
- Legs
- 1.2 mm S/S; 42 mm Ø
- Fully adjustable S/S polished disc feet that match the legs perfectly
- Castor kits available (lockable)
- Benchtops
- 1.2 mm material; SUS304 (18/8)
- Lined with XPS board, 20 mm thick & S/S panel
- Special S/S ' U ' channel reinforcements under
- As the bench size increases so does the number of channels
- Undershelves
- Height of shelf is fully adjustable, also an extra shelf can be added
- 1.2 mm S/S
- Special ' U ' channel reinforcements under to suit the bench type & size, and as the bench size increases so does the ' U ' channel width; S/S 1.2 mm thick
- Splashbacks
- Stainless steel backing
- All S/S lined & bevelled
- 150 mm high; 30 mm thick
- Fully enclosed & folded under top (not gal. or open)

2 Years Parts only Warranty

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	36.2
Width (mm)	900
Depth (mm)	600
Height (mm)	900
Packing Width (mm)	970
Packing Depth (mm)	970
Packing Height (mm)	275
Power	0
Warranty	2 Years Parts Only