



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster LG-1500BGBMF Triple Glass Door Freezer – 1618L Gross, Dual Compressor

Model / SKU: LG-1500BGBMF

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/5349/store/7/



Thermaster Triple Door Supermarket Freezer - LG-1500BGBMF

Quick Overview

- Gross Volume: 1450L
- Net Volume: 1090L
- Max Ambient Temperature: 25°C, 60%RH
- Temperature Range: -22 to -18 ° C
- Twin compressors
- Forced air circulation
- Adjustable shelves
- Interior LED lights
- Powder-coated interior
- Universal wheels, front with brake
- Triple-glazed tempered glass.
- Self-evaporating drip tray
- Aluminium door frame & handle

Description

Thermaster Triple Door Supermarket Freezer - LG-1500BGBMF

Key Features

- Gross Volume: 1450L
- Net Volume: 1090L
- Max Ambient Temperature: 25 °C, 60%RH
- Temperature Range: -22 to -18 ° C
- Twin compressors
- Forced air circulation
- Adjustable shelves
- Interior LED lights
- Powder-coated interior
- Universal wheels, front with brake
- Triple-glazed tempered glass.
- Self-evaporating drip tray
- Aluminium door frame & handle

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	3
Door Type	Hinged Doors
Body	Colorbond
Gross Volume	1450L
Net Volume	1090L
Max Ambient Temperature	25 , 60%RH
Temperature Range	-22 to -18 ° C
Total Energy Consumption	35.163 kWh/24h
Lids	3
Form Factor	Upright
Lid Material	Glass
Net Weight (Kg)	305
Width (mm)	1880
Depth (mm)	740
Height (mm)	2039
Packing Width (mm)	1905
Packing Depth (mm)	760
Packing Height (mm)	2060
Power	240V; 1580W; 15A plug
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice