



PRODUCT DOCUMENT PACK

Prepared and distributed by KW Commercial Kitchen

PRODUCT

Thermaster TS1800TN-3D Triple Door Workbench Fridge – 1800mm

Model / SKU: TS1800TN-3D

KW COMMERCIAL KITCHEN

7/72 Canterbury Road, Bankstown NSW 2200

Phone 1300 001 366

Email sales@kwcommercial.com.au

Web www.kwcommercial.com.au



Scan for the current KW product page

DOCUMENT NOTICE

The supplier document begins on the next page. KW contact branding is added in a separate footer area and does not replace the supplier's instructions, specifications or warranty terms.

Official supplier source: https://www.foodequipment.com.au/md_productpdf/index/generate/product/5646/store/7/



Thermaster Stainless Steel Triple Door Workbench Fridge - TS1800TN-3D

Quick Overview

- Gross Volume: 360L
- Net Volume: 279L
- Max Ambient Temperature: 32°C
- Temperature Range: -2 to 8 ° C
- Solid Door fridge
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Internal corners are constructed for easy cleaning
- 100mm wall clearance is required for ventilation
- Castors
- Optional splashback
- Dimension: 1800mmW x 600D x 850H;
- Power: 240V; 250W; 10A outlet required

Â

Description

Thermaster Stainless Steel Triple Door Workbench Fridge - TS1800TN-3D

Features

- Gross Volume: 360L
- Net Volume: 279L
- Max Ambient Temperature: 32
- Temperature Range: -2 to 8 ° C
- Solid Door fridge
- Fan-forced evaporator cooling
- Auto defrost

- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Internal corners are constructed for easy cleaning
- 100mm wall clearance is required for ventilation
- Castors
- Optional splashback
- Dimension: 1800mmW × 600D × 850H;
- Power: 240V; 250W; 10A outlet required

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	3
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	360L
Net Volume	279L
Max Ambient Temperature	32
Temperature Range	-2 to 8 ° C
Total Energy Consumption	3.12 kWh/24h
Net Weight (Kg)	82
Width (mm)	1800
Depth (mm)	600
Height (mm)	850
Packing Width (mm)	1840
Packing Depth (mm)	630
Packing Height (mm)	900
Power	240V; 250W; 10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice