



FED-X Compact Workbench Fridge - XGNS900B

Quick Overview

- Gross Volume: 240L
- Net Volume: 180L
- Max Ambient Temperature: 38°C, 60%RH
- Temperature Range: -2 to +8 ° C
- Cooling System: Static cooling
- Compressor: Embraco/Secop
- Controller: Dixell
- Weight loading per shelf: 40kg
- Refrigerant: R600A
- Dimensions (Internal): 830mm W. x 595mm D x 455mm H



Description

FED-X Compact Workbench Fridge - XGNS900B

For small and medium businesses that need performance and professional-grade commercial refrigeration. With 2 solid Stainless steel doors, it's compact, so you can make the most of your workspace and kitchen.

Let this performer function as a countertop bench fridge or let it settle under the bar. Either way, it will let you work with ease. With its compact size and generous compartments, it is ideal for restaurants, cafes, clubs, pubs, bars, and offices.

With Fuller heavy-duty drawer runners, this fridge can withstand everyday wear and tear, even in a busy kitchen. The heavy-duty magnetic door seals are designed to ensure optimal cooling. Constructed using stainless steel inside and out. The internal area features rounded corners, making it super easy to clean this compact unit. This unit is GN pan compatible, comes with a single shelf, but you can opt for additional slides, so your GN pans just slide in and out.

- This worktop bench fridge ' sbuild quality, specifications, and functionality meet food, health, and safety standards.
- Can be placed against the wall.
- The storage area underneath is Gn pan compatible
- Gross Volume: 240L
- Net Volume: 180L
- Max Ambient Temperature: 38°C, 60%RH
- Temperature Range: -2 to +8 ° C
- Cooling System: Static cooling
- Compressor: Embraco/Secop
- Controller: Dixell
- Weight loading per shelf: 40kg
- Refrigerant: R600A
- Dimensions (Internal): 830mm W. x 595mm D x 455mm H

MAIN FEATURES

- Stainless steel interior and exterior with rounded corners for easy cleaning
- GN1/1 shelf or GN1/1 drawer
- Replaceable magnetic door seals
- Industry-leading Fulterer heavy-duty drawer runners
- User-friendly Digital controls
- The unit can be placed against the wall
- Certified 4M1 food-safe with a 5 Star GEMS rating

2 Years Parts and Labour + 2 years parts-only warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	240L
Net Volume	180L
Max Ambient Temperature	38°C, 60%RH
Temperature Range	-2 to +8 ° C
Total Energy Consumption	2.586 kWh/24h
Net Weight (Kg)	81
Width (mm)	903
Depth (mm)	700
Height (mm)	897
Packing Width (mm)	930
Packing Depth (mm)	730
Packing Height (mm)	1050
Power	240V; 170W/1.2A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice